

MOMS ON CALL™

The Basics for Beginning Solids | 4-6 Months

You can begin introducing solids between 4 and 6 months of age. Typically we hit that perfect developmental window right around 4-5 months! The most important thing to remember is to keep feeding low stress. Providing a happy atmosphere is a game changer when introducing something new to your little one.



Sneak Peek into
the ***Moms on Call***
Parenting Books and
Online Courses!

MOMS ON CALL™

The Basics for Beginning Solids | 4-6 Months

How to begin:



Have fun

Giggle often and take LOTS of pictures.



Relax. We want your face to indicate that this is normal and fun.

Our little ones watch our every move. Confidence is key!



Keep in mind, babies get 100% of their nutritional needs met through the formula and breast milk until 12 months of age, so we do not need to worry about amounts.

We are simply getting them used to different tastes and textures.



At this age, the easiest way to start feeding is by sitting the baby in a bouncy seat on the floor.



We recommend using long handled spoons.

You can begin by placing the food on the tip of the spoon, then place the spoon in the baby's mouth and allow the spoon to sit there while you hold the spoon.



Download our free Baby Food Introduction Calendar for a super easy printable feeding guide where we take you day-by-day from stage one to stage three foods.

We include recommended amounts, varieties, and more!



Check out our curated list of favorite feeding products.



MOMS ON CALL™

The Basics for Beginning Solids | 4-6 Months

What to Expect:



We move from a thin, yogurt-like consistency to a thick consistency with some texture (kind of like an adult rice pudding) within a little over a month.

Stage One: Very pureed x 2 Weeks

Stage Two: Thicker pureed x 2-4 Weeks

Stage Three: Thickest puree until they begin mushable finger foods around 7 Months of Age.



Baby begins in a bouncy seat on the floor and we graduate to a high chair around 5-6 months of age, when they begin to sit up without support.



We introduce a new food every about three days, so we know if they tolerate it well.



Offer breastmilk or formula in a sippy cup at each “snack” time.

