



Cognitive behaviour therapy (CBT)

Summary

- Cognitive behaviour therapy (CBT) is a type of psychotherapy.
- It may help you to change unhelpful or unhealthy ways of thinking, feeling and behaving.
- CBT uses practical self-help strategies. These are designed to immediately improve your quality of life.
- CBT can be an effective way to treat depression and anxiety.

What is cognitive behaviour therapy?

Cognitive behaviour therapy (CBT) is an effective treatment approach for a range of mental and emotional health issues, including anxiety and depression.

CBT aims to help you identify and challenge unhelpful thoughts and to learn practical self-help strategies. These strategies are designed to bring about immediate positive changes in your quality of life.

CBT can be good for anyone who needs support to challenge unhelpful thoughts that are preventing them from reaching their goals or living the life they want to live.

CBT aims to show you how your thinking affects your **mood**(http://www.betterhealth.vic.gov.au/health/healthyliving/monitoring-your-mood)
. It teaches you to think in a less negative way about yourself and your life. It is based on the understanding that **thinking negatively**(http://www.betterhealth.vic.gov.au/health/healthyliving/negative-emotions)

is a habit that, like any other habit, can be broken.

When CBT is useful

CBT is used to treat a range of psychological problems including:

anxiety

(http://www.betterhealth.vic.gov.au/conditionsandtreatments/anxiety)

anxiety disorders such as social phobia

(http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/social-phobia)

, obsessive-compulsive disorder

(http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/obsessive-compulsive-disorder)

or post-traumatic stress disorder

(http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/post-traumatic-stress-disorder-ptsd)

depression

(http://www.betterhealth.vic.gov.au/conditionsandtreatments/depression)

• low self-esteem

(http://www.betterhealth.vic.gov.au/health/healthyliving/self-esteem)

irrational fears

(http://www.betterhealth.vic.gov.au/health/healthyliving/Fighting-your-fears)

hypochondria

• substance misuse, such as **smoking**

(http://www.betterhealth.vic.gov.au/healthyliving/smoking-and-tobacco)

, drinking

(http://www.betterhealth.vic.gov.au/healthyliving/alcohol)

or other drug use

(http://www.betterhealth.vic.gov.au/healthyliving/drugs)

problem gambling

(http://www.betterhealth.vic.gov.au/health/healthyliving/gambling)

· eating disorders

(http://www.betterhealth.vic.gov.au/health/healthyliving/eating-disorders)

insomnia

(http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/sleep-insomnia)

marriage or relationship problems

(http://www.betterhealth.vic.gov.au/health/healthyliving/Managing-a-relationship-breakdown)

• certain emotional or behavioural problems in children or teenagers.

Using CBT to treat anxiety

Everyone feels anxious sometimes. Anxiety serves as a means of protection and can increase your performance in stressful situations. For example, the rush of anxiety that often occurs before a job interview or a big race can enhance your performance.

But for some people the **feeling of anxiety is more general**

(http://www.betterhealth.vic.gov.au/health/healthyliving/Generalised-anxiety-disorder)

. This means that you always feel on alert or fearful no matter what activity you are doing. This can be extremely distressing and get in the way of your daily life.

If your level of anxiety begins to interfere with your ability to function, it is important that you begin to learn some skills for coping with these anxious feelings. This is where **CBT**

(http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/anxiety-treatment-options) can help. It focuses on changing patterns of thinking and beliefs that are associated with, and trigger, anxiety.

Using CBT to treat depression

People with depression can have ongoing negative feelings about themselves, other people and the world around them. This negative thinking pattern can become automatic so that you don't notice when your judgement is irrational or unfair on yourself.

CBT can help people with depression by giving you tools to challenge the negative thoughts and override them with more realistic and positive thought processes.

CBT is also used to help many more psychological problems. In some cases, other forms of therapy used at the same time may be recommended for best results. Talk to your doctor for further information and advice.

CBT and thoughts, feelings and behaviours

The main focus of CBT is that thoughts, feelings and behaviours combine to influence a person's quality of life. For example, severe shyness in social situations (social phobia) may come from you thinking that other people will always find you boring or stupid. This belief could cause you to feel extremely anxious in social situations.

This could lead to certain behaviour in social situations, such as trembling, **sweating** (http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/sweat)

, accelerated heart rate or other uncomfortable symptoms. You could then feel overwhelmed with negative emotions (such as shame) and negative self-talk ('I'm such an idiot'). Your fear of social situations could become worse with every bad experience.

CBT aims to teach people that it is possible to have control over your thoughts, feelings and behaviours. CBT helps you to challenge and overcome automatic

beliefs, and use practical strategies to change or modify your behaviour. The result is more positive feelings, which in turn lead to more positive thoughts and behaviours.

CBT combines cognitive therapy and behaviour therapy

CBT focuses on changing unhelpful or unhealthy thoughts and behaviours. It is a combination of 2 therapies: 'cognitive therapy' and 'behaviour therapy'. The basis of both these techniques is that healthy thoughts lead to healthy feelings and behaviours.

Cognitive therapy

The aim of cognitive therapy is to change the way you think about an issue that's causing concern.

Negative thoughts cause self-destructive feelings and behaviours. For example, someone who thinks they are unworthy of love or respect may feel withdrawn in social situations and behave shyly. Cognitive therapy challenges those thoughts and provides you with healthier strategies.

Many techniques are available. One technique involves asking you to come up with evidence to 'prove' that you are unlovable. This may include prompting you to acknowledge the family and friends who love and respect you. This evidence helps you to realise that your belief is false. This is called 'cognitive restructuring'. You learn to identify and challenge negative thoughts, and replace them with more realistic and positive thoughts.

Behaviour therapy

The aim of behaviour therapy is to teach you techniques or skills to alter your behaviour. For example, a person who behaves shyly at a party may have negative thoughts and feelings about themselves. They may also lack social skills.

Behaviour therapy teaches you more helpful behaviours. For example, you may be taught conversational skills that you practise in therapy and in social situations. Negative thoughts and feelings reduce as you discover you can enjoy yourself in social situations.

Treatment with CBT

The details of treatment will vary according to your problem. However, CBT typically includes the following:

- **Assessment** this may include filling out questionnaires to help you describe your particular problem and pinpoint distressing symptoms. You will be asked to complete forms from time to time so that you and your therapist can track your progress and identify problems or symptoms that need extra attention.
- Personal education your therapist provides written materials (such as brochures or books) to help you learn more about your particular problem. The saying 'knowledge is power' is a cornerstone of CBT. A good understanding of your particular psychological problem will help you to dismiss unfounded fears, which will help to ease your anxiety and other negative feelings.
- **Goal setting** your therapist helps you to draw up a list of goals you wish to achieve from therapy (for example, you may want to overcome your shyness in social settings). You and your therapist work out practical strategies to help fulfil these goals.
- **Practise of strategies** you practise your new strategies with the therapist. For example, you may role-play difficult social situations or realistic self-talk (how you talk to yourself in your head) to replace unhealthy or negative self-talk.
- Homework you will be expected to actively participate in your own therapy. You are
 encouraged to use the practical strategies you have practised during the course of your
 daily life and report the results to the therapist. For example, the therapist may ask you to
 keep a diary.

CBT and medication

Medication is not always needed, but consultation with your GP or a psychiatrist is always advised. CBT can be effective in the treatment of depression and anxiety. In other cases, you and your therapist may decide that medication, together with CBT, would produce the best results. For example, people with **bipolar disorder** (http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/bipolar-disorder) usually benefit from medication that helps control their mood swings.

Who provides CBT?

Counsellors, psychologists, mental health social workers and therapists can all provide CBT, either in one-on-one therapy sessions, small groups or online. You are trained to look logically at the evidence for your negative thoughts, and to adjust the way you view the world around you.

The therapist will provide 'homework' for between sessions. Generally, 6 to 10 sessions are required but the number will vary from person to person.

More recently, a number of online programs (such as **moodgym** (https://moodgym.com.au/)

and This Way Up

(https://thiswayup.org.au/)

) have been developed to deliver CBT to people in their own homes.

Issues to consider before choosing CBT

Before choosing CBT, issues you may like to consider include:

 CBT may not be the best form of therapy for people with any type of brain disease (http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/brain) or injury

(http://www.betterhealth.vic.gov.au/health/conditionsandtreatments/acquired-brain-injury) that impairs their rational thinking.

- CBT requires you to actively participate in treatment. For example, you may be asked to
 keep detailed diaries on thoughts, feelings and behaviours. If you are not prepared to put in
 the work, you may be disappointed with the results of CBT.
- CBT involves a close working relationship between you and your therapist. Professional trust and respect is important. If you don't like the therapist at the first interview, look for another one.
- While CBT is considered a short-term form of psychotherapy, it may still take months or longer for you to successfully challenge and overcome unhealthy patterns of thinking and behaviour. CBT may disappoint you if you are looking for a 'quick fix'.

Where to get help

• Your **GP (doctor)** (http://www.betterhealth.vic.gov.au/health/serviceprofiles/General-practitioner-services)

Psychologist

(http://www.betterhealth.vic.gov.au/health/serviceprofiles/psychologist-service)

Psychiatrist

(http://www.betterhealth.vic.gov.au/health/serviceprofiles/psychiatrist-service)

Counsellor

(http://www.betterhealth.vic.gov.au/health/serviceprofiles/counsellor-service)

• Relationships Australia

(https://relationships.org.au/)

Tel. 1300 364 277

Psychotherapy and Counselling Federation of Australia (PACFA)

(http://www.pacfa.org.au/)

Tel. (03) 9486 3077

1800 RESPECT

(http://www.1800respect.org.au/)

7/20/24, 11:59 PM

Tel. 1800 737 732

Beyond Blue

(https://www.beyondblue.org.au/)

Tel. 1300 224 636

• MensLine Australia

(http://www.mensline.org.au/)

Tel. **1300 789 978**

QLife

(http://www.qlife.org.au/)

Tel. 1800 184 527

Australian Psychological Society

(https://psychology.org.au/)

Tel. **(03)** 8662 3300 or 1800 333 497

Anxiety Recovery Centre Victoria

(http://www.arcvic.org.au/)

Tel. **(03) 9830 0533** or **1300 269 438**

References

What is cognitive therapy?

(http://www.cognitivetherapynyc.com/What-Is-Cognitive-Therapy.aspx)

, The American Institute for Cognitive Therapy.

• Treatments for depression

(https://www.blackdoginstitute.org.au/clinical-resources/depression/treatment)

, Black Dog Institute.

This page has been produced in consultation with and approved by:



Department of Health



(https://www2.health.vic.gov.au/)

(http://www.relationshipsvictoria.com.au/)

View all mental health and wellbeing →

(http://www.betterhealth.vic.gov.au/conditionsandtreatments/mental-health-and-wellbeing)

Content disclaimer

Content on this website is provided for information purposes only. Information about a therapy, service, product or treatment does not in any way endorse or support such therapy, service, product or treatment and is not intended to replace advice from your doctor or other registered health professional. The information and materials contained on this website are not intended to constitute a comprehensive guide concerning all aspects of the therapy, product or treatment described on the website. All users are urged to always seek advice from a registered health care professional for diagnosis and answers to their medical questions and to ascertain whether the particular therapy, service, product or treatment described on the website is suitable in their circumstances. The State of Victoria and the Department of Health shall not bear any liability for reliance by any user on the materials contained on this website.

Reviewed on: 24-02-2022







The Victorian Government acknowledges Aboriginal and Torres Strait Islander people as the Traditional Custodians of the land and acknowledges and pays respect to their Elders, past and present.

The Department of Health celebrates, values and includes people of all backgrounds, genders, sexualities, cultures, bodies and abilities.

Privacy statement: https://www.betterhealth.vic.gov.au/about/privacy Copyright notice: https://www.betterhealth.vic.gov.au/about/terms-of-use **Disclaimer notice:** https://www.betterhealth.vic.gov.au/about/terms-of-use



This web site is managed and authorised by the Department of Health, State Government of Victoria, Australia © Copyright State of Victoria 2024.