

[PACKAGE](#) [CLASS](#) [USE](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

MenuPackage

## Class mouseInputTest

java.lang.Object

MenuPackage.mouseInputTest

### All Implemented Interfaces:

java.awt.event.MouseListener, java.util.EventListener

```
public class mouseInputTest
extends java.lang.Object
implements java.awt.event.MouseListener
```

This class captures the location of the mouse upon a mouse "click". Depending on the box that is selected (boxed correspond with the Menu image) a different game can be opened or the menu program can be closed.

### Constructor Summary

#### Constructors

##### Constructor and Description

[\*\*mouseInputTest\*\*\( \)](#)

### Method Summary

#### All Methods    Instance Methods    Concrete Methods

Modifier and Type	Method and Description
void	<a href="#"><b>mouseClicked</b></a> (java.awt.event.MouseEvent e)
void	<a href="#"><b>mouseEntered</b></a> (java.awt.event.MouseEvent e)
void	<a href="#"><b>mouseExited</b></a> (java.awt.event.MouseEvent e)
void	<a href="#"><b>mousePressed</b></a> (java.awt.event.MouseEvent e)
void	<a href="#"><b>mouseReleased</b></a> (java.awt.event.MouseEvent e)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructor Detail

### mouseInputTest

```
public mouseInputTest()
```

## Method Detail

### mouseClicked

```
public void mouseClicked(java.awt.event.MouseEvent e)
```

**Specified by:**

mouseClicked in interface java.awt.event.MouseListener

### mousePressed

```
public void mousePressed(java.awt.event.MouseEvent e)
```

**Specified by:**

mousePressed in interface java.awt.event.MouseListener

### mouseReleased

```
public void mouseReleased(java.awt.event.MouseEvent e)
```

**Specified by:**

mouseReleased in interface java.awt.event.MouseListener

### mouseEntered

```
public void mouseEntered(java.awt.event.MouseEvent e)
```

**Specified by:**

mouseEntered in interface java.awt.event.MouseListener

### mouseExited

```
public void mouseExited(java.awt.event.MouseEvent e)
```

**Specified by:**

```
mouseExited in interface java.awt.event.MouseListener
```

[PACKAGE](#)   [CLASS](#)   [USE](#)   [TREE](#)   [DEPRECATED](#)   [INDEX](#)   [HELP](#)

[PREV CLASS](#)   [NEXT CLASS](#)   [FRAMES](#)   [NO FRAMES](#)   [ALL CLASSES](#)

[SUMMARY: NESTED | FIELD | CONSTR | METHOD](#)   [DETAIL: FIELD | CONSTR | METHOD](#)