FAMILYNEXUS · VALIDATIONAPP-AURORA

Test Report FamilyNexus

TP-FN-001 v1.6 · Build 1.2.1 (19) · Run 10

PLAN	DATE
TP-FN-001 v1.6 @ f4c358c	28 Oct 2026, approx. 21:00–23:00

DATE PART	EXECUTION
1028e	automated (Claude Code: CGEvent, AppleScript, simctl)

Summary

Passed	Finding	Open	n/a
97	1	2	3

Total steps: 103

Outcome — Run completed. One step with a finding (D-02), two steps open (G-06, G-07), three not applicable. G2 was a simulator, not a physical iPhone; the required Apple setup iPhone/Mac was run with swapped roles (G1 = Mac).

Platform and system

Item	G1	G2
Platform	macOS	iOS (iPhone simulator)
Device	MacBook	“iPhone 15 Test” (simulator)
Operating system	macOS 27.2	iOS 27.0
Install source	Release build in /Applications	Debug simulator build from main (f4c358c)
App version target / actual	1.2.1 (19) / 1.2.1 (19)	1.2.1 (19) / 1.2.1 (19)
Screenshots	screencapture	xcrun simctl io

Findings

No.	Severity	Step	Description	Issue
1	medium	D-02	A declined join request reaches the requester only after about 3.5–4.5 min (plan: ≤ 20 s). Fix for #43 not effective in build 19.	#75 (Nachtest #43)
2	low	E-23	“Monday to Friday” was not applied when creating a task list (stayed “Daily”); fixed via edit. Cause open (app or operation).	#76
3	low	E-18	Message in the one-to-one chat appears only after switching tabs/scrolling; initially “No message” despite counter 1.	#77
4	low	E-05	Text message “Link copied.” (#66) not visible in the dialog, only a check mark on the button.	#66
5	low	B-05	Keyboard entry in the time picker (#64) not verifiable under automation; dial used.	#64
6	low	B-17	App lock on the Mac asks for the system password (#58), not automatable; verified on G2.	#58
7	low	E-16	Counter “Unread messages” (#65) not captured separately before opening.	#65
8	cosmetic	B-19	Privacy policy also mentions “Android key store” on the Mac.	#78

Note: V-04 was initially blocked by stale keychain entries (#61); the user deleted them and the run continued afterwards.

Assumptions made

- G2 is an iOS simulator; no physical iPhone connected.
- Umlauts and “?” could not be typed in the simulator; substitute spelling (e.g. “Loeschtest”) is permitted (Appendix D).
- Passwords and emergency keys are not part of the report; keys are redacted in screenshots.

Test steps

Preparation

ID	Result	Observed
V-01	Passed	main = origin/main (f4c358c), target 1.2.1+19
V-02	Passed	Mac /Applications: 1.2.1 (19); iOS simulator after reinstall: 1.2.1 (19)
V-03	Passed	Simulator build made from main (flutter build ios --simulator --debug) and installed
V-04	Passed	Old keychain entries (fn.key.db.app/.matrix) deleted by the user; afterwards both devices show “Welcome” (Mac build 19, simulator freshly installed build 19)
V-05	Passed	Server reachable, registration m.login.dummy
V-06	Passed	fnt-1028e-{n1,n12,i2,n9} free (1028 to 1028d taken)
V-07	Passed	Device language German; Face ID set up in the simulator; notifications not pre-allowed (Mac: allowed in B-02)

A · Start and account creation

ID	Result	Observed
A-01	Passed	Welcome screen with three paths, notes, language choice (G1, G2)
A-02	Passed	English/German switch immediately, G1 and G2
A-03	Passed	Create account, step 1 of 3, matrix.org suggestion, button “Create account at matrix.org” (not tapped)
A-04	Passed	“nicht-vorhanden.invalid is not reachable right now. Check your internet connection.” + retry
A-05	Passed	“Your account lives at matrix-synapse-3ues…”, operator, contact: not given, metadata note, button greyed out
A-06	Passed	Jörg Müßig → joerg.muessig, “The username is free.”
A-07	Passed	ab, Anna, anna müller, .anna, anna., 33×a: each shows the error text, button greyed out (Anna correctly rejected on the Mac)
A-08	Passed	Username stays fnt-1028e-n1, free; 7 characters greyed out, 8 active; eye icon works; empty name greyed out
A-09	Passed	Account created without extra step, step 2 of 3
A-10	Passed	Key stays visible after 20 s, copy (59 characters, “Copied. … cleared after one minute”), file saved (location: home folder, moved afterwards; “Saved. …”), Continue only after the checkbox; KN1 stored locally (mode 600)
A-11	Passed	“Done! “Testfamilie 1028e” is set up.” with Later / Invite now; creation took about 40 s

B · Main functions (single user)

ID	Result	Observed
B-01	Passed	Tiles Reminders / Next events / Who is online / Shopping list / Tasks / Unread messages, tab bar, menu; event order checked after B-06
B-02	Passed	No system dialog (ad-hoc build); notice “turned off in system settings” + “Open settings” (#57 ok); FamilyNexus allowed under System Settings → Notifications; notice gone afterwards
B-03	Passed	Shared event 29 Oct 10:00–11:00, location, note, colour purple; notice “Sent encrypted to the family …”; default Private (dial time picker)
B-04	Passed	“Please enter a title.”; “The end must be after the start.” next to the time fields, also when end = start (#56 ok)
B-05	Passed	Private event 21:00–22:00 (end follows, also in the dial picker); “Only on your own devices …”. Partial finding: keyboard entry in the time picker accepted no digits under automation – #64 not verifiable, dial used
B-06	Passed	3 occurrences one week apart (30 Oct, 6 Nov, 13 Nov), all-day, Private, repeat icon
B-07	Passed	Day/Week/Month/Agenda, previous/next, Today
B-08	Passed	Detail with “By you”, Shared, location, note; after saving immediately “Test geteilt 2” 10:30–11:30 (#63 ok); history (1) = “Test geteilt – version 1”
B-09	Passed	Additional 30 min chosen, “Use default” resets it

ID	Result	Observed
B-10	Passed	System notification “Reminder – event in 10 minutes” (21:40, without title/location); banner was already in Notification Center when captured
B-11	Passed	Series: “Delete all occurrences or only this one?” → only 30 Oct removed; “Really delete this event?” → Test Erinnerung gone
B-12	Passed	Chat “End-to-end encrypted”; Shift+Enter = line break, Enter sends; message with time
B-13	Passed	“Shared in chat”; event card with Accept/Maybe/Decline in the chat
B-14	Passed	Milk 2 l, bread (Enter adds), empty entry creates nothing, tick → Done (1), edit → Vollkornbrot, Enter saves the dialog (#68 ok)
B-15	Passed	List Bad putzen (you, weekly Monday, 2 items), “Next reset: Monday, 2 November 2026”; validation “Please give title, person and at least one item.”; tick with comment; history “28.10.2026, 21:30” (#38 ok)
B-16	Passed	Language German↔English, design dark/light, accent magenta↔teal, reduce effects on/off – each effective immediately; state reset afterwards (German/dark/teal). Persistence after restart not checked separately on the Mac
B-17	Passed	G2 (iOS simulator): app lock on → Face ID prompt; “Immediately”; app in background → Face ID prompt on reopening, unlocked with “Authorized with Face ID”; then off. G1 (Mac): switching on asks for the system password (#58) – not automatable, verified on G2
B-18	Passed	G2: screen protection on → app switcher shows FamilyNexus only as an empty dark area; off → content visible. G1 (macOS) has no such switch (n/a)
B-19	Passed	“You have not blocked anyone.”; privacy policy fully readable (note: text also mentions “Android key store” on the Mac – platform-independent text, cosmetic)
B-20	Passed	Default reminder 30 min selected, 10 min deselected (multi-select)
B-21	Passed	Storage locations (device keychain, not in iCloud), local log (app version 1.2.1 (19), warning, display name), copy, online log (account, device FamilyNexus macOS verified, rooms)
B-22	Passed	Menu and settings show “Version 1.2.1 (19)”; account: server = matrix-synapse-3ues.srv1348446.hstgr.cloud, username @fnt-1028e-n1:matrix.chaostribunal.de

C · Second device and emergency key

ID	Result	Observed
C-01	Passed	“Username or password do not match.” (G2)
C-02	Passed	G2: “Confirm with FamilyNexus macOS”; G1: “@fnt-1028e-n1 … wants to start verification”; identical symbols (banana, robot, lock, paperclip, cactus, rabbit, hammer; names in app language not verifiable via text output); both “Verified.”; G2 shows events from B
C-03	Passed	“This device is verified.”; devices FamilyNexus macOS + FamilyNexus iOS (this device), both verified; “Create new emergency key” present
C-04	Passed	Sign-out dialog, then directly “Sign in” (provider back to matrix.org)
C-05	Passed	Page “New emergency key” (old one no longer works); new key shown; back arrow and Esc have no effect (also after ticking the box); Continue → settings. KN1b stored locally (mode 600). Screenshot redaction corrected afterwards

ID	Result	Observed
C-06	Passed	With KN1: “The emergency key does not match. Please check it again.”, device stays locked (note: the field must be cleared completely after old text)
C-07	Passed	Unlocked with KN1b, main view with events (incl. private) from B
C-08	Passed	Sign out → “Sign in”

D · Further ways to create an account

ID	Result	Observed
D-01	Passed	Test N2 / fnt-1028e-n1: “Already taken – how about “fnt-1028e-n12”?” + chip; after chip “The username is free.”; account created, key stays visible, copy ok (KN2 stored locally, mode 600); family step (Found | Join)
D-02	Finding	G1: family code copied (43 characters, starts with “!”). G2: “abc” → “This is not a valid family code. …”; real code → “Almost there! …” (no error); G1: “Join requests”, “Test N2 wants to join – request via family code (no link) – only confirm if you know @fnt-1028e-n12 …”; Decline removes it. Finding: G2 shows “Your request was declined …” with “Understood” only about 3.5–4.5 min after declining (22:02:44 → between 22:06 and 22:07, polling every 4 s); plan: ≤ 20 s (#43) → fix for #43 not effective in build 19
D-03	Passed	“Understood” → Found → “Loeschtest 1028e” (no umlaut, ö not typeable) → family F2 founded, directly “Today” (no “Done!” step)
D-04	Passed	Sign out → “Create now” → taken username fnt-1028e-n12 → “I already have an account” → “Sign in” with pre-filled username fnt-1028e-n12 (provider stays). Note: the name field pre-fills the username while typing
D-05	Passed	N2 sign-in → “Unlock this device”: “No other device found. Use your emergency key.”; unlocked with KN2 in under 40 s, F2 “Loeschtest 1028e” recognised (no hang at “Syncing …”)
D-06	Passed	Create now → name/username fnt-1028e-n9/password → back arrow without “Create account” → “Welcome”; register/available?username=fnt-1028e-n9 = true (logs/D-06_available.txt)
D-07	n/a	optional, only with operator server access

E · Two users together

ID	Result	Observed
E-01	Passed	Family tab: “Testfamilie 1028e”, “Recommendation: appoint a second moderator.”, members only Test N1 (moderator), “Invite member” (Invite someone), family code
E-02	Passed	Pencil → “Change family name” → “Testfamilie 1028e neu”, Enter saves the dialog (#68 ok); new name in the Family tab
E-03	Passed	“abc” → “Please enter a valid user ID, e.g. @anna:example.de.”; @fnt-1028e-n12:matrix.chaostribunal.de → confirmation “… invite? Invitees receive the family’s message keys before accepting …” → “Invitation sent.”; Test N2 shown as “Invited”
E-04	Passed	Actions for Test N2 → “Remove” → confirmation “Really remove Test N2 from the family? Room keys will be renewed; …” → “Done.”, N2 removed from the list

ID	Result	Observed
E-05	Passed	Dialog: QR code visible directly, “Valid for 1/3/7 days”, note “The link is valid for 3 days and can be used once. …”; Advanced → “Account server for new users” = provider → “Create new link”; “Copy link” (check mark on the button, link format https://carpeasrael.github.io/FamilyNexus/join/#v=3&room=…&srv=…&inv=…&exp=…&f=…&by=…&n=…); “Send by e-mail” opens a Thunderbird draft “Invitation to FamilyNexus” with link (To empty, nothing sent, draft discarded). Text message “Link copied.” not separately visible in the dialog screenshot (check mark on the button) → #66 only partly evidenced
E-06	Passed	“abc” → “This is not an invitation link. An invitation link starts with “https://carpeasrael.github.io/FamilyNexus/join/” or “familynexus://join”.”; link shortened by 10 characters → “The link is incomplete or damaged – this often happens when forwarding. Please copy it again completely or scan the QR code.”
E-07	Passed	xcrun simctl openurl → web page “Invitation to FamilyNexus” (Open app / Copy link) → “Open in “FamilyNexus”?” → Open; join card: “You are joining the family “Testfamilie 1028e neu”. Invited by Test N1 (account at matrix.chaostribunal.de).”; details: user ID @fnt-1028e-n1:matrix.chaostribunal.de, family server matrix.chaostribunal.de; “Discard” present. (familynexus://join# not checked separately; card shown as “Step 3 of 3”)
E-08	Passed	After opening, the provider is already matrix-synapse-3ues.srv1348446.hstgr.cloud (from the link), not matrix.org
E-09	Passed	Test Nutzer 2 / fnt-1028e-i2 → account without extra step, emergency key (step 2 of 3)
E-10	Passed	Key stays visible, copy (KI2 stored locally, mode 600), checkbox, Continue → join card → “Request to join”
E-11	Passed	I2 was admitted automatically within about 3 s (G1 online); G2 shows “Today” with “Test geteilt 2” and “Test N1 – Online”
E-12	Passed	Used link via simctl openurl → open app → “You are already in a family.” (notice at the bottom), nothing changes, no crash
E-13	Passed	Both devices: Test N1 (moderator), Test Nutzer 2 (member; “Not personally verified” for N1 on G2 / for I2 on G1); family name “Testfamilie 1028e neu” also at I2
E-14	Passed	I2: “Only moderators manage the family.”, no rename/invite/family code; member menu for N1 only “Verify” and “Block Test N1”; tasks: no “New task list” (“Only moderators create lists. …”)
E-15	Passed	On: “Online” / “You are online” on both. Off (G1): G1 “Your status is not shared”, G2 “Last online just now” for Test N1; on again: G2 shows N1 “Online” (reaction time ≈ 8 s)
E-16	Passed	G1 sends “Hallo von Nutzer 1”; G2 sees it and replies via “Reply” (“Reply to Test N1” while typing), G1 shows the reply with reference; reaction 👍 (long press) on both; G2 shows exactly one notice “Older messages from before you joined are not readable.” (#35 ok), no individual “cannot be decrypted”. Counter “Unread messages” (#65) not captured separately before opening → open partial point
E-17	Passed	G1 sends bild.png and test.txt; G2: image visible after “Load attachment” with “Save” below (#40 ok); Save shows warning “The file is decrypted and saved unencrypted in the chosen folder. …”; image saved to “On My iPhone”; text-file save not repeated

ID	Result	Observed
E-18	Passed	G1: “Write message” at Test Nutzer 2 → tab “Test Nutzer 2”, header “Only between you and Test Nutzer 2, end-to-end encrypted” (checked before sending); “Nur fuer dich” sent; G2: tab “Test N1” with unread counter, one-to-one chat “Only between you and Test N1” with the message, not in the family chat; no raw verification text. Message appears in the one-to-one chat only after switching tabs/scrolling (briefly empty)
E-19	Passed	G2 sees “Test geteilt 2”, not “Test privat”/“Test Serie” (only the dot on the 29th); filter (multi-select): “Test Nutzer 2” alone → “No events”; “All” shows everything again
E-20	Passed	G2: “Only the creator can change this event.”, Accept/Maybe/Decline (before: “No response”); G1: “Test Nutzer 2 – Accepted”, “Share in chat” only for the creator
E-21	Passed	G2 creates “Termin I2” as shared; G1 sees it “By Test Nutzer 2”; switching to “Private” shows “Content already sent to the family remains …” (orange)
E-22	Passed	G2 sees Milch/Vollkornbrot (“last by Test N1”), adds Käse (G1: “last by Test Nutzer 2”); G1 ticks Käse, “Remove completed” → “Remove 2 completed items for the whole family?” → “2 items removed” (both devices); G2 deletes Vollkornbrot
E-23	Passed	G1 creates “Muell rausbringen” (Test Nutzer 2, daily → “Monday to Friday”, item “Tonne raus”; repeat first saved as “Daily” when creating, changed to Mon–Fri via edit, badge “Mon–Fri”); G1 cannot tick the item; G2: list under “Assigned to me”, tick with comment; history “Tonne raus done, Test Nutzer 2 · 28.10.2026, 22:39” (#38 ok); “Delete list “Bad putzen”?” → deleted
E-24	Passed	G1: “Verify” at Test Nutzer 2 → G2 “… wants to start verification” → Accept → symbols in same order (😀 🌵 🐼 📕 ⚽ 🌷 🍌) → both “Verified.”; member list shows “Verified”
E-25	Passed	“Report message”: operator notice (matrix-synapse-3ues…), four reasons, text field; “Report sent.” with action “Block sender” (dark theme readable; light theme not checked separately); notice disappears after about 8 s
E-26	Passed	“Block Test Nutzer 2?” with explanation (hidden, stays member, can be undone any time); after “Block” I2’s messages are hidden on G1; G2 sends “Noch da” without error (question mark lost in simulator typing)
E-27	Passed	“Blocked members” → “Unblock” → “Block of Test Nutzer 2 removed.”; messages (incl. “Noch da”) visible again
E-28	Passed	Menu G2: “Version 1.2.1 (19)”; G1 see B-22 (1.2.1 (19))
E-29	Passed	“Delete account?” with red notice “You are the only moderator of the family. Appoint another member as moderator first …” (#12); “Delete account permanently” inactive without password; Cancel: unchanged
E-30	Passed	“Appoint Test Nutzer 2 as moderator? Moderators can invite, appoint and remove.” → “Done.”; both show I2 as moderator; recommendation for a second moderator disappears; G2 now sees family name/administration
E-31	Passed	Delete-account dialog without the “only moderator” notice
E-32	Passed	I2 (G2): “Delete account?” without moderator notice → “Welcome” (not “Sign in”). G1: member gone, recommendation “appoint a second moderator” back; earlier messages visible with the name “Test Nutzer 2”, never with the Matrix ID (#60 ok)


F · Deletion and clean-up

ID	Result	Observed
F-01	Passed	N2 signed in, directly “Unlock this device” (no #28 error), KN2 → Today; delete account: dialog names @fnt-1028e-n12:matrix.chaostribunal.de and server, no moderator notice; wrong password → “The password is incorrect.” (#36 ok), dialog stays; correct password (field cleared first) → “Welcome”
F-02	Passed	N2 login via curl: 403 M_FORBIDDEN (logs/F-02_login_n12.txt)
F-03	Passed	“Delete all local data?” → “Delete permanently” → “Welcome” (language back to device language); account still exists
F-04	Passed	App quit and restarted → “Welcome”
F-05	Passed	“I already have an account” → provider back to matrix.org after deletion, re-entered under “Advanced” → sign in N1 → “No other device found” (G2 signed out) → KN1b → Today with events (also private), chat; I2’s messages as “Former member” (#60 ok), not with Matrix ID
F-06	Passed	Dialog without moderator notice (alone); account deleted → “Welcome”
F-07	Passed	Login N1 and I2 via curl: 403 M_FORBIDDEN (logs/F-07_login.txt)
F-08	Passed	All accounts deleted (register/available returns M_USER_IN_USE; n9 never created = free); registration left open


G · Automated tests and special cases

ID	Result	Observed
G-01	Passed	No issues found
G-02	Passed	786 passed, 44 skipped
G-03	Passed	review_notes_test: All tests passed
G-04	n/a	optional, not run (needs local Synapse)
G-05	Passed	covered by G-02
G-06	Open	Review notes, manual walkthrough: not performed
G-07	Open	Walkthrough by a person without prior knowledge: not automatable
G-08	n/a	web platform only


Screenshots



A-11-G1 — Account and family created (G1)



B-01a-G1 — Main view "Today" (G1)




C-02c-G1 — Device verification: symbol comparison (G1)




C-02d-G2 — Device verified (G2)




E-13b-G2 — Family members (G2)




E-16e-G2 — Chat with reply and reaction (G2)




E-17c-G2 — Warning when saving an attachment (G2)




E-24a-G1 — Person verified (G1)



E-30b-G2 — Appointed moderator (G2)



B-18b-G2 — Screen protection: app switcher (G2)



F-03-G1 — All local data deleted (G1)