FamilyNexus test report

Master test plan · iPhone 15 simulator (iOS 27.0) + macOS · run of 26 October 2026, ca. 21:15–22:15 · date part “1026b”

46	20	13	0	79
passed	with finding / partial	not run	failed	steps in report

Overall verdict: not accepted (incomplete). Executed: preparation, sections A, C, D, parts of B and E (up to the moderator appointment and the account deletions), F and G-01 to G-03. **Not executed** (see the table): B-04, B-06, B-08 to B-11, B-13, B-15 to B-20, E-02 to E-04, E-12, E-14, E-15, E-17 to E-27, D-07, G-04, G-06, G-07. Cause: I deleted the accounts in section F before the two-user checks E-14 to E-27 had been run (process error, finding B-5). Those steps need a new run with new accounts.

Platform and system (plan section 2)

Item	G1 (device 1)	G2 (device 2)
Platform	macOS	iOS (iPhone simulator)
Device	MacBook (Mac16,12, Apple silicon)	iPhone 15 Test, iOS 27.0 (24A434), running in the simulator (Device Hub)
Operating system	macOS 27.2 (26B118)	iOS 27.0
Installation source	/Applications/FamilyNexus.app	Build from main (`flutter build ios --simulator`), debug
App version target / actual	1.2.1 (16) / 1.2.1 (16)	1.2.1 (16) / 1.2.1 (14) → reinstalled → 1.2.1 (16)
Device language, screen lock	German / not checked	German / not checked
Screenshots	screencapture -R (window)	xcrun simctl io booted screenshot
Tester	Claude Code (operation via mouse/keyboard events and screenshots). Passwords and emergency keys are masked; all accounts are synthetic test data.	

Deviation from the Apple run: the plan asks for G1 = iPhone, G2 = Mac. Here G1 = Mac and G2 = iPhone simulator (roles swapped, both platforms covered). A run with a physical iPhone is still open.

Findings

No.	Severity	Step	Description
B-1	LOW	V-04, A-01, C-04, E-32, F-01, F-03, F-06	After “Delete all local data”, deleting the account and signing out the app shows “Sign in” instead of “Welcome”; “Welcome” only after a restart or the back arrow. Expected for sign-out (C-04) but a deviation for deleting (already found in the run of 26 Oct).
B-2	MEDIUM	D-05	“Synchronising …” hung for more than 90 s after the emergency key was entered; after restarting the app the device could be unlocked. Seen once.
B-3	MEDIUM	D-02	Joining by family code: for a valid code the app shows “Unknown error.” and does not send the request. A direct Matrix knock with the same account and code works. The request then shows “Unknown link – not issued by any moderator” and “Confirm” is greyed out (only “Reject” works).
B-4	LOW	E-05	The invitation link is an https address (carpeasrael.github.io/FamilyNexus/join/#…) instead of `familynexus://join`, yet the error text for invalid links still mentions “familynexus://join”. Align plan text and message.
B-5	PROCESS	E-14 to E-27	Accounts were deleted in F too early; the two-user steps E-14 to E-27 are missing. Repeat with new accounts (1026c).
B-6	LOW	V-04	Legacy accounts fnt-1026-n1 and fnt-1026-n12 of the earlier run remain on the server; the date part had to be changed to 1026b.
B-7	NOTE	E-16	Messages from before a member joined appear to the new member as “Message cannot be decrypted” (probably intended, not described in the plan.)

End state of the master data

N1 `fnt-1026b-n1`, N2 `fnt-1026b-n12`, I2 `fnt-1026b-i2`: deleted (HTTP 403). Legacy accounts `fnt-1026-n1`, `fnt-1026-n12` (earlier run): still exist. Mac app: “Sign in”, no account. Simulator: “Sign in”, no account. Passwords and keys exist only in the Claude Code session directory.

Summary by step

Step	Device	Check	Result
V-01	–	Determine target version	PASSED
V-02	G1, G2	Check installed version	FINDING
V-03	G2	Install the latest version	PASSED
V-04	G1, G2	Delete local data	FINDING
V-05	–	Check server	PASSED
V-06	–	Usernames free	FINDING
V-07	G1, G2	Note system settings	NOT RUN
A-01	G1	Start page	FINDING
A-02	G1	English / German	PASSED
A-03	G1	Start a new family, provider unchanged	PASSED
A-04	G1	Unreachable provider address	PASSED
A-05	G1	Enter test server	PASSED
A-06	G1	Name suggestion	PASSED
A-07	G1	Invalid usernames	PASSED
A-08	G1	Required fields	FINDING
A-09	G1	Create N1	PASSED
A-10	G1	Emergency key	PASSED
A-11	G1	Create family	PASSED
A-12	G1	“Later”	PASSED
B-01	G1	Today	PASSED
B-02	G1	Allow notifications	NOT RUN
B-03	G1	Shared event	FINDING
B-04	G1	Required fields of an event	NOT RUN
B-05	G1	Private event	FINDING
B-06	G1	All-day, recurrence	NOT RUN
B-07	G1	Views and navigation	FINDING
B-08	G1	B-08 to B-11 event details, edit, reminder, delete	NOT RUN
B-12	G1	Chat	PASSED
B-13	G1	Share event in chat	NOT RUN
B-14	G1	Shopping	FINDING
B-15	G1	B-15 to B-20 tasks, appearance, app lock, screen protection, privacy, reminders	NOT RUN
B-21	G1	About the app	FINDING
B-22	G1, G2	Version and account	PASSED
C-01	G2	Wrong password	PASSED

Step	Device	Check	Result
C-02	G2, G1	Unlock the device by symbol comparison	PASSED
C-03	G2	Emergency key and devices	PASSED
C-04	G2	Sign out	FINDING
C-05	G1	Create new emergency key (#11)	FINDING
C-06	G2	Old key KN1	PASSED
C-07	G2	New key KN1b	PASSED
C-08	G2	Sign out	PASSED
D-01	G2	Taken name, fallback suggestion (N2)	PASSED
D-02	G1, G2	Family code, rejection	FINDING
D-03	G2	Start a new family instead	PASSED
D-04	G2	Switch to sign-in	PASSED
D-05	G2	Sign in N2, no other device	FINDING
D-06	G2	Abort without creating an account	PASSED
D-07	G1	Registration closed	NOT RUN
E-01	G1	Family	PASSED
E-02	G1	E-02 to E-04 rename family, invite by ID, remove invitee	NOT RUN
E-05	G1	Invitation link	FINDING
E-06	G2	No / invalid link	FINDING
E-07	G2	Join card with details	PASSED
E-08	G2	Provider taken from the link	PASSED
E-09	G2	Create I2	PASSED
E-10	G2	Emergency key (KI2)	PASSED
E-11	G1, G2	Automatic admission	PASSED
E-12	G2	Used link	NOT RUN
E-13	G1, G2	Members	PASSED
E-14	G2	E-14 to E-15 roles, online status	NOT RUN
E-16	G1, G2	Chat	FINDING
E-17	G1, G2	E-17 to E-27 attachments, direct chat, events, RSVP, shopping, tasks, verify, report, block	NOT RUN
E-28	G1, G2	Version	PASSED
E-29	G1	Only moderator	PASSED
E-30	G1, G2	Appoint moderator	PASSED
E-31	G1	Delete account after appointing	PASSED
E-32	G2, G1	Member deletes own account (I2)	FINDING
F-01	G2	Delete N2: wrong then correct password	PASSED
F-02	–	Control check N2	PASSED

Step	Device	Check	Result
F-03	G1	Delete all local data	FINDING
F-04	G1	Restart	PASSED
F-05	G1	Sign in N1, restore	PASSED
F-06	G1	Delete N1	PASSED
F-07	–	Control check N1, I2	PASSED
F-08	–	End state	FINDING
G-01	–	flutter analyze	PASSED
G-02	–	flutter test	PASSED
G-03	–	review_notes_test.dart	PASSED
G-04–G-08	–	E2E, review notes (manual), person without prior knowledge, web	NOT RUN

Detailed results with screenshots

V-01 Determine target version · –


PASSED

Observed: main = origin/main; pubspec.yaml version 1.2.1+16 → target “1.2.1 (16)”.

V-02 Check installed version · G1, G2

FINDING

Observed: G1 (Mac): CFBundleShortVersionString 1.2.1, CFBundleVersion 16 = target. G2 (simulator): build 14 was installed, i.e. not the target → V-03.



Images: V-02-G2

V-03 Install the latest version · G2


PASSED


Observed: Built from main with `flutter build ios --simulator --debug` and installed into the running iPhone 15 simulator (iOS 27.0). Installed = target afterwards (build 16, menu shows “Version 1.2.1 (16)”).


V-04 Delete local data · G1, G2


FINDING

Observed: G2 still held an old account. “Delete all local data” opened the confirmation dialog, but my click on “Delete permanently” did not take effect (dialog stayed open; possibly an automation miss, not proven to be an app defect). Workaround: uninstalled the app, reset the simulator keychain, reinstalled → “Welcome”. G1 (Mac) showed “Sign in” instead of “Welcome” on launch (leftover of the earlier run); “Welcome” only appeared via the back arrow (A-01).









Images: V-04-G1, V-04a-G2, V-04c-G2-haengt, V-04d-G2

V-05 Check server · –

PASSED

Observed: `/versions` returns JSON; `register` returns flows [m.login.dummy].

V-06 Usernames free · –

FINDING

Observed: fnt-1026-n1, -n12 and -i2 were free at first. Because accounts from an earlier run on the same day still exist (fnt-1026-n1, -n12), the date part was changed to “1026b”; fnt-1026b-n1, -n12, -i2 and -n9 were free.

V-07 Note system settings · G1, G2


NOT RUN

Observed: Not executed (device language German; screen lock not checked).

A-01 Start page · G1

FINDING

Observed: “Welcome to FamilyNexus” with the three paths, the three notes and the language selector (device language/German/English). Reached through the back arrow from “Sign in” (see V-04).





Images: A-01-G1

A-02 English / German · G1

PASSED

Observed: Texts switch immediately, no restart.






Images: A-02a-G1, A-02b-G1

A-03 Start a new family, provider unchanged · G1

PASSED

Observed: “Create account”, step 1 of 3, matrix.org suggested, “Your account is at matrix.org.” – “Create account at matrix.org” was not tapped.




Images: A-03-G1

A-04 Unreachable provider address · G1

PASSED

Observed: nicht-vorhanden.invalid: error message shown, “Create account” unavailable.




Images: A-04-G1

A-05 Enter test server · G1

PASSED

Observed: “Your account is at matrix-synapse-3ues.srv1348446.hstgr.cloud.”, operator details, fields with hints, “Create account” greyed out.




Images: A-05-G1

A-06 Name suggestion · G1

PASSED

Observed: Jörg Müßig → joerg.muessig, “The username is free.”.





Images: A-06-G1


A-07 Invalid usernames · G1

PASSED

Observed: ab, Anna, anna müller, .anna, anna., 33 × a: each shows the error text, “Create account” stays greyed out.








Images: A-07-1-G1, A-07-3-G1, A-07-6-G1

A-08 Required fields · G1

FINDING

Observed: fnt-1026b-n1 stays after the name changed; 7 characters: disabled, ≥ 8: enabled. Eye icon and “clear name” were not re-checked separately (passed in the earlier run).




Images: A-08a-G1, A-08b-G1

A-09 Create N1 · G1

PASSED

Observed: Account created (server: M_USER_IN_USE), no extra step, “Your emergency key”, step 2 of 3. The hang on step 1 seen in the earlier run did not recur.




Images: A-09a-G1, A-09b-G1

A-10 Emergency key · G1

PASSED

Observed: Key stays on screen (unchanged after 20 s); “Copy” (message “Copied … clipboard is cleared after one minute.”, see D-01c); “Save as file” creates FamilyNexus-Notfall-Schluessel.txt with account, provider, date and key; “Continue” only after the checkbox. Key stored as KN1 (masked).




Images: A-10a-G1, A-10b-G1, A-10c-G1, A-10d-G1

A-11 Create family · G1

PASSED

Observed: Family “Testfamilie 1026b” created (“Done! …”).




Images: A-11-G1

A-12 “Later” · G1

PASSED

Observed: Main view “Today”.




Images: A-12-G1

B-01 Today · G1

PASSED

Observed: Tiles Upcoming events, Reminders, Who is online, Shopping list, Tasks; navigation and “Open menu” present.




Images: B-01-G1

B-02 Allow notifications · G1

NOT RUN

Observed: Hint “Notifications are blocked.” seen; the system dialog was not evaluated.





Images: B-02a-G1


B-03 Shared event · G1

FINDING

Observed: “Test geteilt” created with place “Küche”; visibility starts as “Private”, on “Shared” the note “Sent encrypted to the family.” appears. Deviations: date today 22:00–23:00 (spec: tomorrow 10:00); note and colour not set. I2 sees the event “From Test N1” (E-19 partially).







Images: B-03a-G1, B-03b-G1, B-03c-G1

B-04 Required fields of an event · G1


NOT RUN

Observed: Not executed.

B-05 Private event · G1

FINDING

Observed: “Test privat” created (note “Only on your own devices. Never sent to the family.”); stays invisible to I2 (Today on G2) and is restored in F-05. Time 22:00 instead of tomorrow 21:00.



Images: B-05a-G1

B-06 All-day, recurrence · G1


NOT RUN

Observed: Not executed.

B-07 Views and navigation · G1

FINDING

Observed: Only the month view was looked at; day/week/agenda and navigation not checked.



Images: B-07a-G1

B-08 B-08 to B-11 event details, edit, reminder, delete · G1


NOT RUN

Observed: Not executed.

B-12 Chat · G1

PASSED

Observed: “Hallo Testfamilie” sent; “End-to-end encrypted”; message shows the time.



Images: B-12-G1

B-13 Share event in chat · G1


NOT RUN


Observed: Not executed.

B-14 Shopping · G1

FINDING

Observed: Milk (2 l) and bread added, milk ticked (“To buy (1)”, “Done (1)”). Editing and an invalid empty entry were not checked.





Images: B-14b-G1, B-14c-G1

B-15 B-15 to B-20 tasks, appearance, app lock, screen protection, privacy, reminders · G1


NOT RUN

Observed: Not executed.

B-21 About the app · G1

FINDING

Observed: Storage locations seen (database folder in the container, app database, encrypted Matrix database, database key “Device keychain (not in iCloud)”, provider). The two logs were not opened.





Images: B-21a-G1

B-22 Version and account · G1, G2

PASSED

Observed: Mac: settings and dialogs show “Version 1.2.1 (16)”; account shows server and @fnt-1026b-n1:matrix.chaostribunal.de. iPhone: menu “Version 1.2.1 (16)”.





Images: B-22b-G1, V-02-G2

C-01 Wrong password · G2

PASSED

Observed: “Username or password do not match.”, no sign-in.




Images: C-01-G2


C-02 Unlock the device by symbol comparison · G2, G1


PASSED

Observed: “Confirm with FamilyNexus macOS”; request accepted on the Mac, symbols match, both show “Verified.”; the iPhone shows the family and the data from B.










Images: C-02b-G2, C-02e-G1, C-02f-G2, C-02g-G1

C-03 Emergency key and devices · G2

PASSED

Observed: “This device is verified.”, device list shows iOS (This device) and macOS, both verified; “Create new emergency key” present.




Images: C-03-G2

C-04 Sign out · G2

FINDING

Observed: Sign-out dialog confirmed; the app shows “Sign in” (as expected here).





Images: C-04b-G2

C-05 Create new emergency key (#11) · G1

FINDING

Observed: Page “New emergency key” with explanation, new key appears (KN1b, masked), checkbox and “Continue” required. Blocking of all back paths was only partly checked (Esc/arrow), not with a system gesture.






Images: C-05a-G1, C-05c-G1

C-06 Old key KN1 · G2

PASSED

Observed: “The emergency key does not match. Please check it again.”, device stays locked.




Images: C-06-G2

C-07 New key KN1b · G2

PASSED

Observed: Device unlocked, main view with events.



Images: C-07-G2

C-08 Sign out · G2


PASSED

Observed: “Sign in”.

D-01 Taken name, fallback suggestion (N2) · G2

PASSED

Observed: Name fnt-1026b-n1: “Already taken – how about “fnt-1026b-n1…”?”, chip “Use “fnt-1026b-n12””; then “The username is free.”; account created, key stays on screen (KN2), message “Copied. …”, family step.




Images: D-01a-G2, D-01b-G2, D-01c-G2, D-01d-G2


D-02 Family code, rejection · G1, G2

FINDING

Observed: Code copied; abc → “This is not a valid family code. …”. With the real code the app showed “Unknown error.” (also after 15 s) and the request did not reach the server. Using the same code with N2 through the Matrix API (knock) the request arrived: G1 showed “Test N2 wants to join – Unknown link – not issued by any moderator” (only “Reject” usable), and after “Reject” the request disappeared. The message “Your request was rejected” on G2 and joining through the app could not be shown.



Images: D-02b-G2, D-02b3-G2, D-02e-G2, D-02f-G1




Images: D-02g-G2

D-03 Start a new family instead · G2

PASSED

Observed: Family “Loeschtest 1026b” created (spelled without ö because the keyboard automation cannot type umlauts), main view.




Images: D-03a-G2

D-04 Switch to sign-in · G2

PASSED

Observed: Name Test, fnt-1026b-n12 → “Sign in” with the username pre-filled (fallback suggestion was “fnt-1026b-n122”).





Images: D-04-G2, D-04b-G2


D-05 Sign in N2, no other device · G2

FINDING

Observed: “No other device found. Use your emergency key.”; unlocked with KN2. The first attempt hung on “Synchronising …” for over 90 s; after restarting the app and entering the key again it worked (finding B-2).









Images: D-05a-G2, D-05b-G2, F-01x-hang-G2

D-06 Abort without creating an account · G2

PASSED

Observed: Back to “Welcome”; fnt-1026b-n9 afterwards `available: true`.





Images: D-06a-G2, D-06b-G2

D-07 Registration closed · G1


NOT RUN

Observed: Not executed (optional, needs server access).

E-01 Family · G1

PASSED

Observed: “Testfamilie 1026b”, recommendation “Appoint a second moderator.”, members: only Test N1 (moderator).



Images: D-02a-G1

E-02 E-02 to E-04 rename family, invite by ID, remove invitee · G1


NOT RUN


Observed: Not executed.


E-05 Invitation link · G1

FINDING

Observed: “Invite someone”: QR code, “Valid for” (1/3/7 days), “Account server for new people” = test server, “Create new link”, “Copy link” → link `https://carpeasrael.github.io/FamilyNexus/join/#v=3&…` (contains family name, inviter, `srv` = test server). The plan expects a `familynexus://join` link; the link uses the web redirect page (deviation from the plan text). “Send by e-mail” was not evaluated.








Images: E-05a-G1, E-05b-G1, E-05c-G1

E-06 No / invalid link · G2

FINDING

Observed: abc → “This is not an invitation link. An invitation link starts with “familynexus://join”.” The shortened link could not be tested (pasting in the simulator is unreliable).




Images: E-06a-G2


E-07 Join card with details · G2

PASSED

Observed: Link opened with `simctl openurl` (web page “Invitation to FamilyNexus” → “Open app” → “Open in FamilyNexus?” → Open). Card: “You are joining the family “Testfamilie 1026b”. Invited by Test N1 (account at matrix.chaostribunal.de).”; details show user ID @fnt-1026b-n1:… and the family’s server.








Images: E-12a-G2-seite, E-07a-G2, E-07c-G2

E-08 Provider taken from the link · G2

PASSED

Observed: The account form shows “Your account is at matrix-synapse-3ues.srv1348446.hstgr.cloud.” (not matrix.org).




Images: E-07b-G2

E-09 Create I2 · G2

PASSED

Observed: Test Nutzer 2 / fnt-1026b-i2 created, no extra step.




Images: E-09a-G2, E-09b-G2

E-10 Emergency key (KI2) · G2

PASSED

Observed: Key stays on screen (masked), step 3 of 4, then the join card “Join family”.





Images: E-10a-G2, E-10b-G2

E-11 **Automatic admission** · G1, G2

PASSED

Observed: After “Request to join”, I2 was admitted automatically (≈ 15 s); G2 shows “Today” with the shared event and 5 chat messages.





Images: E-11-G2, E-11-G1

E-12 **Used link** · G2


NOT RUN


Observed: Not executed.

E-13 **Members** · G1, G2

PASSED

Observed: G1: Test N1 (moderator), Test Nutzer 2 (member, “Online”, “Not personally verified”).





Images: E-13-G1, E-13-G2

E-14 **E-14 to E-15 roles, online status** · G2


NOT RUN

Observed: Not executed (accounts were deleted too early, see finding B-5).

E-16 Chat · G1, G2

FINDING

Observed: “Hallo von Nutzer 1” visible on G2, reply “Hallo zurück von Nutzer 2” visible on G1. Older messages from N1 (before I2 joined) appear on G2 as “Message cannot be decrypted” (probably expected). “Reply” and reactions were not checked.



Images: E-16a-G2, E-16b-G2, E-16c-G2, E-16c-G1

E-17 E-17 to E-27 attachments, direct chat, events, RSVP, shopping, tasks, verify, report, block · G1, G2


NOT RUN

Observed: Not executed (see finding B-5). Only partly seen indirectly: event “Test geteilt” visible to I2, private event not.

E-28 Version · G1, G2

PASSED

Observed: Both show “Version 1.2.1 (16)”.




Images: B-22b-G1, V-02-G2

E-29 Only moderator · G1

PASSED

Observed: Dialog “Delete account?” with the note “You are the only moderator of the family. Appoint another member first …”; “Delete permanently” inactive without password.





Images: E-29-G1

E-30 Appoint moderator · G1, G2

PASSED

Observed: Confirmation “… appoint as moderator? …”; afterwards “Moderator” on Test Nutzer 2 and the recommendation disappears (Mac). “Done.”






Images: E-30a-G1, E-30b-G1

E-31 Delete account after appointing · G1

PASSED

Observed: The “only moderator” note is gone.





Images: E-31-G1


E-32 Member deletes own account (I2) · G2, G1

FINDING

Observed: I2 (now a moderator, but not the only one) sees no moderator note; password → account deleted. G2 then shows “Sign in” instead of “Welcome” (known finding B-1 from the run of 26 Oct). G1: Test Nutzer 2 is no longer a member; earlier messages stay (chat not re-opened).









Images: E-32a-G2, E-32b-G2, E-32c-G1


F-01 Delete N2: wrong then correct password · G2

PASSED

Observed: Dialog names @fnt-1026b-n12:... and the server; wrong password: “Username or password do not match.”, dialog stays; correct password: account and local data deleted, app shows “Sign in” (plan: “Welcome”, see B-1).







Images: F-01a-G2, F-01b-G2, F-01c-G2

F-02 Control check N2 · –


PASSED


Observed: API login fnt-1026b-n12: HTTP 403 M_FORBIDDEN.

F-03 Delete all local data · G1

FINDING

Observed: Confirmation “Delete all local data?” → “Delete permanently”; afterwards “Sign in” instead of “Welcome” (B-1).






Images: F-03a-G1, F-03b-G1

F-04 Restart · G1

PASSED

Observed: After restarting the app: “Welcome”.





Images: F-04-G1

F-05 Sign in N1, restore · G1

PASSED

Observed: Sign-in, “Unlock this device” with KN1b (no other device); events “Test geteilt” and “Test privat” and the shopping list (“1 open”) restored.







Images: F-05a-G1, F-05b-G1

F-06 Delete N1 · G1

PASSED

Observed: Dialog without moderator note; account deleted; app shows “Sign in” (B-1).





Images: F-06a-G1, F-06b-G1

F-07 Control check N1, I2 · –

PASSED

Observed: fnt-1026b-n1, -n12, -i2: each HTTP 403 M_FORBIDDEN (i2 after a short rate-limit pause).

F-08 End state · –

FINDING

Observed: All accounts of this run (1026b) deleted. The legacy accounts fnt-1026-n1 and fnt-1026-n12 from the earlier run of the same day still exist (the password of -n12 is no longer available). Registration is open.

G-01 flutter analyze · –

PASSED

Observed: “No issues found!”

G-02 flutter test · –

PASSED

Observed: 709 passed, 48 skipped, “All tests passed!”.

G-03 review_notes_test.dart · –

PASSED

Observed: 4 tests passed.

G-04–G-08 E2E, review notes (manual), person without prior knowledge, web · –

NOT RUN

Observed: G-04 optional; G-06 and G-07 not executed; G-08 web only (n/a on iOS/macOS); G-05 covered by G-02.