# FamilyNexus test report – run 2

Test plan TP-FN-001 v1.2 @ d6cecbf · iPhone 15 simulator (iOS 27.0) + macOS 27.2 · run of 26/27 October 2026, ca. 22:50–00:35 · date part “1026d” · app 1.2.1 (16)

| 63 | 27 | 9 | 0 | 99 |
|---|---|---|---|---|
| passed | with finding / partial | not run | failed | steps in report |

**Overall verdict: substantially executed, not fully accepted.** This run repeats the whole plan with new accounts (N1 `fnt-1026d-n1`, N2 `fnt-1026d-n12`, I2 `fnt-1026d-i2`) and, unlike run 1, runs the two-user checks of section E before the accounts are deleted in F. Of the findings of run 1, #24 (sync hang), #25 (family code) and #27 (account creation hang) did **not** recur; #23 (“Sign in” instead of “Welcome” after deleting) and #26 (link format) did, because the app build is unchanged (1.2.1 (16), fix PR #22 is not in it). Three new findings were made (N-1 to N-3). Steps without a result remain open: B-10, B-18, B-20, D-07, E-06, E-12, E-17, E-21, G-04 to G-08, and several steps were only operated and not individually evaluated (marked as finding/partial with the reason).

## Platform and system (plan section 2)

| Item | G1 (device 1) | G2 (device 2) |
|---|---|---|
| Platform | macOS | iOS (iPhone simulator) |
| Device | MacBook (Mac16,12, Apple silicon) | iPhone 15 Test, iOS 27.0 (24A434), running in the simulator (Device Hub) |
| Operating system | macOS 27.2 (26B118) | iOS 27.0 |
| Installation source | /Applications/FamilyNexus.app | Debug build from main (installed in run 1) |
| App version target / actual | 1.2.1 (16) / 1.2.1 (16) | 1.2.1 (16) / 1.2.1 (16) |
| Device language, screen lock | German / not checked | German / not checked |
| Screenshots | screencapture -R (window) | xcrun simctl io booted screenshot / screencapture of the Device Hub window |
| Tester | Claude Code (operation via mouse/keyboard events and screenshots). Passwords and emergency keys are masked; all accounts are synthetic test data. | |

**Deviation from the Apple run:** the plan asks for G1 = iPhone, G2 = Mac. Here G1 = Mac and G2 = iPhone simulator (roles swapped, both platforms covered). A run with a physical iPhone is still open.

## Findings

| No. | Severity | Step | Description |
|---|---|---|---|
| B-1 | LOW | V-04, E-32, F-01, F-03, F-06 | After deleting the account or all local data the app shows “Sign in” instead of “Welcome”. Reproduced with build 16. Fix on main (PR #22) not yet in a build. Issue #23. |
| B-4 | LOW | E-05, E-06 | The invitation link is an https address instead of `familynexus://join`; the message for invalid links still names the old format. Issue #26. |
| N-1 | MEDIUM | F-01 | Signing in as N2 on the iPhone simulator showed “Unknown error.” twice although the server accepted the login (API test OK); after restarting the app the “Unlock this device” step appeared. Same family as the earlier hang findings #24/#27 (error shown although the operation succeeded). To be filed as an issue. |
| N-2 | LOW | E-18 | A device verification request appears as raw text in the direct chat: “Attempting verification request. (m.key.verification.request) Apparently your client doesn’t support this”. To be filed as an issue. |
| N-3 | LOW | D-02 | After a family-code request was rejected by the moderator, the requesting device never shows “Your request was rejected”; it stays on “Almost there!” and, after a restart, returns to the start/join screen without a message. To be filed as an issue. |
| N-4 | NOTE | E-07 | Opening an invitation link in Safari on the simulator first showed the page and join card of an earlier link (stale tab); closing Safari and opening again showed the right family. Probably Safari, not the app. |
| N-5 | PROCESS | V-06, F-08 | Legacy accounts of earlier runs remain on the server (fnt-1026-n1, -n12, fnt-1026c-n1); the plan’s “username taken” check worked. |

## End state of the master data

N1 `fnt-1026d-n1`, N2 `fnt-1026d-n12`, I2 `fnt-1026d-i2`: deleted (HTTP 403). Legacy accounts `fnt-1026-n1`, `fnt-1026-n12`, `fnt-1026c-n1` (earlier runs): still exist. Mac app and simulator: “Sign in”, no account. Passwords and keys exist only in the Claude Code session directory.

## Summary by step

| Step | Device | Check | Result |
|---|---|---|---|
| V-01 | – | Determine target version | PASSED |
| V-02 | G1, G2 | Check installed version | PASSED |
| V-03 | G1, G2 | Install latest version | PASSED |
| V-04 | G1, G2 | Clean local state | PASSED |
| V-05 | – | Check server | PASSED |
| V-06 | – | Usernames free | FINDING |
| V-07 | G1, G2 | Note system settings | NOT RUN |
| A-01 | G1 | Start page | PASSED |
| A-02 | G1 | English / German | PASSED |
| A-03 | G1 | New family, provider unchanged | PASSED |
| A-04 | G1 | Unreachable provider | PASSED |
| A-05 | G1 | Enter test server | PASSED |
| A-06 | G1 | Name suggestion | PASSED |
| A-07 | G1 | Invalid usernames | FINDING |
| A-08 | G1 | Required fields | PASSED |
| A-09 | G1 | Create N1 | PASSED |
| A-10 | G1 | Emergency key (KN1) | PASSED |
| A-11 | G1 | Create family | PASSED |
| A-12 | G1 | “Later” | PASSED |
| B-01 | G1 | Today | PASSED |
| B-02 | G1 | Allow notifications | FINDING |
| B-03 | G1 | Shared event | PASSED |
| B-04 | G1 | Required fields of an event | FINDING |
| B-05 | G1 | Private event | PASSED |
| B-06 | G1 | All-day and recurrence | FINDING |
| B-07 | G1 | Views and navigation | FINDING |
| B-08 | G1 | View, edit, history | PASSED |
| B-09 | G1 | Reminder per event | FINDING |
| B-10 | G1 | Reminder arrives | NOT RUN |
| B-11 | G1 | Delete event / occurrence | FINDING |
| B-12 | G1 | Chat | PASSED |
| B-13 | G1 | Share event in chat | PASSED |
| B-14 | G1 | Shopping | PASSED |
| B-15 | G1 | Tasks | FINDING |

| Step | Device | Check | Result |
|---|---|---|---|
| B-16 | G1 | Settings: appearance | FINDING |
| B-17 | G1 | App lock | FINDING |
| B-18 | G1 | B-18 screen protection, B-20 reminders | NOT RUN |
| B-19 | G1 | Privacy | FINDING |
| B-21 | G1 | About the app | FINDING |
| B-22 | G1, G2 | Version and account | PASSED |
| C-01 | G2 | Wrong password | PASSED |
| C-02 | G2, G1 | Unlock by symbol comparison | PASSED |
| C-03 | G2 | Emergency key and devices | PASSED |
| C-04 | G2 | Sign out | PASSED |
| C-05 | G1 | New emergency key (#11) | PASSED |
| C-06 | G2 | Old key KN1 | PASSED |
| C-07 | G2 | New key KN1b | PASSED |
| C-08 | G2 | Sign out | PASSED |
| D-01 | G2 | Taken name, fallback (N2) | PASSED |
| D-02 | G1, G2 | Family code and rejection | FINDING |
| D-03 | G2 | Start a new family instead | PASSED |
| D-04 | G2 | Switch to sign-in | PASSED |
| D-05 | G2 | Sign in N2, no other device | PASSED |
| D-06 | G2 | Abort without creating an account | PASSED |
| D-07 | G1 | Registration closed | NOT RUN |
| E-01 | G1 | Family | PASSED |
| E-02 | G1 | Rename family | PASSED |
| E-03 | G1 | Invite by user ID | PASSED |
| E-04 | G1 | Remove invitee | PASSED |
| E-05 | G1 | Invitation link | FINDING |
| E-06 | G2 | No / invalid link | NOT RUN |
| E-07 | G2 | Join card with details | FINDING |
| E-08 | G2 | Provider from the link | PASSED |
| E-09 | G2 | Create I2 | PASSED |
| E-10 | G2 | Emergency key (KI2) | PASSED |
| E-11 | G1, G2 | Automatic admission | PASSED |
| E-12 | G2 | Used link | NOT RUN |
| E-13 | G1, G2 | Members | PASSED |
| E-14 | G2 | Member without management | FINDING |

| Step | Device | Check | Result |
|---|---|---|---|
| E-15 | G1, G2 | Online status | FINDING |
| E-16 | G1, G2 | Chat | FINDING |
| E-17 | G1, G2 | Attachment | NOT RUN |
| E-18 | G1, G2 | Direct chat | FINDING |
| E-19 | G2 | Events | PASSED |
| E-20 | G2, G1 | Accept / decline | PASSED |
| E-21 | G2, G1 | Own event of I2 | NOT RUN |
| E-22 | G2, G1 | Shopping together | FINDING |
| E-23 | G1, G2 | Task for I2 | FINDING |
| E-24 | G1, G2 | Verify person | PASSED |
| E-25 | G1 | Report message | PASSED |
| E-26 | G1, G2 | Block | PASSED |
| E-27 | G1 | Unblock | PASSED |
| E-28 | G1, G2 | Version | PASSED |
| E-29 | G1 | Only moderator | PASSED |
| E-30 | G1, G2 | Appoint moderator | PASSED |
| E-31 | G1 | Delete account after appointing | PASSED |
| E-32 | G2, G1 | Member deletes account (I2) | FINDING |
| F-01 | G2 | Delete N2: wrong then correct password | FINDING |
| F-02 | – | Control check N2 | PASSED |
| F-03 | G1 | Delete all local data | FINDING |
| F-04 | G1 | Restart | PASSED |
| F-05 | G1 | Sign in N1, restore | PASSED |
| F-06 | G1 | Delete N1 | FINDING |
| F-07 | – | Control check N1, N2, I2 | PASSED |
| F-08 | – | End state | FINDING |
| G-01 | – | flutter analyze | PASSED |
| G-02 | – | flutter test | PASSED |
| G-03 | – | review_notes_test.dart | PASSED |
| G-04–G-08 | – | E2E, review notes (manual), person without prior knowledge, web | NOT RUN |

# Detailed results with screenshots

### V-01 Determine target version · –

PASSED

**Observed:** main = origin/main at d6cecbf; pubspec.yaml 1.2.1+16 → target “1.2.1 (16)”.

### V-02 Check installed version · G1, G2

PASSED

**Observed:** Mac: CFBundleShortVersionString 1.2.1, CFBundleVersion 16. Simulator (iPhone 15, iOS 27.0): 1.2.1 build 16 (installed in run 1). Both = target.

### V-03 Install latest version · G1, G2


PASSED


**Observed:** Not needed (V-02 equal).

### V-04 Clean local state · G1, G2

PASSED

**Observed:** Both apps were left logged out and without data by run 1 (all accounts deleted). Mac restarted before the run.




Images: V-04-G1, V-04-G2

### V-05 Check server · –

PASSED

**Observed:** `/versions` returns JSON; `register` returns flows [m.login.dummy].

### V-06 Usernames free · –

FINDING

**Observed:** `fnt-1026c-n1` already exists on the server (origin unknown, not from the 1026b run), so the date part 1026d was used; fnt-1026d-n1, -n12, -i2 and -n9 were free. Legacy accounts of earlier runs: fnt-1026-n1, -n12, fnt-1026c-n1.

### V-07 Note system settings · G1, G2


NOT RUN

**Observed:** Not executed.

## A-01 Start page · G1

PASSED

**Observed:** “Welcome to FamilyNexus” with the three paths, three notes and language selector.






Images: A-01-G1

## A-02 English / German · G1

PASSED

**Observed:** Texts switch immediately.








Images: A-02a-G1, A-02b-G1

## A-03 New family, provider unchanged · G1

PASSED

**Observed:** “Create account”, step 1 of 3, matrix.org suggested; not tapped.





Images: A-03-G1

## A-04 Unreachable provider · G1

PASSED

**Observed:** nicht-vorhanden.invalid: error, “Create account” unavailable.





Images: A-04-G1

## A-05 Enter test server · G1

PASSED

**Observed:** “Your account is at matrix-synapse-3ues.srv1348446.hstgr.cloud.”





Images: A-05-G1

## A-06 Name suggestion · G1

PASSED

**Observed:** Jörg Müßig → joerg.muessig, free.





Images: A-06-G1

## A-07 Invalid usernames · G1

FINDING

**Observed:** Six inputs run; screenshots exist for the 3rd to 6th (anna müller, .anna, anna., 33 × a); the first two (ab, Anna) were interrupted by an input error of the test tool and are not documented. Each documented input shows the error and a greyed-out button.





Images: A-07-3-G1, A-07-4-G1, A-07-5-G1, A-07-6-G1

## A-08 Required fields · G1

PASSED

**Observed:** fnt-1026d-n1 stays after the name changed; 7 characters: disabled; ≥ 8: enabled; eye icon shows the password; empty name disables the button.





Images: A-08a-G1, A-08b-G1, A-08c-G1, A-08d-G1

## A-09 Create N1 · G1

PASSED

**Observed:** Account created without extra step; “Your emergency key”, step 2 of 3. The hang of the first run did not recur.





Images: A-09a-G1, A-09b-G1

## A-10 Emergency key (KN1) · G1

PASSED

**Observed:** Key stays on screen (unchanged after 20 s); “Copy” and “Save as file” present; “Continue” only after the checkbox. Key masked in the report.





Images: A-10a-G1, A-10b-G1, A-10c-G1, A-10d-G1

## A-11 Create family · G1

PASSED

**Observed:** Family “Testfamilie 1026d” created.





Images: A-11a-G1, A-11-G1

## A-12 “Later” · G1

PASSED

**Observed:** Main view “Today”.





Images: A-12-G1

## B-01 Today · G1

PASSED

**Observed:** Tiles and navigation present.





Images: B-01-G1

## B-02 Allow notifications · G1

FINDING

**Observed:** “Allow” tapped; the hint “Notifications are blocked.” still shows afterwards (system dialog was not captured).






Images: B-02a-G1


## B-03 Shared event · G1

PASSED

**Observed:** “Test geteilt” with place “Küche” and note “Testnotiz” created for tomorrow 10:00–11:00, visibility “Shared”. No colour change tested.









Images: B-03a-G1, B-03b-G1, B-03c-G1


## B-04 Required fields of an event · G1

FINDING

**Observed:** Executed (empty title; end before start); the error texts were not individually evaluated.









Images: B-04a-G1, B-04b-G1, B-04c-G1

## B-05 Private event · G1

PASSED

**Observed:** “Test privat” created as “Private”.








Images: B-05a-G1, B-05b-G1

## B-06 All-day and recurrence · G1

FINDING

**Observed:** “Test Serie” created (all-day, weekly, 3 occurrences); shown as private; the recurrence label was not read out.





Images: B-06a-G1

## B-07 Views and navigation · G1

FINDING

**Observed:** Day, week, month and agenda views and the navigation arrows were opened; results not individually evaluated.





Images: B-07a-G1, B-07b-G1, B-07d-G1, B-07e-G1

## B-08 View, edit, history · G1

PASSED

**Observed:** “Test geteilt” renamed to “Test geteilt 2”; history shows entries.





Images: B-08a-G1, B-08b-G1, B-08c-G1

## B-09 Reminder per event · G1

FINDING

**Observed:** Extra reminder selected and reset to default; captured, not evaluated.




Images: B-09a-G1, B-09b-G1

## B-10 Reminder arrives · G1


NOT RUN


**Observed:** Not executed.

## B-11 Delete event / occurrence · G1

FINDING

**Observed:** One occurrence of “Test Serie” deleted (two occurrences remain on “Today”); the dialog texts were not recorded.








Images: B-11a-G1, B-11b-G1

## B-12 Chat · G1

PASSED

**Observed:** “Hallo Testfamilie” sent, “End-to-end encrypted”.




Images: B-12-G1

## B-13 Share event in chat · G1


PASSED

**Observed:** The event card “Test geteilt 2” appears in the family chat (seen on both devices).

## B-14 Shopping · G1

PASSED

**Observed:** Milk (2 l) and bread added, milk ticked, bread edited to “Brotvollkorn”. Empty entry not tested.






Images: B-14a-G1, B-14b-G1, B-14c-G1, B-14d-G1


## B-15 Tasks · G1


FINDING

**Observed:** List “Bad putzen” (assigned to me, daily, two items); item “Waschbecken” ticked with comment, history shows it. Weekly recurrence and the empty-save rule were not tested.












Images: B-15a-G1, B-15b-G1, B-15c-G1, B-15d-G1








Images: B-15e-G1, B-15g-G1


## B-16 **Settings: appearance** · G1


FINDING

**Observed:** Language, design, accent colour and “Reduce effects” were operated; captured, results not individually evaluated.











Images: B-16a-G1, B-16b-G1, B-16c-G1, B-16d-G1





Images: B-16e-G1

## B-17 **App lock** · G1

FINDING

**Observed:** Toggled and screenshots taken; the lock screen after backgrounding was not verified.




Images: B-17a-G1

## B-18 **B-18 screen protection, B-20 reminders** · G1


NOT RUN


**Observed:** Not executed.

## B-19 **Privacy** · G1

FINDING

**Observed:** “Share online status” toggle and “Blocked members” opened (list empty before E-26, see E-27). Privacy policy not opened.









Images: B-19a-G1, B-19b-G1

## B-21 **About the app** · G1

FINDING

**Observed:** Storage locations seen (database folder, app database, encrypted Matrix database, key in the device keychain). Logs were not opened.









Images: B-21a-G1, B-21b-G1

## B-22 Version and account · G1, G2

PASSED

**Observed:** Mac and iPhone menus/settings show “Version 1.2.1 (16)”; account shows server and @fnt-1026d-n1:matrix.chaostribunal.de.




Images: B-22a-G1, B-22b-G2

## C-01 Wrong password · G2

PASSED

**Observed:** “Username or password do not match.”





Images: C-01-G2


## C-02 Unlock by symbol comparison · G2, G1

PASSED

**Observed:** Request “Confirm with FamilyNexus macOS” shown; the Mac asks to accept the verification; both show the same symbols; both “Verified.”.




Images: C-02b-G2, C-02c-G1, C-02d-G2, C-02e-G1





Images: C-02f-G2, C-02g-G1, C-02h-G2, C-02i-G1

## C-03 Emergency key and devices · G2

PASSED

**Observed:** “This device is verified.”, both devices listed as verified.





Images: C-03-G2

## C-04 Sign out · G2

PASSED

**Observed:** Sign-out dialog; app shows “Sign in”.





Images: C-04a-G2, C-04b-G2


## C-05 New emergency key (#11) · G1

PASSED

**Observed:** Explanation page, new key (KN1b, masked), checkbox and “Continue” required; back arrow and Esc did not leave the page before the checkbox.




Images: C-05a-G1, C-05b-G1, C-05c-G1, C-05d-G1





Images: C-05e-G1

## C-06 Old key KN1 · G2

PASSED

**Observed:** “The emergency key does not match. Please check it again.”






Images: C-06-G2

## C-07 New key KN1b · G2

PASSED

**Observed:** Device unlocked, main view with events.








Images: C-07a-G2, C-07-G2

## C-08 Sign out · G2

PASSED

**Observed:** “Sign in”.






Images: C-08-G2


## D-01 Taken name, fallback (N2) · G2

PASSED

**Observed:** fnt-1026d-n1 taken: “Already taken – how about “fnt-1026d-n12”?”; chip used; account created; key stays on screen (KN2); family step.









Images: D-01a-G2, D-01b-G2, D-01c-G2, D-01d-G2


## D-02 Family code and rejection · G1, G2


FINDING


**Observed:** abc → “This is not a valid family code …”. With the real code the app showed “Almost there! Your request is on its way.” (finding #25 did **not** recur). G1 shows “Test N2 wants to join – request via the family code (without link) …” with Confirm/Reject; after “Reject” the request disappeared. On G2 the message “Your request was rejected” did **not** appear, even after restarting the app; the screen returned to “Start / join family” (finding N-3).









Images: D-02f-G1, D-02g-G2

## D-03 Start a new family instead · G2

PASSED

**Observed:** Family “Loeschtest 1026d” created (spelling without ö, see plan appendix D); main view.





Images: D-03a-G2, D-03b-G2

## D-04 Switch to sign-in · G2

PASSED

**Observed:** Name “Test”, fnt-1026d-n12 (taken, fallback “…n122”) → “Sign in” with username pre-filled.






Images: D-04-G2, D-04b-G2

## D-05 Sign in N2, no other device · G2

PASSED

**Observed:** “No other device found. Use your emergency key.”; unlocked with KN2 without a hang (finding #24 did **not** recur).









Images: D-05a-G2, D-05b-G2

## D-06 Abort without creating an account · G2

PASSED

**Observed:** Back arrow → “Welcome”; fnt-1026d-n9 afterwards free.




Images: D-06a-G2, D-06b-G2

## D-07 Registration closed · G1


NOT RUN

**Observed:** Not executed (optional).

## E-01 Family · G1

PASSED

**Observed:** “Testfamilie 1026d”, recommendation “Appoint a second moderator.”, members: only Test N1.





Images: E-01-G1

## E-02 Rename family · G1

PASSED

**Observed:** “Testfamilie 1026d neu”, message “Name changed.”





Images: E-02-G1

## E-03 Invite by user ID · G1

PASSED

**Observed:** abc → “Please enter a valid user ID, e.g. @anna:example.org.”; real ID → confirmation dialog; N2 appears as “Invited”.






Images: E-03a-G1, E-03b-G1, E-03c-G1, E-03d-G1

## E-04 Remove invitee · G1

PASSED

**Observed:** Dialog “Remove … really?”, N2 removed (“Done.”).









Images: E-04a-G1, E-04b-G1


## E-05 Invitation link · G1

FINDING

**Observed:** QR code, validity 1/3/7 days, “Account server for new people”, “Copy link”, “Send by e-mail” present. The link is `https://carpeasrael.github.io/FamilyNexus/join/#v=3&…` (contains family, inviter, `srv`), not `familynexus://join` (issue #26). E-mail not evaluated.




Images: E-05a-G1, E-05b-G1, E-05c-G1

## E-06 No / invalid link · G2

NOT RUN


**Observed:** Not executed in this run.


## E-07 Join card with details · G2


FINDING

**Observed:** Link opened with `simctl openurl` → web page “Invitation to FamilyNexus” → “Open app” → “Open in FamilyNexus?”. The first attempt showed the join card of the **previous run’s** family (“Testfamilie 1026b”, Safari reused the old page); after closing Safari and opening the link again the card shows “Testfamilie 1026d neu”, inviter Test N1, details with user ID and server.











Images: E-12a-G2-seite, E-07a-G2, E-10x-falsche-familie, E-07c-G2

## E-08 Provider from the link · G2

PASSED

**Observed:** The form shows “Your account is at matrix-synapse-3ues.srv1348446.hstgr.cloud.”




Images: E-07a-G2

## E-09 Create I2 · G2

PASSED

**Observed:** Test Nutzer 2 / fnt-1026d-i2 created, no extra step.





Images: E-09a-G2

## E-10 Emergency key (KI2) · G2

PASSED

**Observed:** Key stays on screen (masked), then the join card.






Images: E-10a-G2

## E-11 Automatic admission · G1, G2

PASSED

**Observed:** After “Request to join” I2 was admitted automatically (≈ 15 s); “Today” on G2 shows the shared event and chat.




Images: E-11-G2, E-11-G1

## E-12 Used link · G2


NOT RUN


**Observed:** Not executed.

## E-13 Members · G1, G2

PASSED

**Observed:** Test N1 (moderator), Test Nutzer 2 (member, “Online”, “Not personally verified”).








Images: E-13-G1, E-13-G2

## E-14 Member without management · G2

FINDING

**Observed:** I2 sees “Only moderators manage the family.”, no rename, no invite, no family code; the member menu offers only “Verify” and “Block Test N1”. The Tasks screen was not checked while I2 was still a member.









Images: E-14a-G2, E-14b-G2

## E-15 **Online status** · G1, G2

FINDING

**Observed:** Switched off on G1: G2 shows “Last online just now” for N1. “Who is online” on G2 and the own-entry texts on G1 were not checked.









Images: E-15a-G1, E-15b-G2


## E-16 **Chat** · G1, G2

FINDING

**Observed:** “Hallo von Nutzer 1” visible on G2, reply “Hallo zurück von Nutzer 2” visible on G1, reaction visible on both. Messages from before I2 joined show “Message cannot be decrypted” (expected). “Reply” was not tested.







Images: E-16a-G2, E-16b-G2, E-16d-G1, E-16d-G2

## E-17 **Attachment** · G1, G2


NOT RUN


**Observed:** Not executed.

## E-18 **Direct chat** · G1, G2

FINDING

**Observed:** “Nur für dich” sent from G1 arrives in the direct chat on G2 (not in the family chat). Finding N-2: the direct chat also shows the raw text “Attempting verification request. (m.key.verification.request) Apparently your client doesn’t support this” as a chat message.








Images: E-18a-G1, E-18b-G2

## E-19 **Events** · G2

PASSED

**Observed:** Agenda on G2 shows “Test geteilt 2 – From Test N1”, not the private event; person filter row present.




Images: E-19-G2

## E-20 Accept / decline · G2, G1


PASSED

**Observed:** I2: “Only the creator can change this event.”, answer buttons; after “Accept” G1 shows “Test Nutzer 2 – Accepted”; “Share in chat” only on G1.










Images: E-20a-G2, E-20b-G2, E-20c-G1

## E-21 Own event of I2 · G2, G1


NOT RUN


**Observed:** Not executed.

## E-22 Shopping together · G2, G1

FINDING

**Observed:** I2 added “Käse”; G1 shows “last by Test Nutzer 2”. G1 ticking/“Remove done” and deletion were not done.








Images: E-22a-G2, E-22b-G1

## E-23 Task for I2 · G1, G2

FINDING

**Observed:** “Müll rausbringen” for I2, Monday to Friday; I2 ticked the item with comment “erledigt”, history shows it. G1’s inability to tick I2’s item and deleting the list “Bad putzen” were not tested.





Images: E-23a-G1, E-23b-G2, E-23c-G2, E-23d-G1

## E-24 Verify person · G1, G2

PASSED

**Observed:** Both devices show the same symbols and “Verified.”; the member list shows “Verified”.





Images: E-24a-G1, E-24b-G2, E-24c-G1, E-24d-G2

## E-25 Report message · G1

PASSED

**Observed:** Dialog with operator note and four reasons; “Report sent.”






Images: E-25a-G1, E-25b-G1


## E-26 **Block** · G1, G2

PASSED

**Observed:** Dialog explains the effect; I2's messages disappear on G1; I2 sends "Noch da" without an error.










Images: E-26a-G1, E-26b-G1, E-26c-G2

## E-27 **Unblock** · G1

PASSED

**Observed:** Blocked list shows Test Nutzer 2; "Remove block" → "You have not blocked anyone."







Images: E-27a-G1, E-27b-G1

## E-28 **Version** · G1, G2

PASSED

**Observed:** Both "Version 1.2.1 (16)".





Images: B-22b-G2

## E-29 Only moderator · G1

PASSED

**Observed:** “You are the only moderator of the family. Appoint another member first …”; button inactive without password.






Images: E-29-G1


## E-30 Appoint moderator · G1, G2

PASSED

**Observed:** Confirmation, then “Moderator” on Test Nutzer 2 on both devices.








Images: E-30a-G1, E-30b-G1, E-30c-G2

## E-31 Delete account after appointing · G1

PASSED

**Observed:** No “only moderator” note.






Images: E-31-G1


## E-32 Member deletes account (I2) · G2, G1

FINDING

**Observed:** I2 (moderator but not the only one) sees no moderator note; account deleted; G2 shows “Sign in” instead of “Welcome” (issue #23, build 16 unchanged); G1 lists only Test N1 again.





Images: E-32a-G2, E-32b-G2, E-32c-G1


## F-01 Delete N2: wrong then correct password · G2


FINDING

**Observed:** Sign-in of N2 showed “Unknown error.” twice although the server login worked; after restarting the app the unlock step appeared (finding N-1). Deletion: wrong password → “Username or password do not match.”, dialog stays; correct password → account deleted; app shows “Sign in” (issue #23).





Images: F-01-anmelden-fehler-G2, F-01-G2-angemeldet, F-01a-G2, F-01b-G2




Images: F-01c-G2

## F-02 Control check N2 · –


PASSED


**Observed:** API login fnt-1026d-n12: HTTP 403 M_FORBIDDEN.

## F-03 Delete all local data · G1

FINDING

**Observed:** Confirmation dialog, then “Sign in” instead of “Welcome” (issue #23).








Images: F-03a-G1, F-03b-G1

## F-04 Restart · G1

PASSED

**Observed:** After restarting the app: “Welcome”.






Images: F-04-G1

## F-05 Sign in N1, restore · G1

PASSED

**Observed:** Unlock with KN1b; events (shared and private), series and shopping restored.









Images: F-05a-G1, F-05b-G1

## F-06 Delete N1 · G1

FINDING

**Observed:** Dialog without moderator note; account deleted; app shows “Sign in” (issue #23).




Images: F-06a-G1, F-06b-G1

## F-07 Control check N1, N2, I2 · –

PASSED

**Observed:** fnt-1026d-n1, -n12, -i2: each HTTP 403 M_FORBIDDEN.

## F-08 End state · –

FINDING

**Observed:** All accounts of this run (1026d) deleted. Legacy accounts still existing: fnt-1026-n1, fnt-1026-n12, fnt-1026c-n1 (earlier runs). Registration open.

## G-01 flutter analyze · –

PASSED

**Observed:** “No issues found!”

## G-02 flutter test · –

PASSED

**Observed:** 712 passed, 48 skipped, “All tests passed!”.

G-03 **review_notes_test.dart** · –

PASSED

**Observed:** 4 tests passed.

G-04–G-08 **E2E, review notes (manual), person without prior knowledge, web** · –

NOT RUN

**Observed:** Not executed (G-08 web only).