FamilyNexus test report – run 3

Test plan TP-FN-001 v1.0 @ `4abf400` (corrections → v1.4) · Linux Flatpak (G1) + Android 16 emulator (G2) · run of 26/27 October 2026, 22:16–00:50 · date part “1026c” · app 1.2.1 (16) from main @ 85d9245

80	19	3	1	1	104
passed	with finding	not run	failed	n/a	steps in report

Overall verdict: executed in full, not accepted. All sections A–G were run on Linux (Flatpak, release bundle v1.2.1 build 16) and an Android 16 emulator with new accounts (N1 `fnt-1026c-n1`, N2 `fnt-1026c-n12`, I2 `fnt-1026c-i2`), the two-user checks of section E before deleting in F. One step failed: **E-18** – the first “Nachricht schreiben” to a member keeps the family chat selected, so a private message reached the whole family (issue #31, high). G-07 (person without prior knowledge) is open; D-07 and G-04 are optional. Confirmed: #10 (key stays), #11 (new key, old key rejected, back blocked), #12 (delete with password, only-moderator note, member removed), #14 (build number) and the B-1 fix of PR #22 (“Welcome” after deleting; issue #23). Twelve findings, ten of them new (issues #31–#40).

Platform and system (plan section 2)

Item	G1 (device 1)	G2 (device 2)
Platform	Linux (Flatpak)	Android (emulator)
Device	PC, Manjaro Linux, KDE Plasma (Wayland); app on its own X server (Xvfb :99, 1000 × 1100)	Android Emulator, AVD Pixel_8_API_36 (x86_64)
Operating system	Manjaro Linux, kernel 6.18.49; GNOME runtime 51	Android 16 (API 36)
Installation source	GitHub release v1.2.1: FamilyNexus-v1.2.1.flatpak (built from 85d9245), sha256 OK; before: build 14	Debug APK from main @ 85d9245 (release APK crashes on x86_64, #32)
App version target / actual	1.2.1 (16) / 1.2.1 (16)	1.2.1 (16) / 1.2.1 (16)
Device language, screen lock	German / no app lock on Linux	English / PIN set via adb (removed after the run)
Screenshots	Window capture on the X server (python-xlib)	adb exec-out screencap (screen protection off, tested in B-18)
Tester	Claude Code: G1 via XTEST mouse/keyboard events and OCR (tesseract), G2 via adb/uiautomator. Passwords and emergency keys are masked; all accounts are synthetic test data.	

Deviations: The plan asks for G1 = iPhone and G2 = Mac for the Apple submission; this run covers Linux and Android and does not replace the Apple run. Steps whose system dialogs would open on the tester’s real desktop under Flatpak (file picker, mail client, notification) were run on G2: A-10 file save (in D-01), B-10, E-05 e-mail, E-17 (direction reversed). App lock, screen protection and the notification hint do not exist on Linux → B-02, B-17, B-18 on G2. adb cannot type umlauts → “Loeschtest”, “Kaese”, “zurueck”. The plan version used was v1.0 (4abf400); later versions v1.1–v1.3 came from the parallel Apple runs, the corrections of this run are v1.4.

Findings

No.	Severity	Step	Description	Issue
B-12	HIGH	E-18	First “Nachricht schreiben” to a member switches to the chat but keeps the family chat selected; the private message went to the whole family. Second attempt correct. Cause: ChatScreen reads a pending chatRequest only via listener, not in initState.	#31
B-01	MEDIUM	V-03	Release APK v1.2.1 (16) crashes at start on x86_64 (emulator, Chromebook): lib/x86_64 has no libflutter.so/libapp.so.	#32
B-03	MEDIUM	B-04, B-05	Event editor: the end does not move with the start; “Das Ende liegt vor dem Beginn.” is shown at the bottom of the long form.	#34
B-06	MEDIUM	B-01	“Nächste Termine” puts all-day events of later days before timed events of earlier days (CalendarView.compare sorts allDay first); no date shown.	#33
B-09	MEDIUM	E-16	New member sees seven “Nachricht kann nicht entschlüsselt werden” entries for events before joining (plan treats this as expected).	#35
B-02	LOW	F-01	Delete dialog: wrong password → “Benutzername oder Passwort stimmen nicht.” although only the password is asked.	#36
B-04	LOW	B-12, B-14	Desktop: Enter does not send in the chat and does not add a shopping item.	#37
B-05	LOW	B-15, E-23	Tasks: “Erledigt am …” and history show ISO dates (2026-10-26 22:52).	#38
B-07	LOW	C-02	Symbol comparison: screen reader reads the emoji names in English.	#39
B-08	LOW	E-05, E-06	Invalid-link message names familynexus://join while the app creates https links (already filed).	#26
B-10	LOW	D-02	Rejected family-code request: “Deine Anfrage wurde abgelehnt.” appears only after ~2.5 min on Android (iOS: not at all).	#30
B-11	LOW	E-17	Image attachments cannot be saved, only loaded.	#40
B-1	FIXED	E-32, F-01, F-03, F-04, F-06	“Welcome” instead of “Sign in” after deleting – fix of PR #22 confirmed in build 16 from 85d9245.	#23

Issues #31–#40 were filed from this run; #23, #26 and #30 received comments with the Linux/Android results. Note for #23: build number 16 exists with and without the fix (88dc3ca set 1.2.1+16 before PR #22 was merged in d20f0e0).

Plan corrections (TP-FN-001 v1.3 → v1.4)

No.	Steps	Error in the plan	Correction
P-18	V-03, V-04, F-01, F-03, F-06	Expected “Sign in” for build 16; build 16 exists before and after PR #22	Decide by commit d20f0e0; current release files
P-19	V-02, V-03, sec. 2	No Linux Flatpak commands; x86_64 emulator crash; screen protection on by default	Commands, debug APK, FLAG_SECURE note
P-20	sec. 2, C-02	“Section G5” instead of G-08; device names only for macOS/iOS	G-08; “FamilyNexus ”
P-21	B-02, B-10, B-17, B-18	Functions missing on Linux/Windows not handled	Run on G2, note in report
P-22	B-08	History expected versions 1 and 2	“Verlauf (1)” lists only the earlier version
P-23	D-02, D-03	“Ich wurde doch eingeladen” missing on this path (switch “Gründen | Beitreten”); rejection delayed; “Später” missing	Both entries, wait 3 min, no “Fertig!” step
P-24	E-05	Button “QR-Code anzeigen” does not exist	QR code shown directly
P-25	E-06	Cutting the last 10 characters only shortens by= and is accepted	Remove &n;=… instead

No.	Steps	Error in the plan	Correction
P-26	E-07 to E-10	Join card expected right after the link	Account creation first, card after the key
P-27	E-12	Device G1 instead of G2; Android opens the browser; snackbar is short	G2, browser path, capture immediately
P-28	E-17	Saving an image expected; images cannot be saved	Image and text file, save with the text file
P-29	E-19	Series expected visible for I2; it is private by default	Expect not visible; B-06 names “Privat”
P-30	several, appendix D	Known app findings without hint; Linux/Android automation missing	Issue references, E-18 safeguard, appendix D

End state of the master data

N1 `fnt-1026c-n1`, N2 `fnt-1026c-n12`, I2 `fnt-1026c-i2`: deleted (HTTP 403). `fnt-1026c-n9` never created. Registration on the test server remains open. G1: the tester’s original Flatpak data were restored after the run; the Flatpak stays on build 16 (was 14). G2: test files removed, PIN cleared, emulator stopped. Passwords and keys exist only in the git-ignored `secure/` folder.

Summary by step

Step	Device	Check	Result
V-01	–	Determine target version	PASSED
V-02	G1, G2	Check installed version	PASSED
V-03	G1, G2	Install latest version	FINDING
V-04	G1, G2	Clean local state	PASSED
V-05	–	Check server	PASSED
V-06	–	Usernames free	FINDING
V-07	G1, G2	Note system settings	FINDING
A-01	G1	Start page	PASSED
A-02	G1	English / German	PASSED
A-03	G1	New family, provider unchanged	PASSED
A-04	G1	Unreachable provider	PASSED
A-05	G1	Enter test server	PASSED
A-06	G1	Name suggestion	PASSED
A-07	G1	Invalid usernames	PASSED
A-08	G1	Required fields	PASSED
A-09	G1	Create N1	PASSED
A-10	G1	Emergency key (KN1)	FINDING
A-11	G1	Create family	PASSED
A-12	G1	“Later”	PASSED
B-01	G1	Today	FINDING
B-02	G2	Allow notifications	PASSED
B-03	G1	Shared event	PASSED
B-04	G1	Required fields of an event	FINDING
B-05	G1	Private event	FINDING
B-06	G1	All-day and recurrence	PASSED
B-07	G1	Views and navigation	PASSED
B-08	G1	View, edit, history	PASSED
B-09	G1	Reminder per event	PASSED
B-10	G2	Reminder arrives	PASSED
B-11	G1	Delete event / occurrence	PASSED
B-12	G1	Chat	FINDING

Step	Device	Check	Result
B-13	G1	Share event in chat	PASSED
B-14	G1	Shopping	FINDING
B-15	G1	Tasks	FINDING
B-16	G1	Settings: appearance	PASSED
B-17	G2	App lock	PASSED
B-18	G2	Screen protection	PASSED
B-19	G1	Privacy	PASSED
B-20	G1	Reminders	PASSED
B-21	G1	About the app	PASSED
B-22	G1	Version and account	PASSED
C-01	G2	Wrong password	PASSED
C-02	G2, G1	Unlock by symbol comparison	PASSED
C-03	G2	Emergency key and devices	PASSED
C-04	G2	Sign out	PASSED
C-05	G1	New emergency key (#11)	PASSED
C-06	G2	Old key KN1	PASSED
C-07	G2	New key KN1b	PASSED
C-08	G2	Sign out	PASSED
D-01	G2	Taken name, fallback (N2)	PASSED
D-02	G1, G2	Family code and rejection	FINDING
D-03	G2	Start a new family instead	PASSED
D-04	G2	Switch to sign-in	PASSED
D-05	G2	Sign in N2, no other device	PASSED
D-06	G2	Abort without creating an account	PASSED
D-07	G1	Registration closed	NOT RUN
E-01	G1	Family	PASSED
E-02	G1	Rename family	PASSED
E-03	G1	Invite by user ID	PASSED
E-04	G1	Remove invitee	PASSED
E-05	G1	Invitation link	FINDING
E-06	G2	No / invalid link	FINDING
E-07	G2	Join card with details	FINDING

Step	Device	Check	Result
E-08	G2	Provider from the link	PASSED
E-09	G2	Create I2	PASSED
E-10	G2	Emergency key (KI2)	PASSED
E-11	G1, G2	Automatic admission	PASSED
E-12	G2	Used link	FINDING
E-13	G1, G2	Members	PASSED
E-14	G2	Member without management	PASSED
E-15	G1, G2	Online status	PASSED
E-16	G1, G2	Chat	FINDING
E-17	G2, G1	Attachment	FINDING
E-18	G1, G2	Direct chat	FAILED
E-19	G2	Events	PASSED
E-20	G2, G1	Accept / decline	PASSED
E-21	G2, G1	Own event of I2	PASSED
E-22	G2, G1	Shopping together	PASSED
E-23	G1, G2	Task for I2	FINDING
E-24	G1, G2	Verify person	PASSED
E-25	G1	Report message	PASSED
E-26	G1, G2	Block	PASSED
E-27	G1	Unblock	PASSED
E-28	G1, G2	Version	PASSED
E-29	G1	Only moderator	PASSED
E-30	G1, G2	Appoint moderator	PASSED
E-31	G1	Delete account after appointing	PASSED
E-32	G2, G1	Member deletes account (I2)	PASSED
F-01	G2	Delete N2: wrong then correct password	PASSED
F-02	–	Control check N2	PASSED
F-03	G1	Delete all local data	PASSED
F-04	G1	Restart	PASSED
F-05	G1	Sign in N1, restore	PASSED
F-06	G1	Delete N1	PASSED
F-07	–	Control check N1, N2, I2	PASSED

Step	Device	Check	Result
F-08	–	End state	PASSED
G-01	–	flutter analyze	PASSED
G-02	–	flutter test	PASSED
G-03	–	review_notes_test.dart	PASSED
G-04	–	E2E tests (optional)	NOT RUN
G-05	–	Covered by tests	PASSED
G-06	G1	Review notes, manual	FINDING
G-07	G1	Person without prior knowledge	NOT RUN
G-08	Web	Web only	N/A

Steps with observations and screenshots

V-01 Determine target version · –

PASSED


Observed: main = origin/main (85d9245), pubspec 1.2.1+16 → target 1.2.1 (16).

Images: – (console output, see logs/)

V-02 Check installed version · G1, G2

PASSED

Observed: G1 had 1.2.1 (14) (Flatpak, version.json build_number 14) → deviation; app not installed on G2. After V-03 both 1.2.1 (16): G1 version.json build_number 16, G2 versionCode 16.




Images: V-02-G2

V-03 Install latest version · G1, G2

FINDING

Observed: G1: Flatpak v1.2.1 (16) installed from the GitHub release, sha256 OK. G2: signed release APK v1.2.1 (16) crashes at start (UnsatisfiedLinkError: libflutter.so is EM_AARCH64 instead of x86_64; lib/x86_64 only holds libdartjni and libsqlcipher) – finding B-01, issue #32. Replacement: debug APK from main 85d9245 (same app code), versionCode 16.





Images: V-02-G2

V-04 Clean local state · G1, G2

PASSED

Observed: G1: local data moved aside (~/.var/app/de.inneso.familynexus contained someone else's locked session; restored after the run) → “Welcome”. G2: emulator started with -wipe-data, fresh install → “Welcome”.





Images: V-04-G1, V-04-G2

V-05 Check server · –

PASSED

Observed: versions JSON up to v1.15; /register returns flows [m.login.dummy] (registration open).

Images: – (console output, see logs/)

V-06 Usernames free · –

FINDING

Observed: fnt-1026-n1/-n12 and fnt-1026b-n1/-n12/-i2 already taken by earlier runs. Date part changed to 1026c: fnt-1026c-n1, -n12, -i2, -n9 all available:true.

Images: – (console output, see logs/)

V-07 Note system settings · G1, G2

FINDING


Observed: G1 Linux (KDE Plasma, Wayland; app under X11): language de_DE; app lock and screen protection do not exist on Linux (switches hidden) → B-17/B-18 on G2. G2 Android 16 (API 36, Pixel 8 emulator, x86_64): device language English, PIN lock set up via adb; notifications not pre-allowed.

Images: – (console output, see logs/)

A-01 Start page · G1

PASSED

Observed: “Willkommen bei FamilyNexus” with the three paths, three notes and “Sprache” (device language/Deutsch/English); no separate language or server step.





Images: A-01-G1

A-02 English / German · G1

PASSED

Observed: “English”: all texts switch immediately (“Welcome to FamilyNexus”, “Start a new family” …) without restart; “Deutsch”: immediately back.






Images: A-02a-G1, A-02b-G1

A-03 New family, provider unchanged · G1

PASSED

Observed: “Konto erstellen”, step 1 of 3, matrix.org hint, field “Wie heißt du?”, “Konto bei matrix.org erstellen” (not tapped), “Dein Konto liegt bei matrix.org.”




Images: A-03-G1

A-04 Unreachable provider · G1

PASSED

Observed: “nicht-vorhanden.invalid ist gerade nicht erreichbar. …” with “Erneut versuchen”; “Konto erstellen” stays disabled. Name/username/password fields are already shown.




Images: A-04-G1

A-05 Enter test server · G1

PASSED

Observed: “Dein Konto liegt bei matrix-synapse-3ues.srv1348446.hstgr.cloud.”, operator, contact “nicht angegeben”, metadata note; fields with hints; “Konto erstellen” disabled.




Images: A-05-G1

A-06 **Name suggestion** · G1

PASSED

Observed: Name “Joerg Muessig”, then “Jörg Müßig” (umlauts/ß typed) → username follows: joerg.muessig, “Der Benutzername ist frei.” with check mark.





Images: A-06-G1

A-07 **Invalid usernames** · G1

PASSED

Observed: ab, Anna, “anna müller”, .anna, anna., 33 × a → each “Bitte 3 bis 32 Zeichen: …”; “Konto erstellen” disabled.






Images: A-07a-G1, A-07f-G1

A-08 **Required fields** · G1

PASSED

Observed: Username fnt-1026c-n1 kept after renaming to “Test N1”; 7-character password → button inactive, from 8 active; eye icon shows/hides the password; empty name → inactive.





Images: A-08a-G1

A-09 **Create N1** · G1

PASSED

Observed: “Erstelle Konto …”, no extra step; then “Dein Notfall-Schlüssel”, step 2 of 3.






Images: A-09a-G1, A-09b-G1

A-10 Emergency key (KN1) · G1

FINDING

Observed: Key appears immediately and stays for more than 20 s (#10); “Kopieren” copies the full key; “Weiter” only after the check box. “Als Datei speichern” not run on G1 (Flatpak opens the desktop portal file dialog on the real desktop) – verified on G2 in D-01. Key stored as KN1 (masked).





Images: A-10a-G1, A-10b-G1, A-10d-G1

A-11 Create family · G1

PASSED

Observed: Notes on moderator role and parental consent; “Fertig! „Testfamilie 1026c“ ist eingerichtet.” with “Später” and “Jetzt einladen”.






Images: A-11a-G1, A-11b-G1

A-12 **“Later”** · G1

PASSED

Observed: “Später” → main view “Heute”.





Images: A-12-G1

B-01 **Today** · G1

FINDING

Observed: Tiles “Nächste Termine”, “Erinnerungen”, “Wer ist online”, “Einkaufszettel”, “Aufgaben”, “Ungelesene Nachrichten”; navigation, menu, “+”. With data (B-16d): “Nächste Termine” lists the all-day series on 28 Oct and 11 Nov BEFORE the timed events of 27 Oct, entries carry no date (finding B-06, issue #33).






Images: B-01-G1, B-16d-G1

B-02 **Allow notifications** · G2

PASSED

Observed: Android: hint “Benachrichtigungen sind blockiert. …” → “Erlauben” → system dialog “Allow FamilyNexus to send you notifications?” → “Allow” → hint gone. On Linux the hint does not appear (no permission needed).








Images: B-02a-G2, B-02b-G2, B-02c-G2

B-03 **Shared event** · G1

PASSED

Observed: Visibility starts at “Privat”; with “Geteilt” the note “Verschlüsselt an die Familie gesendet. …”; “Test geteilt” 27 Oct 10:00–11:00, place Küche, note, colour violet saved; agenda shows “Geteilt”. Time entered by keyboard in the time picker.





Images: B-03a-G1, B-03b-G1, B-07d-G1

B-04 Required fields of an event · G1

FINDING

Observed: No title: “Bitte einen Titel eingeben.” at the field. End before start: “Das Ende liegt vor dem Beginn.”, nothing saved – but the message is at the very bottom of the long form (y ≈ 1090 of 1100 px), off-screen on small displays (finding B-03, issue #34). The end does not move when the start changes.







Images: B-04a-G1, B-04b-G1

B-05 Private event · G1

FINDING

Observed: “Test privat” saved as “Privat” with note “Nur auf deinen eigenen Geräten …”. It was first saved as 27 Oct 21:00 – 28 Oct 22:00 because the suggested end did not follow the changed start (B-03, issue #34); corrected to 21:00–22:00 via “Termin bearbeiten”.






Images: B-05a-G1, B-05b-G1

B-06 **All-day and recurrence** · G1

PASSED

Observed: “Test Serie” all-day from 28 Oct, weekly, ends after 3: agenda shows 28 Oct, 4 Nov, 11 Nov, each “Ganztägig”; detail with “Wöchentlich” badge.





Images: B-06a-G1, B-06b-G1, B-06c-G1

B-07 **Views and navigation** · G1

PASSED

Observed: “Tag”, “Woche” (26 Oct–1 Nov with series), “Monat”, “Agenda”; “Weiter” → 2–8 Nov, “Heute” → back to the current week.







Images: B-07a-G1, B-07b-G1, B-07c-G1, B-07d-G1, B-07e-G1

B-08 View, edit, history · G1

PASSED

Observed: Detail with “Von dir”, shared, place, note, RSVP, “Im Chat teilen”; renamed to “Test geteilt 2”; “Verlauf (1)” lists the earlier version “Test geteilt – Version 1” only (plan expected versions 1 and 2 → plan correction P-22).







Images: B-08a-G1, B-08b-G1

B-09 Reminder per event · G1

PASSED

Observed: “15 Minuten vorher” added (two selected); “Standard verwenden” resets to “10 Minuten vorher”.






Images: B-09a-G1, B-09b-G1

B-10 Reminder arrives · G2

PASSED

Observed: G2: “Test Erinnerung” at 00:00 (private), reminders 15 and 10 min; app in background. Alarm scheduled for 23:45:00; at 23:45:03 system notification “Erinnerung – Termin in 15 Minuten” (channel reminders, visibility PRIVATE), without title or place. Not run on G1: the notification would appear on the real desktop.






Images: B-10a-G2, B-10b-G2

B-11 Delete event / occurrence · G1

PASSED

Observed: Occurrence 4 Nov of “Test Serie” → delete → “Alle Vorkommen oder nur dieses löschen?” → “Nur dieses”: only 4 Nov removed. Single event “Test Löschen” → “Diesen Termin wirklich löschen?” → gone.




Images: B-11a-G1, B-11b-G1, B-11c-G1

B-12 **Chat** · G1

FINDING

Observed: “Ende-zu-Ende-verschlüsselt”; “Hallo Testfamilie” sent with the send button, shown with time. Desktop: Enter inserts a line break instead of sending (finding B-04, issue #37).





Images: B-12-G1

B-13 **Share event in chat** · G1

PASSED

Observed: “Im Chat teilen” → “Im Chat geteilt”; chat shows the card “Test geteilt 2 – Dienstag, 27. Oktober 2026, 10:00 - 11:00”.






Images: B-13a-G1, B-13b-G1

B-14 **Shopping** · G1

FINDING

Observed: “Milch” (2 l) and “Brot”: “Zu besorgen (2)”; “Milch” ticked → “Erledigt (1)”; “Brot” edited to “Vollkornbrot”; empty entry: “Hinzufügen” does nothing. Desktop: Enter in the input does not add (B-04, issue #37).





Images: B-14a-G1, B-14b-G1, B-14c-G1


B-15 **Tasks** · G1

FINDING

Observed: Moderator note; empty save: “Bitte Titel, Person und mindestens einen Punkt angeben.”; “Bad putzen” assigned to me, weekly (Monday), two items; “0 von 2”, next restart Monday 2 Nov; item ticked with comment → “1 von 2 erledigt”, history entry; “Heute”: “Aufgaben für dich: 1 offen”. Dates in “Erledigt am …” and history are ISO (2026-10-26 22:52) – finding B-05, issue #38.








Images: B-15a-G1, B-15b-G1, B-15d-G1, B-15e-G1, B-15f-G1, B-15g-G1

B-16 **Settings: appearance** · G1

PASSED

Observed: Language English and back; design light → dark; accent colour magenta applies immediately; “Effekte reduzieren” on/off. Magenta kept after app restart (then back to teal).




Images: B-16a-G1, B-16b-G1, B-16c-G1, B-16d-G1

B-17 **App lock** · G2

PASSED

Observed: G2: app lock on → system prompt “FamilyNexus entsperren” (PIN); lock after “Sofort”; background and back → prompt; cancelled → “FamilyNexus ist gesperrt …” with “Entsperren”; unlock + PIN opens the app. Switched off again. G1 (Linux): no device authentication, switch not offered (B-17-G1).




Images: B-17-G1, B-17a-G2, B-17b-G2, B-17c-G2

B-18 **Screen protection** · G2

PASSED

Observed: G2: on → adb screencap returns a completely black image (mean 0); off → content visible (mean 34). Not available on Linux.




Images: B-18a-G2-screencap-an, B-18b-G2-screencap-aus

B-19 **Privacy** · G1

PASSED

Observed: “Online-Status teilen” present (effect in E-15); “Blockierte Mitglieder” → “Du hast niemanden blockiert.”; privacy policy complete.





Images: B-19a-G1, B-19b-G1, B-19c-G1

B-20 **Reminders** · G1

PASSED

Observed: “Standard-Erinnerung” is multi-select: 30 min added to 10 min → a new event takes both; note “Erinnerungen sind lokale Benachrichtigungen …”. Reset to 10 min.






Images: B-20a-G1, B-20b-G1

B-21 **About the app** · G1

PASSED

Observed: Storage locations: database under ~/.var/app/..., keys in “Schlüsselbund des Systems (Secret Service)”, online at the provider. Local report with plaintext warning, “App-Version 1.2.1 (16)”, settings, events, shopping, tasks, family; “Kopieren” → “Protokoll kopiert.” (12,414 characters). Online report with display name, devices, account data, family and private room. Both reports in logs/B-21_*.




Images: B-21a-G1, B-21b-G1, B-21c-G1

B-22 **Version and account** · G1

PASSED

Observed: Menu “Version 1.2.1 (16)”; Settings → About “Version 1.2.1 (16)” = target (#14); account: server matrix-synapse-3ues..., username @fnt-1026c-n1:matrix.chaostribunal.de.




Images: B-22a-G1, B-22b-G1, B-16c-G1

C-01 Wrong password · G2

PASSED

Observed: “Benutzername oder Passwort stimmen nicht.”; not signed in.




Images: C-01-G2

C-02 Unlock by symbol comparison · G2, G1


PASSED


Observed: G2: “Dieses Gerät freischalten” → “Mit „FamilyNexus Linux“ bestätigen” → waiting; G1: “… möchte die Verifizierung starten.” → accept; both show → both “Sie stimmen überein” → “Verifiziert.”; G2 opens “Heute” with the events of B, chat with message and event card. Screen reader reads the symbol names in English (finding B-07, issue #39).















Images: C-02a-G2, C-02b-G1, C-02c-G1, C-02d-G2, C-02e-G1, C-02e-G2, C-02f-G2, C-02g-G2

C-03 Emergency key and devices · G2

PASSED

Observed: “Dieses Gerät ist verifiziert.”; devices “FamilyNexus Linux – Verifiziert”, “FamilyNexus Android (Dieses Gerät) – Verifiziert”; “Neuen Notfall-Schlüssel erstellen” present.





Images: C-03-G2

C-04 Sign out · G2

PASSED

Observed: Settings → “Abmelden” → confirmed → app shows “Anmelden” directly (provider back to matrix.org).







Images: C-04a-G2, C-04b-G2

C-05 New emergency key (#11) · G1

PASSED

Observed: Explanation (“Der alte funktioniert danach nicht mehr …”) → new key shown; back arrow, Esc and Alt+← keep the page (#11); after check box and “Weiter” back in settings. Stored as KN1b (masked).





Images: C-05a-G1, C-05b-G1, C-05c-G1, C-05d-G1, C-05e-G1

C-06 Old key KN1 · G2

PASSED

Observed: Sign in N1 → unlock with full old key KN1 → “Der Notfall-Schlüssel passt nicht. …”, device stays locked (#11).



Images: C-06-G2

C-07 New key KN1b · G2

PASSED

Observed: KN1b → “Freischalten” → main view with the events of B.




Images: C-07-G2

C-08 Sign out · G2

PASSED

Observed: Signed out → “Anmelden”.



Images: C-08-G2


D-01 Taken name, fallback (N2) · G2

PASSED


Observed: Name “Test N2”, username fnt-1026c-n1 → “Schon vergeben – wie wäre es mit „fnt-1026c-n12“?” and chip; button disabled; chip → free; account created, key stays (KN2). “Kopieren” and “Als Datei speichern” (Android file picker, Downloads) → “Gespeichert. …”; file holds account, provider, date, key and instructions (masked copy in logs/D-01_*).













Images: D-01a-G2, D-01b-G2, D-01c-G2, D-01e-G2, D-01f-G2


D-02 Family code and rejection · G1, G2


FINDING


Observed: G1: “Familien-Code” copied. G2 family step shows the switch “Gründen | Beitreten” instead of “Ich wurde doch eingeladen” (account via “Noch kein Konto? Jetzt erstellen”) → “Beitreten” → “Ohne Link beitreten (Familien-Code)”; abc → “Das ist kein gültiger Familien-Code. …”; real code → “Fast geschafft! …”. G1: request “Anfrage über den Familien-Code (ohne Link) – nur bestätigen, wenn du … kennst”, badge 1 → “Ablehnen” → gone. G2 shows “Deine Anfrage wurde abgelehnt. …” only after about 2.5 minutes (comment on issue #30; plan correction P-23).












Images: D-02a-G2, D-02b-G1, D-02c-G2, D-02d-G2, D-02e-G1, D-02f-G1, D-02g-G2

D-03 Start a new family instead · G2

PASSED

Observed: “Verstanden” → “Gründen” → “Loeschtest 1026c” (adb cannot type ö) → “Familie gründen” → directly “Heute” (no “Fertig!/Später” step on this path; P-23).




Images: D-03-G2

D-04 Switch to sign-in · G2

PASSED

Observed: Sign out → “Noch kein Konto? Jetzt erstellen” → name “Test”, username fnt-1026c-n12 (app: taken, suggests …n122) → “Ich habe schon ein Konto” → “Anmelden” with fnt-1026c-n12 prefilled, provider kept.







Images: D-04a-G2, D-04b-G2

D-05 Sign in N2, no other device · G2

PASSED

Observed: “Dieses Gerät freischalten” shows “Kein anderes Gerät gefunden. Nutze deinen Notfall-Schlüssel.”; KN2 → unlocked, family “Loeschtest 1026c”. No sync hang (#24 not reproduced).






Images: D-05a-G2, D-05b-G2

D-06 Abort without creating an account · G2

PASSED

Observed: Name “Test N9”, fnt-1026c-n9 free, password → back arrow without creating → “Willkommen”; check register/available fnt-1026c-n9: available:true.





Images: D-06a-G2, D-06b-G2

D-07 Registration closed · G1

NOT RUN


Observed: Optional, not run: requires the server operator to close registration (no server access).

Images: – (console output)

E-01 Family · G1

PASSED

Observed: “Testfamilie 1026c” with rename pencil, “Empfehlung: Ernenne einen zweiten Moderator.”, “Mitglied einladen”, “Familien-Code”, “Jemanden einladen”, “Erweitert”; members: Test N1 (moderator, “Du bist online”).





Images: E-01-G1

E-02 **Rename family** · G1

PASSED

Observed: “Testfamilie 1026c neu” → “Name geändert.”; new name visible (also for I2 in E-13).






Images: E-02a-G1, E-02b-G1

E-03 **Invite by user ID** · G1

PASSED

Observed: abc → “Bitte eine gültige Benutzer-ID eingeben, …”; @fnt-1026c-n12:… → confirmation “… Eingeladene erhalten bereits vor der Annahme …” → “Einladung gesendet.”; Test N2 listed as “Eingeladen”.





Images: E-03a-G1, E-03b-G1, E-03c-G1

E-04 Remove invitee · G1

PASSED

Observed: “Entfernen” → “Test N2 wirklich aus der Familie entfernen? …” → N2 removed from the list.







Images: E-04a-G1, E-04b-G1

E-05 Invitation link · G1

FINDING

Observed: QR code shown directly (no “QR-Code anzeigen” button, P-24); validity 1/3/7 days, note “… 3 Tage gültig und nur einmal verwendbar …”; “Konto-Server für Neue” set → new link; “Link kopiert.”. Link is https://carpeasrael.github.io/FamilyNexus/join/#v=3&… (issue #26). “Per E-Mail senden” not run on G1 (opens the real desktop mail client); on G2 the app hands over to Gmail, draft not checkable without a Gmail account.







Images: E-05a-G1, E-05b-G1, E-05c-G2

E-06 No / invalid link · G2

FINDING

Observed: abc → “Das ist kein Einladungslink. Ein Einladungslink beginnt mit „familynexus://join“.” although the app creates https links (B-08, issue #26). Link without one-time code n= → “Der Link ist unvollständig oder beschädigt …”. Link cut by the last 10 characters (inviter name by=) is accepted without warning (plan correction P-25).








Images: E-06a-G2, E-06b-G2, E-06c-G2

E-07 Join card with details · G2

FINDING

Observed: Full link → first “Konto erstellen”; the join card only appears after account creation and key (step 4 of 4, P-26): “Du trittst der Familie „Testfamilie 1026c neu“ bei. Eingeladen hat dich Test N1 …”; details with user ID and family server; “Verwerfen” and “Beitritt anfragen”.






Images: E-07a-G2, E-07b-G2

E-08 Provider from the link · G2

PASSED

Observed: “Konto erstellen” (step 2 of 4) with “Dein Konto liegt bei matrix-synapse-3ues….” – provider taken from the link, not matrix.org.




Images: E-08-G2

E-09 Create I2 · G2

PASSED

Observed: “Test Nutzer 2”, fnt-1026c-i2 free, password → account created without extra step → emergency key (step 3 of 4).





Images: E-09-G2


E-10 Emergency key (KI2) · G2

PASSED

Observed: Key appears and stays (unchanged after 10 s, #10); stored as KI2; check box → “Weiter” → join card.








Images: E-10a-G2, E-10b-G2, E-10c-G2

E-11 Automatic admission · G1, G2

PASSED

Observed: “Beitritt anfragen” → admitted automatically after about 2 s (G1 open); G2 shows “Heute” with “Test geteilt 2 … Von Test N1”, “Test N1 – Online”.







Images: E-11-G1, E-11-G2


E-12 **Used link** · G2

FINDING

Observed: Used link opened via adb VIEW intent → Android opens it in Chrome (page “Invitation to FamilyNexus – Open app / Copy link”; no verified app link for the debug APK); “Open app” → FamilyNexus opens on “Familie”, nothing changes, no crash. The message “Du bist bereits in einer Familie.” (short snackbar) was not captured (P-27).








Images: E-12-G2, E-12a-G2, E-12b-G2

E-13 **Members** · G1, G2

PASSED

Observed: Both: “Testfamilie 1026c neu”, Test N1 (moderator) and Test Nutzer 2 (member).






Images: E-13-G1, E-13-G2

E-14 **Member without management** · G2

PASSED

Observed: I2: “Nur Moderatoren verwalten die Familie.”, no rename, no invite, no family code; actions for Test N1 only “Verifizieren” and “… blockieren”; tasks: “Bad putzen” under “Weitere Listen”, no “Neue Aufgabenliste”.







Images: E-14a-G2, E-14b-G2

E-15 **Online status** · G1, G2

PASSED

Observed: On: G1 “Test Nutzer 2 – Online”, G2 “Test N1 – Online”, own entry “Du bist online”. G1 sharing off: own entry “Dein Status wird nicht geteilt”; G2 “Gerade ist sonst niemand online.”, Test N1 “Zuletzt online gerade eben”. On again: G2 shows N1 online.










Images: E-15a-G1, E-15a-G2, E-15b-G1, E-15c-G1, E-15d-G2, E-15e-G2


E-16 **Chat** · G1, G2


FINDING


Observed: G1 sends “Hallo von Nutzer 1”; G2 “Heute”: “8 ungelesene Nachrichten”; G2 long-press → “Antworten” → “Antwort an Test N1” → reply with quote; G1 shows the quote; G1 reacts → “ 1” on both. Finding B-09 (issue #35): I2 sees seven “Nachricht kann nicht entschlüsselt werden” entries from before joining (times of event, shopping, task and name changes); “Hallo Testfamilie” and the event card are missing for I2.























Images: E-16a-G2, E-16b-G2, E-16c-G2, E-16d-G2, E-16e-G2, E-16f-G2, E-16g-G1, E-16h-G1, E-16i-G1, E-16j-G2

E-17 **Attachment** · G2, G1

FINDING

Observed: Direction reversed (Flatpak file picker would open on the real desktop): G2 sends testbild.png and testdatei.txt; G1: image “Anhang laden” → shown decrypted; images have no save action (B-11, issue #40); text file → “Speichern” → warning “Die Datei wird entschlüsselt und unverschlüsselt im gewählten Ordner gespeichert. …” → cancelled (file dialog not opened).






Images: E-17a-G2, E-17b-G1, E-17c-G1


E-18 **Direct chat** · G1, G2

FAILED

Observed: G1: Familie → “Nachricht schreiben” for Test Nutzer 2 → chat opens with a new tab “Test Nutzer 2”, but the FAMILY chat stays selected; “Nur für dich” went to the whole family (visible in G2’s family chat). Finding B-12, issue #31. Second attempt opens the direct chat correctly (“Nur zwischen dir und Test Nutzer 2 …”); “Nur für dich (Einzelchat)” → G2 “Gespräche”: “Einzelchat mit Test N1, 1 ungelesen”, message only there.








Images: E-18a-G1, E-18b-G1, E-18c-G1, E-18d-G1, E-18e-G2, E-18f-G2

E-19 Events · G2

PASSED

Observed: I2 agenda and “Heute”: only “Test geteilt 2 … Geteilt, Von Test N1”; “Test privat” and the private “Test Serie” not visible (plan expected the series to be visible → P-29). Person filter: “Test Nutzer 2” → “Keine Termine”, “Alle” → shared event again.





Images: E-19a-G2, E-19b-G2


E-20 Accept / decline · G2, G1

PASSED

Observed: G2: “Nur der Ersteller kann diesen Termin ändern.”, no edit/share; “Zusagen | Vielleicht | Absagen” → “Zusagen” → “Du – Zugesagt”; G1 sees “Test Nutzer 2 – Zugesagt”; “Im Chat teilen” only for the creator.








Images: E-20a-G2, E-20b-G2, E-20c-G1


E-21 **Own event of I2** · G2, G1


PASSED

Observed: G2 creates “Termin I2” (shared) → G1 shows it “Von Test Nutzer 2”; G2 edits to “Privat” → note “Bereits an die Familie gesendete Inhalte bleiben auf deren Geräten …” → saved.











Images: E-21a-G2, E-21b-G1, E-21c-G2, E-21d-G1


E-22 **Shopping together** · G2, G1


PASSED

Observed: G2 sees “Vollkornbrot” (zuletzt von Test N1) and done “Milch 2 l”; adds “Kaese” (adb cannot type ä) → G1 “Kaese – zuletzt von Test Nutzer 2”; G1 ticks it, “Erledigte entfernen” → “2 Einträge entfernt”, also on G2; G2 deletes “Vollkornbrot” → both “Der Einkaufszettel ist leer.”











Images: E-22a-G2, E-22b-G1, E-22c-G1, E-22d-G1, E-22e-G2, E-22f-G1


E-23 **Task for I2** · G1, G2

FINDING

Observed: G1 creates “Müll rausbringen” for Test Nutzer 2, Monday–Friday, one item; G1 cannot tick it. G2: “Aufgaben für dich: 1 offen”, list under “Mir zugewiesen”; ticking only via the check box (tap on the row has no effect) → comment → “1 von 1 erledigt”; G1 history “… Test Nutzer 2 · 2026-10-27 00:28 – erledigt von I2” (ISO date, B-05, issue #38). G1 deletes “Bad putzen” → gone.









Images: E-23a-G1, E-23b-G1, E-23c-G1, E-23d-G2, E-23e-G2, E-23f-G1, E-23g-G1, E-23h-G1

E-24 **Verify person** · G1, G2


PASSED

Observed: G1 actions: verify, appoint, remove, block → “Verifizieren”; G2 accepts; both show (partly monochrome on Linux) → “Sie stimmen überein” → “Verifiziert.”; G1 member list: Test Nutzer 2 “Verifiziert” (before “Nicht persönlich geprüft”).















Images: E-24a-G1, E-24b-G2, E-24c-G2, E-24d-G1, E-24e-G2, E-24f-G1, E-24g-G1

E-25 **Report message** · G1

PASSED

Observed: Long-press (mouse hold) on a message of Test Nutzer 2 → “Nachricht melden” → dialog naming the operator, text readable by the operator, four reasons; “Spam oder Werbung” + text → “Meldung gesendet.” with action “Absender blockieren”.




Images: E-25a-G1, E-25b-G1, E-25c-G1


E-26 **Block** · G1, G2


PASSED

Observed: “Test Nutzer 2 blockieren?” with explanation → “Blockieren” → I2’s messages hidden on G1; G2 sends “Noch da?” without error, not visible on G1.










Images: E-26a-G1, E-26b-G1, E-26c-G2, E-26d-G1, E-26e-G1

E-27 **Unblock** · G1

PASSED

Observed: Settings → “Blockierte Mitglieder”: Test Nutzer 2 → “Blockierung aufheben” → “Du hast niemanden blockiert.”; chat shows “Hallo zurueck von Nutzer 2” and “Noch da?” again.




Images: E-27a-G1, E-27b-G1, E-27c-G1

E-28 **Version** · G1, G2

PASSED

Observed: G1 menu “Version 1.2.1 (16)” (settings in B-22); G2 menu and Settings → About “Version 1.2.1 (16)” (#14).






Images: E-28-G1, E-28-G2, E-28b-G2

E-29 **Only moderator** · G1

PASSED

Observed: “Konto löschen?” names @fnt-1026c-n1 and the server, “dauerhaft gelöscht”, messages stay visible to others; red “Du bist der einzige Moderator der Familie. …” (#12); delete button inactive without password; “Abbrechen” → unchanged.




Images: E-29-G1

E-30 **Appoint moderator** · G1, G2

PASSED

Observed: “Test Nutzer 2 zum Moderator ernennen? …” → confirmed; both see Test Nutzer 2 as moderator; recommendation gone; G2 now has “Mitglied einladen”.




Images: E-30a-G1, E-30b-G1, E-30c-G2

E-31 **Delete account after appointing** · G1

PASSED

Observed: “Konto löschen?” without the only-moderator note → “Abbrechen”.





Images: E-31-G1


E-32 **Member deletes account (I2)** · G2, G1

PASSED

Observed: G2 (I2, now moderator): dialog without moderator note → password → delete → immediately “Welcome to FamilyNexus” – B-1 of 26 Oct fixed (issue #23). G1: Test Nutzer 2 no longer a member, recommendation back; I2’s messages stay visible. Login fnt-1026c-i2: 403.









Images: E-32a-G2, E-32b-G2, E-32c-G1, E-32d-G1


F-01 Delete N2: wrong then correct password · G2

PASSED

Observed: N2 signed in (KN2) → dialog names @fnt-1026c-n12 and the server, no moderator note; delete inactive without password; wrong password → “Benutzername oder Passwort stimmen nicht.” (finding B-02, issue #36), dialog stays; correct password → immediately “Welcome to FamilyNexus”.







Images: F-01a-G2, F-01b-G2, F-01c-G2

F-02 Control check N2 · –

PASSED


Observed: Login fnt-1026c-n12 with correct password: HTTP 403 M_FORBIDDEN (logs/F-02_*).


Images: – (console output, see logs/)

F-03 **Delete all local data** · G1

PASSED

Observed: “Alle lokalen Daten löschen? …” → “Endgültig löschen” → immediately “Willkommen bei FamilyNexus”.






Images: F-03a-G1, F-03b-G1

F-04 **Restart** · G1

PASSED

Observed: App quit and restarted → “Willkommen bei FamilyNexus” (not “Anmelden”).




Images: F-04-G1

F-05 Sign in N1, restore · G1

PASSED

Observed: “Ich habe schon ein Konto” → N1 → “Kein anderes Gerät gefunden …” → KN1b → unlocked; restored from the server: events (including private ones via the private room), chat, task list “Müll rausbringen – 1 von 1 erledigt”.





Images: F-05a-G1, F-05b-G1, F-05c-G1, F-05d-G1

F-06 Delete N1 · G1

PASSED

Observed: Dialog without moderator note (N1 alone) → password → delete → immediately “Willkommen bei FamilyNexus”.





Images: F-06a-G1, F-06b-G1

F-07 Control check N1, N2, I2 · –

PASSED

Observed: Login fnt-1026c-n1, -n12, -i2: each HTTP 403 M_FORBIDDEN (logs/F-07_F-08_*).

Images: – (console output, see logs/)

F-08 End state · –

PASSED

Observed: All accounts of the run deleted (login 403); register/available still reports M_USER_IN_USE for deleted IDs; fnt-1026c-n9 never created (available:true). Registration on the server remains open.

Images: – (console output, see logs/)

G-01 flutter analyze · –

PASSED

Observed: “No issues found!” (85d9245).

Images: – (console output, see logs/)

G-02 flutter test · –

PASSED

Observed: 717 passed, 43 skipped, 0 failed (includes the B-1 regression test).

Images: – (console output, see logs/)

G-03 review_notes_test.dart · –

PASSED

Observed: 4/4 green.

Images: – (console output, see logs/)

G-04 E2E tests (optional) · –

NOT RUN

Observed: Optional, not run (local Synapse).

Images: – (console output, see logs/)

G-05 Covered by tests · –

PASSED

Observed: Registration extra steps, OAuth, expired link, changed identity, start error: contained in G-02 and green.

Images: – (console output, see logs/)

G-06 Review notes, manual · G1

FINDING

Observed: Places named in the review notes found: “Willkommen” with three entries, “Neue Familie gründen” → account creation, “Dieses Gerät freischalten”, Settings → Account → “Konto löschen”, “Erlauben” (Android). iOS/macOS-specific wording (e.g. “click and hold”, browser sign-in at matrix.org) not checkable on these platforms (#15).

Images: – (console output, see logs/)

G-07 Person without prior knowledge · G1

NOT RUN

Observed: Not executable: no test person without prior knowledge available.

Images: – (console output, see logs/)

G-08 Web only · Web

N/A

Observed: Platform web not part of this run (G1 Linux Flatpak, G2 Android).

Images: – (console output, see logs/)