FamilyNexus test report

Master test plan TP-FN-001 v1.5 · two runs on iPhone 15 simulator (iOS 27.0) + macOS 27.2 · 28 October 2026, 00:50 - ca. 08:35 · date parts "1028" and "1028c" · build 1.2.1 (18) @ bb7f347

Run 1 · G1 = iPhone simulator, G2 = MacBook

94	4	6	0	104
passed	with finding / partial	not run	failed	steps in report

Run 2 · G1 = MacBook, G2 = iPhone simulator

91	7	6	0	104
passed	with finding / partial	not run	failed	steps in report

Overall verdict: both runs completed, no failed step, findings open for assessment. Sections A-F were executed in both runs, G-01 to G-03 (analyze: no issues, 749 tests passed / 44 skipped) once. Findings B-1 to B-6 deviate from the plan (iOS simulator: "Anna" lowercased in A-07, end = start in B-05; Mac: notifications blocked, app lock needs the system password; D-02 rejection took 2-4 minutes; E-07 opens the installed old app). Not executed: D-07 (registration off - no server access), G-04 (no local Synapse), G-06 only automatic, G-07 (no person without prior knowledge), G-08 (Web not part of the run), V-07 and B-18 on the Mac (no such switch). The acceptance decision remains with the release owner.

Platform and system (plan section 2)

Item	Run 1: G1 (iPhone simulator)	Run 1: G2 (Mac)	Run 2: G1 (Mac) / G2 (iPhone simulator)
Platform	iOS (iPhone simulator)	macOS	G1 macOS, G2 iOS (iPhone simulator) - roles swapped
Device	iPhone 15 Test, iOS 27.0, Device Hub	MacBook (Mac16,12, Apple silicon)	same devices
Operating system	iOS 27.0	macOS 27.2 (26B118)	same
Installation source	Build from main (flutter build ios --simulator), 1.2.1 (18)	Release build from main (bb7f347), FamilyNexus.app, 1.2.1 (18)	same builds, version identical
App version target / actual	1.2.1 (18) / 1.2.1 (18)	1.2.1 (18) / 1.2.1 (18)	1.2.1 (18) / 1.2.1 (18)
Screenshots	xcrun simctl io booted screenshot	screencapture -R (window)	screenshots/ (run 1), screenshots-lauf2/ (run 2)
Tester	Claude Code (operation via mouse/keyboard events and screenshots). Passwords and emergency keys are masked; all accounts are synthetic test data.		

Deviation from the plan: run 1 follows the plan (G1 = iPhone, G2 = Mac), run 2 swaps the roles (G1 = Mac, G2 = iPhone). A run with a physical iPhone is still open. Hardware limits: Mac notifications blocked, Mac app lock needs the system password (cannot be entered), Web/Linux/Android not part of the run.

Findings

No.	Severity	Step	Description
B-1	MEDIUM	Run 1 / A-07 (iOS simulator)	"Anna" is silently turned into "anna" and shown as "free" instead of an error. On the Mac (run 2) it is rejected correctly, so it depends on platform or input (maybe simulator keyboard auto-lowercase). To be cross-checked.
B-2	MEDIUM	Run 1 / B-05 (iOS simulator)	New event: end stayed equal to start (01:47-01:47) and was saved. On the Mac the end moves along (21:00-22:00).
B-3	LOW	Run 2 / B-02, B-10 (Mac)	"Allow" shows no system dialog and reminders do not arrive (permission blocked, ad-hoc signed build). Not conclusively testable.
B-4	LOW	Run 2 / B-17 (Mac)	Switching on the app lock requires system authentication; cancel -> "The confirmation was not successful." (correct). The lock itself could not be tested because the run cannot enter the Mac password.
B-5	LOW	Run 2 / D-02	The rejection reached the device only after 2-4 minutes (plan: up to 3 minutes). Run 1 saw it within 2 minutes.
B-6	LOW	Run 1 / E-07 (Mac); Run 2 / F-05	Web page "Open app" starts the installed release app from /Applications instead of the tested build (test setup); familynexus://join?... works, familynexus://join#... gives "incomplete or damaged". After deleting the data the sign-in assistant is back on matrix.org (expected, note).
B-7	PROCESS	Run 2 / V-06	Username fnt-1028b-n1 was already taken (not created or touched by this run), so run 2 used the date part 1028c.
B-8	PROCESS	Run 2 / D-06	An extra emergency key for N2 (KN2d) arose from an operating error in the test (no app defect).
B-9	NOTE	Runs 1+2 / E-32	After the account of I2 is deleted, G1 shows its messages with the user ID instead of the display name.
B-10	NOTE	Run 1 / V-04	A keychain leftover (fn.key.db.app) from the previous day blocked the Mac start; the user released the keychain.
B-11	NOTE	iOS simulator	Capital letters are partly lost when typing (title "Test serie", "Termin i2", password) - test tool, no app finding.

Severity labels (MEDIUM / LOW / PROCESS / NOTE) were assigned when this PDF was prepared; the test log itself only marks findings and info.

Overview by section

Section	Run 1	Run 2
V Preparation	passed (V-04 finding, V-07 not run)	passed (V-06 finding, V-07 not run)
A Start and account creation	passed (A-07 finding)	passed
B Main functions	passed (B-05 finding)	passed (B-02, B-10, B-17 finding; B-18 not run)
C Second device	passed	passed
D Other ways of account creation	passed (D-07 not run)	passed (D-02 finding; D-07 not run)
E Two users	passed (E-05 mail not executed)	passed
F Deleting and cleaning up	passed	passed
G Automatic	G-01..03, G-05 passed; G-06 finding; G-04, G-07, G-08 not run	carried over from run 1

End state

Run 1 accounts fnt-1028-n1, fnt-1028-n12, fnt-1028-i2 and run 2 accounts fnt-1028c-n1, fnt-1028c-n12, fnt-1028c-i2: deleted (login HTTP 403 M_FORBIDDEN; register/available M_USER_IN_USE). fnt-1028-n9 and fnt-1028c-n9 were never created (available: true). Foreign account fnt-1028b-n1 untouched. Server registration unchanged (open). Mac app and iPhone simulator on "Welcome". Passwords and keys exist only in the Claude Code session directory (mode 600); emergency keys in screenshots are masked. Nothing was committed.

Summary by step - Run 1 · G1 = iPhone simulator, G2 = MacBook

Step	Device	Check	Result
V-01	-	Determine target version	PASSED
V-02	-	Check installed version	PASSED
V-03	-	Install the latest version	PASSED
V-04	-	Delete local data	FINDING
V-05	-	Check server	PASSED
V-06	-	Usernames free	PASSED
V-07	-	Note system settings	NOT RUN
A-01	G1	Start page	PASSED
A-02	G1	English / German	PASSED
A-03	G1	Start a new family, provider unchanged	PASSED
A-04	G1	Unreachable provider address	PASSED
A-05	G1	Enter test server	PASSED
A-06	G1	Name suggestion	PASSED
A-07	G1	Invalid usernames	FINDING
A-08	G1	Required fields	PASSED
A-09	G1	Create N1	PASSED
A-10	G1	Emergency key	PASSED
A-11	G1	Create family	PASSED
A-12	G1	"Later"	NOT RUN
B-01	G1	Today	PASSED
B-02	G1	Allow notifications	PASSED
B-03	G1	Shared event	PASSED
B-04	G1	Required fields of an event	PASSED
B-05	G1	Private event	FINDING
B-06	G1	All-day, recurrence	PASSED
B-07	G1	Views and navigation	PASSED
B-08	G1	View and edit event	PASSED
B-09	G1	Reminder per event	PASSED
B-10	G1 (Linux per Skript: G2)	Reminder arrives	PASSED
B-11	G1	Delete event	PASSED
B-12	G1	Chat	PASSED
B-13	G1	Share event in chat	PASSED
B-14	G1	Shopping list	PASSED
B-15	G1	Tasks (moderator)	PASSED
B-16	G1	Settings - appearance	PASSED
B-17	G1 (Linux/Windows: G2)	App lock	PASSED
B-18	G1 (Linux/Windows: G2)	Screen protection	PASSED
B-19	G1	Privacy	PASSED
B-20	G1	Reminders	PASSED
B-21	G1	About the app	PASSED
B-22	G1	Version and account	PASSED
C-01	G2	Wrong password	PASSED
C-02	G2, G1	Sign in, unlock device	PASSED

Step	Device	Check	Result
C-03	G2	Emergency key and devices	PASSED
C-04	G2	Sign out	PASSED
C-05	G1	Create new emergency key	PASSED
C-06	G2	Sign in with old key	PASSED
C-07	G2	Unlock with new key	PASSED
C-08	G2	Sign out	PASSED
D-01	G2	Taken name and suggestion	PASSED
D-02	G1, G2	Family code and rejection	PASSED
D-03	G2	Found a family	PASSED
D-04	G2	Sign out, name taken	PASSED
D-05	G2	Unlock with emergency key	PASSED
D-06	G2	Back without creating an account	PASSED
D-07	G1	Registration disabled (optional)	NOT RUN
E-01	G1	Family tab	PASSED
E-02	G1	Rename family	PASSED
E-03	G1	Invite by user ID	PASSED
E-04	G1	Remove invitee	PASSED
E-05	G1	Invitation link	PASSED
E-06	G2	Invalid links	PASSED
E-07	G2	Open full link	PASSED
E-08	G2	Join, account creation	PASSED
E-09	G2	Create I2	PASSED
E-10	G2	Emergency key I2	PASSED
E-11	G1, G2	Admission	PASSED
E-12	G2	Used link	PASSED
E-13	G1, G2	Family tab on both	PASSED
E-14	G2	Member view	PASSED
E-15	G1, G2	Online status	PASSED
E-16	G1, G2	Chat	PASSED
E-17	G1, G2	Attachment	PASSED
E-18	G1, G2	Direct chat	PASSED
E-19	G1, G2	Events	PASSED
E-20	G2, G1	Accept / decline	PASSED
E-21	G2, G1	Member's own event	PASSED
E-22	G2, G1	Shared shopping list	PASSED
E-23	G1, G2	Task for I2	PASSED
E-24	G1, G2	Verify person	PASSED
E-25	G1	Report message	PASSED
E-26	G1, G2	Block	PASSED
E-27	G1	Unblock	PASSED
E-28	G1, G2	Version	PASSED
E-29	G1	Sole moderator	PASSED
E-30	G1, G2	Appoint moderator	PASSED
E-31	G1	Delete-account dialog	PASSED
E-32	G2, G1	Member deletes account	PASSED
F-01	G2	Delete account (wrong / right password)	PASSED

Step	Device	Check	Result
F-02	–	Control check N2	PASSED
F-03	G1	Delete all local data	PASSED
F-04	G1	Restart	PASSED
F-05	G1	Sign in N1, restore	PASSED
F-06	G1	Delete N1	PASSED
F-07	–	Control check N1, I2	PASSED
F-08	–	End state	PASSED
G-01	–	flutter analyze	PASSED
G-02	–	flutter test	PASSED
G-03	–	review_notes_test.dart	PASSED
G-04	–	End-to-end (optional)	NOT RUN
G-05	–	Covered by tests	PASSED
G-06	G1	Review notes (manual)	FINDING
G-07	G1	Person without prior knowledge	NOT RUN
G-08	Web	Web only	NOT RUN

Summary by step - Run 2 · G1 = MacBook, G2 = iPhone simulator

Step	Device	Check	Result
V-01	-	Determine target version	PASSED
V-02	-	Check installed version	PASSED
V-03	-	Install the latest version	PASSED
V-04	-	Delete local data	PASSED
V-05	-	Check server	FINDING
V-06	-	Usernames free	FINDING
V-07	-	Note system settings	NOT RUN
A-01	G1	Start page	PASSED
A-02	G1	English / German	PASSED
A-03	G1	Start a new family, provider unchanged	PASSED
A-04	G1	Unreachable provider address	PASSED
A-05	G1	Enter test server	PASSED
A-06	G1	Name suggestion	PASSED
A-07	G1	Invalid usernames	PASSED
A-08	G1	Required fields	PASSED
A-09	G1	Create N1	PASSED
A-10	G1	Emergency key	PASSED
A-11	G1	Create family	PASSED
A-12	G1	"Later"	PASSED
B-01	G1	Today	PASSED
B-02	G1	Allow notifications	FINDING
B-03	G1	Shared event	PASSED
B-04	G1	Required fields of an event	PASSED
B-05	G1	Private event	PASSED
B-06	G1	All-day, recurrence	PASSED
B-07	G1	Views and navigation	PASSED
B-08	G1	View and edit event	PASSED
B-09	G1	Reminder per event	PASSED
B-10	G1 (Linux per Skript: G2)	Reminder arrives	FINDING
B-11	G1	Delete event	PASSED
B-12	G1	Chat	PASSED
B-13	G1	Share event in chat	PASSED
B-14	G1	Shopping list	PASSED
B-15	G1	Tasks (moderator)	PASSED
B-16	G1	Settings - appearance	PASSED
B-17	G1 (Linux/Windows: G2)	App lock	FINDING
B-18	G1 (Linux/Windows: G2)	Screen protection	NOT RUN
B-19	G1	Privacy	PASSED
B-20	G1	Reminders	PASSED
B-21	G1	About the app	PASSED
B-22	G1	Version and account	PASSED
C-01	G2	Wrong password	PASSED
C-02	G2, G1	Sign in, unlock device	PASSED

Step	Device	Check	Result
C-03	G2	Emergency key and devices	PASSED
C-04	G2	Sign out	PASSED
C-05	G1	Create new emergency key	PASSED
C-06	G2	Sign in with old key	PASSED
C-07	G2	Unlock with new key	PASSED
C-08	G2	Sign out	PASSED
D-01	G2	Taken name and suggestion	PASSED
D-02	G1, G2	Family code and rejection	FINDING
D-03	G2	Found a family	PASSED
D-04	G2	Sign out, name taken	PASSED
D-05	G2	Unlock with emergency key	PASSED
D-06	G2	Back without creating an account	PASSED
D-07	G1	Registration disabled (optional)	NOT RUN
E-01	G1	Family tab	PASSED
E-02	G1	Rename family	PASSED
E-03	G1	Invite by user ID	PASSED
E-04	G1	Remove invitee	PASSED
E-05	G1	Invitation link	PASSED
E-06	G2	Invalid links	PASSED
E-07	G2	Open full link	PASSED
E-08	G2	Join, account creation	PASSED
E-09	G2	Create I2	PASSED
E-10	G2	Emergency key I2	PASSED
E-11	G1, G2	Admission	PASSED
E-12	G2	Used link	PASSED
E-13	G1, G2	Family tab on both	PASSED
E-14	G2	Member view	PASSED
E-15	G1, G2	Online status	PASSED
E-16	G1, G2	Chat	PASSED
E-17	G1, G2	Attachment	PASSED
E-18	G1, G2	Direct chat	PASSED
E-19	G1, G2	Events	PASSED
E-20	G2, G1	Accept / decline	PASSED
E-21	G2, G1	Member's own event	PASSED
E-22	G2, G1	Shared shopping list	PASSED
E-23	G1, G2	Task for I2	PASSED
E-24	G1, G2	Verify person	PASSED
E-25	G1	Report message	PASSED
E-26	G1, G2	Block	PASSED
E-27	G1	Unblock	PASSED
E-28	G1, G2	Version	PASSED
E-29	G1	Sole moderator	PASSED
E-30	G1, G2	Appoint moderator	PASSED
E-31	G1	Delete-account dialog	PASSED
E-32	G2, G1	Member deletes account	PASSED
F-01	G2	Delete account (wrong / right password)	PASSED

Step	Device	Check	Result
F-02	–	Control check N2	PASSED
F-03	G1	Delete all local data	PASSED
F-04	G1	Restart	PASSED
F-05	G1	Sign in N1, restore	PASSED
F-06	G1	Delete N1	PASSED
F-07	–	Control check N1, I2	PASSED
F-08	–	End state	PASSED
G-01	–	flutter analyze	PASSED
G-02	–	flutter test	PASSED
G-03	–	review_notes_test.dart	PASSED
G-04	–	End-to-end (optional)	NOT RUN
G-05	–	Covered by tests	PASSED
G-06	G1	Review notes (manual)	FINDING
G-07	G1	Person without prior knowledge	NOT RUN
G-08	Web	Web only	NOT RUN


Detailed results with screenshots - Run 1 · G1 = iPhone simulator, G2 = MacBook

V-01 Determine target version · - PASSED

Observed: Target 1.2.1+18 = installed 1.2.1 (18) on iOS simulator (iOS 27.0, iPhone 15 Test) and macOS release build from main (bb7f347).

V-02 Check installed version · - PASSED

Observed: Target 1.2.1+18 = installed 1.2.1 (18) on iOS simulator (iOS 27.0, iPhone 15 Test) and macOS release build from main (bb7f347).



Images: V-02-G2

V-03 Install the latest version · - PASSED

Observed: Target 1.2.1+18 = installed 1.2.1 (18) on iOS simulator (iOS 27.0, iPhone 15 Test) and macOS release build from main (bb7f347).

V-04 Delete local data · - FINDING

Observed: Mac start was blocked by a keychain leftover (fn.key.db.app) from the previous day; the user released the keychain, then "Welcome" appeared (finding B-10).

V-05 Check server · - PASSED

Observed: Registration open (m.login.dummy); names 1028 and 1028b free.

V-06 Usernames free · - PASSED

Observed: Registration open (m.login.dummy); names 1028 and 1028b free.

V-07 Note system settings · - NOT RUN

Observed: Not recorded.

A-01 Start page · G1 PASSED

Observed: "Welcome" with the three ways, notes, language choice.



Images: A-01-G1

A-02 English / German · G1

PASSED

Observed: English / German switch immediately.





Images: A-02a-G1, A-02b-G1

A-03 Start a new family, provider unchanged · G1

PASSED

Observed: "Create account", step 1 of 3, matrix.org suggestion.



Images: A-03-G1

A-04 Unreachable provider address · G1

PASSED

Observed: "nicht-vorhanden.invalid is currently unreachable. Check your internet connection."



Images: A-04-G1

A-05 Enter test server · G1

PASSED

Observed: "Your account is at matrix-synapse-3ues...", fields shown, button greyed out.



Images: A-05-G1

A-06 Name suggestion · G1

PASSED

Observed: Suggestion joerg.muessig, "The username is free."




Images: A-06-G1


A-07 Invalid usernames · G1


FINDING

Observed: ab, "anna müller", .anna, anna., 33 x a: full error text. "Anna": the field silently shows "anna" + "free" instead of an error (input is lowercased) - finding B-1.










Images: A-07a-G1, A-07c-G1, A-07d-G1, A-07f-G1

A-08 Required fields · G1

PASSED

Observed: Username stays fnt-1028-n1; 7 characters greyed out, 8 active; eye icon works. Note: in the simulator capital letters were lost in the password field (password lower case).




Images: A-08-G1

A-09 Create N1 · G1

PASSED

Observed: Account created without extra step, step 2 of 3.






Images: A-09a-G1, A-09b-G1


A-10 Emergency key · G1

PASSED

Observed: Key stays after 20 s, copy (59 characters), file saved ("Saved ...", Files app "On My iPhone", replace confirmed), tick -> Continue.








Images: A-10a-G1, A-10b-G1, A-10c-G1

A-11 Create family · G1

PASSED

Observed: "Done! Testfamilie 1028 is set up." with Later / Invite now.



Images: A-11-G1

A-12 "Later" · G1

NOT RUN

Observed: Not recorded separately.



Images: A-12-G1

B-01 Today · G1

PASSED

Observed: Tiles and navigation; "Next events" chronological (#33 ok).



Images: B-01-G1

B-02 Allow notifications · G1

PASSED

Observed: System dialog for notifications allowed.





Images: B-02a-G1, B-02b-G1

B-03 Shared event · G1

PASSED

Observed: Shared event with place and note; hint "Encrypted to the family …".





Images: B-03a-G1, B-03b-G1

B-04 Required fields of an event · G1

PASSED

Observed: "Please enter a title."; "The end is before the start." right at the time fields.







Images: B-04-G1, B-04a-G1, B-04b-G1

B-05 Private event · G1

FINDING

Observed: Private event 21:00-22:00, end follows. A newly created "Test Erinnerung" kept end = start (01:47-01:47) and was saved (input via hour/minute field) - finding B-2.



Images: B-05-G1

B-06 All-day, recurrence · G1


PASSED

Observed: All-day weekly series, 3 occurrences, "Repeats / Weekly" label.


B-07 Views and navigation · G1

PASSED

Observed: Day / week / month / agenda, navigation, Today.











Images: B-07a-G1, B-07b-G1, B-07c-G1, B-07d-G1

B-08 View and edit event · G1

PASSED

Observed: Edit, history shows earlier version.






Images: B-08a-G1, B-08b-G1

B-09 Reminder per event · G1

PASSED

Observed: Reminder per event, "Use default".



Images: B-09-G1

B-10 Reminder arrives · G1 (Linux per Skript: G2)

PASSED

Observed: System notification "Reminder - event in 10 minutes" without title/place (lock screen, Wed 28 Oct 01:38).




Images: B-10-G1

B-11 Delete event · G1

PASSED

Observed: "Delete event" -> confirmation; series: "Delete all occurrences or only this one?"



Images: B-11-G1

B-12 Chat · G1

PASSED

Observed: Chat message sent (simulator: capital letters partly lost in text fields).



Images: B-12-G1

B-13 Share event in chat · G1

PASSED

Observed: Event card in the chat.



Images: B-13-G1

B-14 Shopping list · G1

PASSED

Observed: Milk 2 l, bread, tick off, edit -> "Vollkornbrot", remove done items with confirmation; empty entry creates nothing.





Images: B-14a-G1, B-14b-G1

B-15 Tasks (moderator) · G1

PASSED

Observed: List, check rule "Please enter title, person and at least one item.", history with 28.10.2026, 01:28 (#38 ok).






Images: B-15a-G1, B-15b-G1

B-16 Settings - appearance · G1

PASSED

Observed: Language, theme light/dark, accent magenta/turquoise, reduce effects.







Images: B-16a-G1, B-16b-G1, B-16c-G1

B-17 App lock · G1 (Linux/Windows: G2)

PASSED

Observed: App lock "Immediately": Face ID prompt on opening, unlocked with "Authorized with Face ID".





Images: B-17-G1

B-18 Screen protection · G1 (Linux/Windows: G2)

PASSED

Observed: Screen protection on: app switcher hides content; off: visible.







Images: B-18-G1, B-18a-G1, B-18b-G1

B-19 Privacy · G1

PASSED

Observed: Online-status switch, "You have not blocked anyone."



Images: B-19-G1

B-20 Reminders · G1

PASSED

Observed: Default reminder selectable (multi-select).





Images: B-20-G1

B-21 About the app · G1

PASSED

Observed: Storage locations, local log (version 1.2.1 (18), warning), copy, online log.








Images: B-21a-G1, B-21b-G1, B-21c-G1


B-22 Version and account · G1

PASSED

Observed: "Version 1.2.1 (18)" in menu and settings; server and @fnt-1028-n1:matrix.chaostribunal.de.








Images: B-22a-G1, B-22b-G1, B-22c-G1

C-01 Wrong password · G2

PASSED

Observed: Wrong password: "Username or password do not match." After sign-out the provider selection is back on matrix.org (server is not remembered, only a hint).




Images: C-01-G2

C-02 Sign in, unlock device · G2, G1


PASSED

Observed: G1: "@fnt-1028-n1 … wants to start verification."; symbols identical; both "Verified."; Mac shows events, shopping list, chat like G1.










Images: C-02-pre, C-02b-G1, C-02c-G1, C-02e-einkauf

C-03 Emergency key and devices · G2

PASSED

Observed: "This device is verified."; devices FamilyNexus iOS and macOS (This device), both "Verified". On the iOS device the list briefly showed only itself (not reloaded).




Images: C-03-G2

C-04 Sign out · G2

PASSED

Observed: Sign out -> directly "Sign in".




Images: C-04-G2

C-05 Create new emergency key · G1

PASSED

Observed: Page "New emergency key"; back arrow and swipe without effect; after tick and "Continue" back in settings. KN1b stored (mode 600).










Images: C-05a-G1, C-05c-G1, C-05c2-G1, C-05d1-G1

C-06 Sign in with old key · G2

PASSED

Observed: With KN1: "The emergency key does not match. Please check it again."




Images: C-06-G2

C-07 Unlock with new key · G2

PASSED

Observed: With KN1b: unlocked, main view with events.




Images: C-07-G2

C-08 Sign out · G2

PASSED

Observed: Sign out -> "Sign in".





Images: C-08-G2

D-01 Taken name and suggestion · G2

PASSED

Observed: "Already taken - how about fnt-1028-n12?", chip, then "The username is free."; account N2 created, key KN2; family step with switch "Found | Join". Note: the name field fills the username automatically ("test.n2"); entries are appended.







Images: D-01a-G2, D-01b-G2

D-02 Family code and rejection · G1, G2


PASSED

Observed: "Code copied"; "abc" -> "That is not a valid family code ..."; real code -> "Almost done!" (no "Unknown error"). G1: "Test N2 wants to join - request via family code (without link)", Reject removes it; G2 showed "Your request was rejected." within 2 minutes (request 06:22:25, reject 06:22:48, message before 06:24:56).










Images: D-02a-G1, D-02b-G2, D-02c-G1, D-02d-G2

D-03 Found a family · G2

PASSED

Observed: Family "Löschtest 1028" founded, main view "Today".




Images: D-03-G2

D-04 Sign out, name taken · G2

PASSED

Observed: Sign out; username fnt-1028-n12 -> "Already taken", "I already have an account" carries it over.





Images: D-04-G2

D-05 Unlock with emergency key · G2

PASSED

Observed: "No other device found. Use your emergency key."; unlocked with KN2 in under 15 s, family recognised.







Images: D-05-G2, D-05a-G2

D-06 Back without creating an account · G2

PASSED

Observed: Back without "Create account" -> "Welcome"; register/available for fnt-1028-n9: {"available":true} (logs/D-06_available.txt).





Images: D-06-G2, D-06a-G2

D-07 Registration disabled (optional) · G1


NOT RUN

Observed: Optional; no server access for enable_registration: false.

E-01 Family tab · G1

PASSED

Observed: "Testfamilie 1028", second-moderator recommendation, only Test N1 (moderator), family code.




Images: E-01-G1

E-02 Rename family · G1

PASSED

Observed: "Name changed.", "Testfamilie 1028 neu".



Images: E-02-G1

E-03 Invite by user ID · G1

PASSED

Observed: "abc" -> "Please enter a valid user ID, e.g. @a..."; confirmation "... invite? Invitees receive the message keys before accepting ..."; N2 "Invited". Pasting in the simulator: Edit-menu entries have no effect; "Send Clipboard" + tapping iOS context menu "Paste" works.





Images: E-03-G1, E-03a-G1

E-04 Remove invitee · G1

PASSED

Observed: Confirmation "Really remove Test N2 from the family? The room keys are renewed ..."; N2 disappears.



Images: E-04-G1

E-05 Invitation link · G1

PASSED

Observed: QR code directly, "Valid for" 1/3/7 days, account server for new people, "Create new link", link https://carpeasrael.github.io/FamilyNexus/join/#v=3&...&srv=matrix-synapse-3ues..., "Link copied." "Send by e-mail" not executed (no mail program in this run; done in run 2).









Images: E-05a-G1, E-05b-G1, E-05c-G1

E-06 Invalid links · G2

PASSED

Observed: "abc" -> "That is not an invitation link. ..." ; shortened -> "The link is incomplete or damaged ...".






Images: E-06a-G2, E-06b-G2

E-07 Open full link · G2

PASSED

Observed: Join card "You are joining the family Testfamilie 1028 neu. Invited by Test N1 (account at matrix.chaostribunal.de).", details with @fnt-1028-n1 and server, "Discard". Mac: web page "Invitation to FamilyNexus" -> "Open app" started the release app from /Applications (old version) instead of the test build - bypassed by pasting (finding B-6).




Images: E-07-G2

E-08 Join, account creation · G2

PASSED

Observed: Provider matrix-synapse-3ues.srv1348446.hstgr.cloud taken from the link.





Images: E-08-G2

E-09 Create I2 · G2

PASSED

Observed: I2 fnt-1028-i2 created, on to the emergency key.







Images: E-09-G2, E-09a

E-10 Emergency key I2 · G2

PASSED

Observed: Key stays, KI2 stored (mode 600), then join card "Step 4 of 4".






Images: E-10-G2, E-10b-G2

E-11 Admission · G1, G2

PASSED

Observed: Admission automatic, about 5-10 s after "Request to join" (06:36:27); G2 shows "Today".





Images: E-11-G1, E-11-G2

E-12 Used link · G2

PASSED


Observed: Used link via familynexus://join?... into the test app: "You are already in a family." (the form familynexus://join#... gives "incomplete or damaged"; the https link via open -a is not handled by the app).

E-13 Family tab on both · G1, G2

PASSED

Observed: N1 (moderator), Test Nutzer 2 (member, "Not personally verified"); name "Testfamilie 1028 neu" also at I2.






Images: E-13-G1, E-13-G2

E-14 Member view · G2

PASSED

Observed: "Only moderators manage the family."; menu only "Verify" and "Block Test N1"; tasks without "New task list".






Images: E-14-G2, E-14b-G2


E-15 Online status · G1, G2


PASSED

Observed: On: "Test N1 - Online"; off: G2 "Nobody else is online right now." and "Last online just now", G1 "Your status is not shared"; on again: "Test N1 - Online".










Images: E-15a-G1, E-15b-G2, E-15c-G2, E-15d-G2

E-16 Chat · G1, G2


PASSED

Observed: Message at G2; "Reply" -> reply with reference at G1; reaction at both; only the single hint "Older messages from before you joined are not readable." (#35), no "cannot be decrypted". On the Mac: context menu with reply, emoji, report, block (long press by mouse).










Images: E-16a-G1, E-16b-G2, E-16c-G1, E-16c-G2

E-17 Attachment · G1, G2

PASSED

Observed: Image and text file G2 -> G1: "Load attachment" shows the image, "Save" only after the warning "The file is decrypted and saved unencrypted ...", files secured in Files app.






Images: E-17a-G2, E-17b-G1

E-18 Direct chat · G1, G2

PASSED

Observed: Direct chat "Only between you and Test Nutzer 2, end-to-end encrypted"; G2 tab "Test N1" with "Only for you"; no raw text.







Images: E-18a-G1, E-18b-G2

E-19 Events · G1, G2

PASSED

Observed: G2 sees only "Test geteilt 2"; filter Test N1 -> event, Test Nutzer 2 -> "No events".






Images: E-19-G2, E-19b-G2

E-20 Accept / decline · G2, G1

PASSED

Observed: G2: "Only the creator can change this event.", accept -> "You - Accepted"; G1: "Test Nutzer 2 - Accepted", "Share in chat" only at G1.






Images: E-20a-G2, E-20b-G1

E-21 Member's own event · G2, G1

PASSED

Observed: "Termin I2" shared -> at G1 "From Test Nutzer 2"; switching to private: hint "Content already sent to the family stays on their devices ...".







Images: E-21a-G2, E-21b-G1


E-22 Shared shopping list · G2, G1

PASSED

Observed: "Käse" on both ("last by ..."), "Remove 2 done items for the whole family?", delete of "vollkornbrot" works on both ("The shopping list is empty"). Mac: item menu has "Edit", "Delete".







Images: E-22a-G2, E-22b-G1, E-22c-G1, E-22c-G2

E-23 Task for I2 · G1, G2

PASSED

Observed: List "Müll rausbringen" (Mon-Fri, Test Nutzer 2) at G2 under "Assigned to me"; G1 cannot tick; G2 comment "Erledigt am Abend", history "Tonne rausstellen done - You - 28.10.2026, 06:51"; "Delete list Bad putzen?" -> gone. Hint "Tasks for you: 1 open" on "Today" not checked separately.






Images: E-23-G2, E-23b-G1, E-23b2-G1, E-23c2-G1


E-24 Verify person · G1, G2


PASSED

Observed: Symbols identical (banana, butterfly, fish, rooster, train, paper clip, heart), both "Verified.", member "Verified".











Images: E-24a-G1, E-24b-G2, E-24c-G1, E-24c-G2

E-25 Report message · G1

PASSED

Observed: Dialog "Report message" with operator hint (matrix-synapse-3ues…), four reasons, "Report" -> "Report sent." with "Block sender".






Images: E-25-G1, E-25a-G1

E-26 Block · G1, G2


PASSED

Observed: "Block Test Nutzer 2?" with explanation, member "Blocked"; G2 sends "Noch da?" without error.










Images: E-26a-G1, E-26a2-G1, E-26a3-G1, E-26b-G2

E-27 Unblock · G1

PASSED

Observed: Blocked members: entry with "Unblock"; afterwards all messages visible incl. "Noch da?" (the "unblocked" message was not captured).





Images: E-27-G1


E-28 Version · G1, G2

PASSED

Observed: Menu and settings of both devices "Version 1.2.1 (18)".








Images: E-28-G1, E-28-G1b, E-28-G2

E-29 Sole moderator · G1

PASSED

Observed: "Delete account?" with "You are the only moderator of the family. Appoint another member first …"; "Delete account permanently" inactive; Cancel unchanged.



Images: E-29-G1


E-30 Appoint moderator · G1, G2

PASSED

Observed: Confirmation "Appoint Test Nutzer 2 as moderator? Moderators can invite, appoint and remove."; both moderators.








Images: E-30-G1, E-30a-G1, E-30b-G2

E-31 Delete-account dialog · G1

PASSED

Observed: Dialog without moderator hint.




Images: E-31-G1

E-32 Member deletes account · G2, G1


PASSED

Observed: G2: dialog without moderator hint, then "Welcome" (not "Sign in"); G1: family only Test N1, earlier messages visible (sender now shown as @fnt-1028-i2:matrix.chaostribunal.de instead of "Test Nutzer 2" - info B-9).











Images: E-32a-G2, E-32b-G1, E-32b2-G1, E-32c-G2


F-01 Delete account (wrong / right password) · G2

PASSED

Observed: Mac: N2 signed in, unlocked with KN2; "Delete account?" names @fnt-1028-n12 and the server; no moderator hint; wrong password -> "The password is wrong." (#36), dialog stays; right one -> "Welcome".







Images: F-01a-G2, F-01b-G2, F-01c-G2

F-02 Control check N2 · –

PASSED


Observed: 403 M_FORBIDDEN for fnt-1028-n12 (logs/F-02_login_n12.txt).

F-03 Delete all local data · G1

PASSED

Observed: "Delete all local data?" (note: account on the server remains) -> "Welcome".





Images: F-03-G1, F-03a-G1

F-04 Restart · G1

PASSED

Observed: App quit and restarted (simctl terminate/launch) -> "Welcome".





Images: F-04-G1

F-05 Sign in N1, restore · G1

PASSED

Observed: N1 + KN1b: events incl. private ones ("Test privat", "Test serie"), chat (sender ID instead of name for I2), tasks restored; shopping list empty as expected.







Images: F-05-G1, F-05b-G1

F-06 Delete N1 · G1 PASSED

Observed: No moderator hint, "Welcome".







Images: F-06a-G1, F-06a2-G1, F-06b-G1

F-07 Control check N1, I2 · – PASSED

Observed: N1, I2, N2: each 403 M_FORBIDDEN (logs/F-07_login.txt).

F-08 End state · – PASSED

Observed: All accounts of run 1 deleted (register/available: M_USER_IN_USE; fnt-1028-n9 never created: available true); registration unchanged open.

G-01 flutter analyze · – PASSED

Observed: No issues found.

G-02 flutter test · – PASSED

Observed: 749 passed, 44 skipped.

G-03 review_notes_test.dart · – PASSED

Observed: review_notes_test: All tests passed.

G-04 End-to-end (optional) · – NOT RUN

Observed: Optional, no local Synapse.

G-05 Covered by tests · – PASSED

Observed: Contained in G-02.

G-06 Review notes (manual) · G1 FINDING

Observed: Review notes only checked automatically (G-03) and covered by A-F in content; not followed line by line.

G-07 Person without prior knowledge · G1 NOT RUN

Observed: No person without prior knowledge available.

G-08 Web only · Web NOT RUN

Observed: Platform Web is not part of the run.

Detailed results with screenshots - Run 2 · G1 = MacBook, G2 = iPhone simulator

V-01 Determine target version · - PASSED

Observed: Same builds as run 1 (1.2.1 (18) @ bb7f347) - values carried over.

V-02 Check installed version · - PASSED

Observed: Same builds as run 1 (1.2.1 (18) @ bb7f347) - values carried over.

V-03 Install the latest version · - PASSED

Observed: Same builds as run 1 (1.2.1 (18) @ bb7f347) - values carried over.

V-04 Delete local data · - PASSED

Observed: Mac app shows "Welcome" after the F-06 / D cycle; iPhone simulator "Welcome" (F-06).

V-05 Check server · - FINDING

Observed: Server checked, registration open. fnt-1028b-n1 was already taken (not created by this run, left untouched), so date part 1028c was used; fnt-1028c-* free (logs/Lauf2_V-05_V-06.txt) - finding B-7.

V-06 Usernames free · - FINDING


Observed: Server checked, registration open. fnt-1028b-n1 was already taken (not created by this run, left untouched), so date part 1028c was used; fnt-1028c-* free (logs/Lauf2_V-05_V-06.txt) - finding B-7.

V-07 Note system settings · - NOT RUN

Observed: Not recorded.

A-01 Start page · G1 PASSED


Observed: Start page with three ways, language.




Images: A-01-G1

A-02 English / German · G1 PASSED

Observed: Language switch English/German immediately.






Images: A-02a-G1, A-02b-G1

A-03 Start a new family, provider unchanged · G1

PASSED

Observed: "Create account", step 1 of 3, matrix.org hint; "Create account at matrix.org" not tapped.




Images: A-03-G1

A-04 Unreachable provider address · G1

PASSED

Observed: "nicht-vorhanden.invalid is currently unreachable ..." + "Try again"; "Create account" greyed out.




Images: A-04-G1

A-05 Enter test server · G1

PASSED

Observed: "Your account is at matrix-synapse-3ues....", operator, contact "not given", fields.



Images: A-05-G1

A-06 Name suggestion · G1

PASSED

Observed: "Joerg Muessig" / "Jörg Müßig" -> joerg.muessig, "The username is free."









Images: A-06-G1, A-06a-G1

A-07 Invalid usernames · G1

PASSED

Observed: All six inputs (ab, Anna, "anna müller", .anna, anna., 33 x a) show the error message. On the Mac "Anna" is rejected correctly - the run-1 finding (silent "anna") occurs only in the iOS simulator.







Images: A-071-G1, A-073-G1, A-074-G1, A-076-G1

A-08 Required fields · G1

PASSED

Observed: fnt-1028c-n1 stays, 7 characters greyed out, active from 8, eye icon.






Images: A-08-G1, A-08a-G1

A-09 Create N1 · G1

PASSED

Observed: "Your emergency key", step 2 of 3, no extra step.






Images: A-09a-G1, A-09b-G1

A-10 Emergency key · G1

PASSED

Observed: Key stays (20 s), "Copy", "Save as file" -> keyfile (mode 600; account, provider, date, key), "Saved. Keep the file safe - ideally printed." KN1c stored.







Images: A-10b-G1, A-10c-G1, A-10d-G1

A-11 Create family · G1

PASSED

Observed: Hints on moderator and children; "Done! Testfamilie 1028c is set up."






Images: A-11-G1, A-11a-G1, A-11b-G1

A-12 "Later" · G1

PASSED

Observed: "Today".



Images: A-12-G1

B-01 Today · G1

PASSED

Observed: Tiles reminders, next events, who is online, shopping list, tasks, navigation at the bottom.





Images: B-01-G1

B-02 Allow notifications · G1

FINDING

Observed: "Allow" triggers no system dialog on the Mac; hint "Notifications are blocked. ..." stays (ad-hoc signed app / permission not granted). Not checkable without changing system settings - finding B-3.





Images: B-02a-G1-voll, B-02a-G1

B-03 Shared event · G1

PASSED

Observed: "Test geteilt" 29.10. 10:00-11:00, Shared, place Küche, note, colour; hint "Encrypted to the family. ...".




Images: B-03a-G1, B-03pre, B-03x2, B-03z

B-04 Required fields of an event · G1

PASSED

Observed: "Please enter a title."; "The end is before the start." directly below start/end (#34).




Images: B-04-G1, B-04a-G1

B-05 Private event · G1

PASSED

Observed: Start 21:00 -> end moves to 22:00 on the same day (Mac). The iOS finding (end = start for new event) does not occur here.




Images: B-05a-G1

B-06 All-day, recurrence · G1

PASSED

Observed: All-day weekly series, 3 occurrences (30.10., 6.11., 13.11.), "Weekly" label; default "By count" is 10.




Images: B-06-G1, B-06a-G1, B-06x, B-06y

B-07 Views and navigation · G1

PASSED

Observed: Day / week / month / agenda, navigation, "Today".




Images: B-07a-G1, B-07b-G1, B-07c-G1, B-07d-G1

B-08 View and edit event · G1

PASSED

Observed: Edit, title "Test geteilt 2", "History (1)" shows "Test geteilt - version 1".




Images: B-08a-G1, B-08b-G1, B-08c-G1, B-08x

B-09 Reminder per event · G1

PASSED

Observed: Reminder per event, "Use default".




Images: B-09-G1, B-09a-G1

B-10 Reminder arrives · G1 (Linux per Skript: G2)

FINDING

Observed: Event 07:35, reminder 10 minutes (07:25): no system notification on the Mac because notifications are blocked (B-02); observed every 20 s until 07:26 - finding B-3.




Images: B-10-G1, B-10a-G1

B-11 Delete event · G1

PASSED

Observed: Series: "Delete all occurrences or only this one?" -> "Only this" removes only 30.10.; "Really delete this event?" -> gone.




Images: B-11-G1, B-11a-G1, B-11b-G1, B-11c-G1

B-12 Chat · G1

PASSED

Observed: Shift+Enter = line break, Enter sends; "End-to-end encrypted"; time 07:20. (First attempt with the input tool sent due to a key event, not an app error.)




Images: B-12-G1, B-12a-G1, B-12b-G1

B-13 Share event in chat · G1

PASSED

Observed: "Share in chat" -> card "Test geteilt 2" with Accept / Maybe / Decline.




Images: B-13-G1, B-13a-G1

B-14 Shopping list · G1

PASSED

Observed: Milk 2 l, bread (Enter), tick -> "Done (1)", "Remove done" with confirmation "Remove 1 done items for the whole family?", edit -> Vollkornbrot; empty entry creates nothing.





Images: B-14a-G1, B-14b-G1, B-14pre, B-14x

B-15 Tasks (moderator) · G1

PASSED

Observed: Empty save "Please enter title, person and at least one item."; list "Bad putzen" (You, weekly Monday, sink/mirror), "1 of 2 done", history "Waschbecken done - You - 28.10.2026, 07:23" (#38), "Next restart: Monday, 2 November 2026".










Images: B-15a-G1, B-15b-G1, B-15d-G1, B-15x


B-16 Settings - appearance · G1

PASSED

Observed: Language German/English, theme light/dark, accent magenta/turquoise, reduce effects - effective immediately; initial state restored.









Images: B-16-G1, B-16a-G1, B-16c-G1, B-16pre

B-17 App lock · G1 (Linux/Windows: G2)

FINDING

Observed: Switching app lock on asks for Touch ID / Mac password ("FamilyNexus wants to unlock FamilyNexus"); after cancel "The confirmation was not successful.", switch stays off. The run cannot enter the password, so lock and unlock were not checked - finding B-4.







Images: B-17-G1, B-17a-G1, B-17x-G1

B-18 Screen protection · G1 (Linux/Windows: G2)

NOT RUN

Observed: No "Screen protection" switch on macOS.




Images: B-18-G1

B-19 Privacy · G1

PASSED

Observed: "Share online status" on, "Blocked members": "You have not blocked anyone." (privacy policy not opened again).






Images: B-19a-G1, B-19x-G1

B-20 Reminders · G1

PASSED

Observed: Default reminder selectable (30 min), back to 10 min.





Images: B-20-G1

B-21 About the app · G1

PASSED

Observed: Storage locations incl. "Device keychain (not in iCloud)"; local log (app version 1.2.1 (18), warning, settings, display name), online log (account, device "FamilyNexus macOS ... Verified - This device", cross-signing, key backup).










Images: B-21a-G1, B-21b-G1, B-21c-G1, B-21d-G1

B-22 Version and account · G1

PASSED

Observed: Menu bottom and settings "Version 1.2.1 (18)"; account: server, @fnt-1028c-n1:matrix.chaostribunal.de.





Images: B-22a-G1, B-22b-G1

C-01 Wrong password · G2

PASSED

Observed: "Username or password do not match."





Images: C-01-G2

C-02 Sign in, unlock device · G2, G1


PASSED

Observed: iPhone: "Confirm with FamilyNexus macOS"; Mac: "@fnt-1028c-n1:... (EZWPHPGPWV) wants to start verification."; symbols identical; both "Verified."; main view with events from B.









Images: C-02a-G2, C-02b-G2, C-02c-G2, C-02e-G1

C-03 Emergency key and devices · G2

PASSED

Observed: "This device is verified."; macOS and iOS (This device) "Verified"; "Create new emergency key".




Images: C-03-G2

C-04 Sign out · G2

PASSED

Observed: "Sign out" -> "Sign in".





Images: C-04-G2


C-05 Create new emergency key · G1

PASSED

Observed: Mac: page "New emergency key"; back arrow / Escape without effect; with tick + "Continue" back in settings. KN1d.










Images: C-05a-G1, C-05b-G1, C-05c-G1, C-05d-G1

C-06 Sign in with old key · G2

PASSED

Observed: iPhone with old key KN1c: "The emergency key does not match. Please check it again."



Images: C-06-G2

C-07 Unlock with new key · G2

PASSED

Observed: Unlocked with KN1d, main view with events (also private ones).




Images: C-07-G2

C-08 Sign out · G2

PASSED

Observed: "Sign out" -> "Sign in".





Images: C-08-G2

D-01 Taken name and suggestion · G2

PASSED

Observed: "Already taken - how about fnt-1028c-n12?", chip, "The username is free.", account N2 created, key stays (KN2c), family step with switch "Found | Join".






Images: D-01a-G2, D-01b-G2


D-02 Family code and rejection · G1, G2


FINDING

Observed: "abc" -> "That is not a valid family code. It starts with ! and contains a server ..."; real code -> "Almost done!" (no "Unknown error"); Mac: "Test N2 wants to join - request via family code (without link) ..."; "Reject" at 07:41:39, request disappears; iPhone: "Your request was rejected. Ask the family ..." + "Understood" after between 2 and 4 minutes (07:43:26 still "Almost done!", 07:45:28 rejected) - not clearly within the 3-minute limit of the plan (finding B-5).









Images: D-02a-G1, D-02b-G2, D-02c2-G1, D-02x

D-03 Found a family · G2

PASSED

Observed: Family "Löschtest 1028c", main view "Today".



Images: D-03-G2

D-04 Sign out, name taken · G2

PASSED

Observed: Sign out; name fnt-1028c-n12 -> "Already taken - ... fnt-1028c-n122?"; "I already have an account" carries the username over.





Images: D-04-G2, D-04a-G2

D-05 Unlock with emergency key · G2

PASSED

Observed: "No other device found. Use your emergency key."; unlocked with KN2c in under 25 s (KN2d only arose afterwards).







Images: D-05-G2, D-05a-G2

D-06 Back without creating an account · G2

PASSED

Observed: Back without "Create account" -> "Welcome"; register/available for fnt-1028c-n9: {"available":true}. During this pass an extra emergency key for N2 (KN2d) was created by mistake (navigation error in the test, not an app defect - B-8).





Images: D-06-G2, D-06a-G2

D-07 Registration disabled (optional) · G1


NOT RUN

Observed: Optional, no server access.

E-01 Family tab · G1

PASSED

Observed: Family "Testfamilie 1028c" with second-moderator recommendation.





Images: E-01-G1

E-02 Rename family · G1

PASSED

Observed: "Testfamilie 1028c neu".






Images: E-02-G1, E-02x

E-03 Invite by user ID · G1

PASSED

Observed: "abc" -> "Please enter a valid user ID, e.g. @anna:beispiel.de."; ID -> confirmation "... invite? Invitees receive the message keys of the family before accepting ..."; N2 "Invited".





Images: E-03-G1, E-03a-G1

E-04 Remove invitee · G1

PASSED

Observed: "Really remove Test N2 from the family? The room keys are renewed ..."; N2 gone.






Images: E-04-G1

E-05 Invitation link · G1

PASSED

Observed: QR directly, valid for 1/3/7 days, account server for new people, new link with srv=matrix-synapse-3ues...; "Send by e-mail" opened Thunderbird on the Mac with draft "Invitation to FamilyNexus" and the link (not sent, window closed); "Link copied."








Images: E-05a-G1, E-05b-G1, E-05c-voll, E-05d-G1

E-06 Invalid links · G2

PASSED

Observed: "abc" -> "That is not an invitation link. ..."; shortened -> "The link is incomplete or damaged - this often happens when forwarding. ..."






Images: E-06a-G2, E-06b-G2

E-07 Open full link · G2

PASSED

Observed: Join card "You are joining the family Testfamilie 1028c neu. Invited by Test N1 (account at matrix.chaostribunal.de).", details with @fnt-1028c-n1:... and server, "Discard"; additionally web page "Invitation to FamilyNexus" -> "Open app" -> "Open in FamilyNexus?".





Images: E-07-G2, E-07a-G2

E-08 Join, account creation · G2

PASSED

Observed: Account server matrix-synapse-3ues... taken from the link.




Images: E-08-G2

E-09 Create I2 · G2

PASSED

Observed: I2 fnt-1028c-i2; after the password the layout shifted, two follow-up taps missed (test tool).




Images: E-09-G2

E-10 Emergency key I2 · G2

PASSED

Observed: Key stays, KI2c stored (mode 600), then join card "Step 4 of 4".



Images: E-10-G2

E-11 Admission · G1, G2

PASSED

Observed: "Request to join" 07:57:47 -> main view about 20-30 s later, "Test geteilt 2" visible.



Images: E-11-G2

E-12 Used link · G2

PASSED

Observed: Used link via Safari -> "Open app" -> "Open": "You are already in a family."




Images: E-12-G2

E-13 Family tab on both · G1, G2

PASSED

Observed: N1 moderator, Test Nutzer 2 member, "Not personally verified", name "Testfamilie 1028c neu" at I2.






Images: E-13-G1, E-13-G2

E-14 Member view · G2

PASSED

Observed: "Only moderators manage the family.", menu only "Verify" and "Block Test N1"; tasks without "New task list".








Images: E-14-G2, E-14b-G2

E-15 Online status · G1, G2

PASSED

Observed: Off: G2 "Last online just now", G1 "Your status is not shared"; on again.










Images: E-15a-G1, E-15b-G2, E-15c-G1, E-15d-G1

E-16 Chat · G1, G2

PASSED

Observed: Message, reply with reference, reaction at both; "Older messages from before you joined are not readable."










Images: E-16a-G1, E-16b-G2, E-16c-G1, E-16c-G2

E-17 Attachment · G1, G2

PASSED

Observed: Mac sends image + text file; iPhone: "Load attachment" shows the image, "Save" only after the warning "The file is decrypted and saved unencrypted ...", files in "On My iPhone".








Images: E-17a-G1, E-17b-G2, E-17d-G2, E-17x

E-18 Direct chat · G1, G2

PASSED

Observed: Mac: "Only between you and Test Nutzer 2, end-to-end encrypted"; iPhone: tab "Test N1" with counter, family chat separate.





Images: E-18a-G1, E-18b-G2

E-19 Events · G1, G2

PASSED

Observed: iPhone sees only the shared event (29.10. with dot); filter "Test N1 / Test Nutzer 2" present.




Images: E-19-G2


E-20 Accept / decline · G2, G1


PASSED

Observed: iPhone: "Only the creator can change this event.", accept; Mac: "Test Nutzer 2 - Accepted", "Share in chat" only for the creator.










Images: E-20a-G2, E-20b-G1, E-20c-G1, E-20d-G1

E-21 Member's own event · G2, G1

PASSED

Observed: "Termin i2" shared -> Mac "From Test Nutzer 2"; switching to private shows hint "Content already sent to the family stays ...".









Images: E-21a-G2, E-21b-G1, E-21c-G2


E-22 Shared shopping list · G2, G1


PASSED

Observed: "Käse" from G2 on both; "Remove 2 done items for the whole family?"; delete of "Vollkornbrot" works, "The shopping list is empty".











Images: E-22a-G2, E-22b-G1, E-22c-G1, E-22c-G2


E-23 Task for I2 · G1, G2


PASSED

Observed: List "Müll rausbringen" (Mon-Fri) at I2 under "Assigned to me"; Mac cannot tick; comment, history "Tonne rausstellen done - You - 28.10.2026, 08:10"; "Delete list Bad putzen?" -> gone.












Images: E-23-G2, E-23a-G1, E-23c-G1, E-23d-G1

E-24 Verify person · G1, G2

PASSED

Observed: Request from the Mac, iPhone "Accept", symbols identical, "Verified.", member "Verified".







Images: E-24a-G1, E-24b-G2, E-24c-G2, E-24x

E-25 Report message · G1

PASSED

Observed: Dialog "Report message" with operator hint, four reasons, "Report sent." with "Block sender".







Images: E-25-G1, E-25a-G1

E-26 Block · G1, G2

PASSED

Observed: "Block Test Nutzer 2?" with explanation; member "Blocked"; G2 sends without error (text "Noch daß" in the simulator, keyboard artefact).









Images: E-26a-G1, E-26a2-G1, E-26b-G1, E-26b-G2


E-27 Unblock · G1

PASSED

Observed: Blocked members (1) -> "Unblock"; messages visible again.









Images: E-27-G1, E-27a-G1, E-27b-G1

E-28 Version · G1, G2

PASSED

Observed: Both "Version 1.2.1 (18)".






Images: E-28-G1, E-28-G2

E-29 Sole moderator · G1

PASSED

Observed: Mac: "You are the only moderator of the family. Appoint ... first"; "Delete account permanently" inactive; cancelled.





Images: E-29-G1

E-30 Appoint moderator · G1, G2

PASSED

Observed: Confirmation "... appoint as moderator? Moderators can invite, appoint and remove."






Images: E-30-G1, E-30a-G1

E-31 Delete-account dialog · G1

PASSED

Observed: Dialog without moderator hint.





Images: E-31-G1

E-32 Member deletes account · G2, G1

PASSED

Observed: iPhone: delete account of I2 -> "Welcome"; Mac: only Test N1 left, recommendation "Appoint a second moderator" back. Messages of the deleted member show the user ID instead of the name (info B-9).









Images: E-32a-G2, E-32b-G1, E-32c-G2

F-01 Delete account (wrong / right password) · G2

PASSED

Observed: iPhone: N2 unlocked with KN2d; wrong password "The password is wrong.", dialog stays; right -> "Welcome".







Images: F-01a-G2, F-01b-G2, F-01c-G2

F-02 Control check N2 · –


PASSED


Observed: 403 M_FORBIDDEN (logs/Lauf2_F-02_login_n12.txt).

F-03 Delete all local data · G1

PASSED

Observed: Mac: "Delete all local data?" -> "Welcome".






Images: F-03-G1, F-03a-G1

F-04 Restart · G1

PASSED

Observed: App quit / restarted -> "Welcome".




Images: F-04-G1

F-05 Sign in N1, restore · G1

PASSED

Observed: N1 + KN1d: events incl. private ones, series, reminders ("4 reminders scheduled") restored. Note: the sign-in assistant is back on matrix.org after restart (server not remembered) - B-6.





Images: F-05-G1

F-06 Delete N1 · G1

PASSED

Observed: No moderator hint, "Welcome".





Images: F-06a-G1, F-06b-G1

F-07 Control check N1, I2 · –

PASSED

Observed: N1, I2, N2: each 403 M_FORBIDDEN (logs/Lauf2_F-07_login.txt).

F-08 End state · – PASSED

Observed: All accounts fnt-1028c-* deleted (register/available M_USER_IN_USE; fnt-1028c-n9 never created); registration unchanged open.

G-01 flutter analyze · – PASSED

Observed: Applies from run 1 (same commit bb7f347).

G-02 flutter test · – PASSED

Observed: Applies from run 1 (same commit bb7f347).

G-03 review_notes_test.dart · – PASSED

Observed: Applies from run 1 (same commit bb7f347).

G-04 End-to-end (optional) · – NOT RUN

Observed: As run 1 (optional, no local Synapse).

G-05 Covered by tests · – PASSED

Observed: Applies from run 1 (same commit bb7f347).

G-06 Review notes (manual) · G1 FINDING

Observed: As run 1 (only checked automatically).

G-07 Person without prior knowledge · G1 NOT RUN

Observed: As run 1.

G-08 Web only · Web NOT RUN

Observed: As run 1 (Web is not part of the run).