FamilyNexus test report – run 2

Test plan TP-FN-001 v1.5 @ 423a3db · Linux Flatpak (G1) + Android 16 emulator (G2) · run of 28 October 2026, 08:34–09:58 · date part “1028d” · app 1.2.1 (18) from main @ bb7f347 (release v1.2.1)

93	7	2	0	2	104
passed	with finding	not run	failed	n/a	steps in report

Overall verdict: executed in full, not accepted. All sections V–G were run with build 1.2.1 (18) on Linux Flatpak (G1) and Android 16 emulator (G2) with new accounts (N1 `fnt-1028d-n1`, N2 `fnt-1028d-n12`, I2 `fnt-1028d-i2`), the two-user checks of section E before deleting in F. **No step failed.** G-07 (person without prior knowledge) is open, G-04 is optional and was not run; D-07 (server access) and G-08 (web) are n/a. Confirmed in build 18: #10, #11, #12, #14, #23, the fixes of PR #41 (#26, #29, #31–#40) and of PR #52 (#44, #45, #46). 5 new findings, filed as issues (see Findings); #43 observed: the rejection of a family-code request arrives after about 2 minutes.

Platform and system (plan section 2)

Item	G1 (device 1)	G2 (device 2)
Platform	Linux (Flatpak)	Android (emulator)
Device	PC, Manjaro Linux; app on its own X server (Xvfb :99, window 900 × 1050)	Android Emulator, AVD Pixel_8_API_36 (x86_64)
Operating system	Manjaro Linux, kernel 6.18.49	Android 16 (API 36)
Installation source	Flatpak bundle v1.2.1 build 18 from the release (run 40638705040), sha256 checked	Release APK v1.2.1 build 18 (installed in run 1; no reinstall needed)
App version target / actual	1.2.1 (18) / build_number 18	1.2.1 (18) / versionCode 18, 1.2.1
Device language, screen lock	German (de_DE) / no device authentication for apps	English (en-US), app set to German / PIN set via adb (removed after the run)
Screenshots	Window capture on the X server (python-xlib)	`adb emu screenrecord screenshot` (B-18: `adb exec-out screencap`)
Tester	Claude Code: Android via adb/uiautomator, Linux via XTEST mouse/keyboard events and OCR (tesseract). Passwords and emergency keys are masked in all images; all accounts are synthetic test data.	

Deviations: The plan asks for G1 = iPhone and G2 = Mac for the Apple submission; as requested, this run covers Linux (G1) and Android (G2) with the roles of run 1 swapped and does not replace the Apple run. Functions missing on Linux were checked on G2 per plan: B-02 (notification hint), B-10 (reminder; Linux only by script), B-18 (screen protection); B-17 on both (Linux shows the switch, finding L2-1). Steps whose system dialogs would open on the tester’s real desktop under Flatpak were run on Android: “Save as file” in D-01/E-10, E-05 e-mail (draft not checkable), E-17 with the direction reversed (Android → Linux). The date parts 1028 and 1028c were taken by foreign accounts and not used.

Findings

No.	Severity	Step	Description	Issue
L2-2	MEDIUM	E-25	Accessibility: in the “Report sent.” snackbar the action “Block sender” is hardly legible in the dark theme (dark text on a dark snackbar), on Android and Linux. The action works but is practically invisible.	#62
L1-2	MEDIUM	B-08	Event detail page after “Edit event” → “Save”: the title is updated, the time is not. After changing 10:00 to 12:00 (or switching “All day” on) the detail still shows “10:00 – 11:00”; the list and reopening show the correct state. Android and Linux.	#63
L1-4	LOW	E-16	Unread counter (“Today” tile, badge on the Chat tab) counts the undecryptable events from before joining for a new member: “7” or “8 unread messages” for a single readable new message; the chat shows only the summary note (#35) for them.	#65
L2-1	LOW	B-17	Linux: the “App lock” switch is shown; switching it on fails with “No secure screen lock is set up on this device.” The real reason is that the app cannot use device authentication on Linux (`UnavailableDeviceAuth`); the message is misleading (hide the switch or show a specific message).	#67
Enter	LOW	E-02, B-14	Desktop: Enter does not confirm the dialogs “Rename family” and shopping “Edit”; the button is needed (in the chat and when adding a shopping item Enter works since #37).	#68
#43	NOTE	D-02	The rejection of a family-code request reaches the requester only after about 2 minutes in both runs (run 1: 07:45:22 → 07:47:19, run 2: 09:17:43 → 09:19:42; clocks of PC, emulator and server in sync). Within the plan (≤ 3 min), but not the 10–20 s of `Nachtest_Build18.md`. Suspected cause (not verified on the server): `_pollRejection` polls `/sync` every 10 s without `since` and with the same filter; Synapse answers identical sync requests from its response cache for up to 2 minutes. Remedy idea: keep `next_batch` and pass it as `since`, or query the room state directly.	#43
Fixes	FIXED	several	Confirmed in build 18: #10, #11, #12, #14, #23; the fixes of PR #41 (#26, #29, #31–#40, e.g. release APK runs on x86_64, direct chat opens correctly, summary note instead of undecryptable messages, Enter sends on desktop, German dates and symbol names) and of PR #52 (#44 “Anna” rejected, #45 report snackbar closes by itself, #46 event set to “Private” no longer shows “Deleted”).	–

Finding numbers: L1-x first seen in run 1, L2-x first seen in run 2; both runs use the same numbering. Issues #62–#68 were filed from these runs; plan notes P-39–P-47 in #69; #44, #45, #46 commented as retested.

Notes on the plan (version v1.5)

No.	Concerns	Note
P-39	Sec. 2, B-17, appendix D	Linux has the “App lock” switch (it just cannot be switched on, #67); only “Screen protection” is missing. The plan says “no app lock”.
P-40	V-03, header	Release v1.2.1 contains APK/AAB and Flatpak build 18 (`bb7f347`) since 28 Oct; the release APK runs on x86_64 (#32). “Release APK crashes, use the debug APK” and “release files build 16” are outdated.
P-41	B-18, sec. 2	`adb emu screenrecord screenshot` bypasses FLAG_SECURE (also the live preview in the app overview). Check screen protection with `adb exec-out screencap`; switching protection off for the other images is not needed.
P-42	B-20, E-19	“Default reminder” and the calendar filter are multi-select chips: “change to 30 minutes” means select 30 and deselect 10; filter “Test Nutzer 2” means deselect “Test N1”.
P-43	E-02	The chat shows the family name only when there are several conversations (tabs); “new name everywhere (family, chat)” can only be checked in the Family tab before E-18.
P-44	E-05	“Send by e-mail”: Android without a Gmail account shows only the Gmail setup, the Linux Flatpak opens the mail client of the real desktop – the draft cannot be checked in either case; name an alternative in the plan.
P-45	D-02, Nachtest_Build18.md	The plan expects up to 3 min, the retest 10–20 s. Decide on one expectation (see #43).

No.	Concerns	Note
P-46	A-10, E-17, appendix D	Under the Linux Flatpak (Xvfb) file picker and save cannot be automated; run 2 therefore reversed E-17 and checked “Save as file” on Android (D-01, E-10). State this as a fixed rule in the plan.
P-47	Appendix D	The Android key field (multi-line) can only be cleared reliably via adb with Ctrl+End/Del; tesseract needs `-l deu` on Manjaro (no eng package installed).

End state of the master data

N1 `fnt-1028d-n1`, N2 `fnt-1028d-n12`, I2 `fnt-1028d-i2`: deleted (login returns HTTP 403 `M_FORBIDDEN`). `fnt-1028d-n9` never created. Registration on the test server remains open. Linux: the tester’s own Flatpak data were moved aside before run 1 and restored unchanged after run 2. Android: test files removed, PIN cleared, emulator stopped after run 2. Passwords and keys exist only in the git-ignored `secure/` folder.

Summary by step

Step	Device	Check	Result
V-01	–	Determine target version	PASSED
V-02	G1, G2	Check installed version	PASSED
V-03	G1, G2	Install latest version	PASSED
V-04	G1, G2	Clean local state	PASSED
V-05	–	Check server	PASSED
V-06	–	Usernames free	PASSED
V-07	G1, G2	Note system settings	PASSED
A-01	G1	Start page	PASSED
A-02	G1	English / German	PASSED
A-03	G1	New family, provider unchanged	PASSED
A-04	G1	Unreachable provider	PASSED
A-05	G1	Enter test server	PASSED
A-06	G1	Name suggestion	PASSED
A-07	G1	Invalid usernames	PASSED
A-08	G1	Required fields	PASSED
A-09	G1	Create N1	PASSED
A-10	G1	Emergency key (KN1)	FINDING
A-11	G1	Create family	PASSED
A-12	G1	“Later”	PASSED
B-01	G1	Today	PASSED
B-02	G1, G2	Allow notifications	PASSED
B-03	G1	Shared event	PASSED
B-04	G1	Required fields of an event	PASSED
B-05	G1	Private event	PASSED
B-06	G1	All-day and recurrence	PASSED
B-07	G1	Views and navigation	PASSED
B-08	G1	View, edit, history	FINDING
B-09	G1	Reminder per event	PASSED
B-10	G2	Reminder arrives	PASSED
B-11	G1	Delete event / occurrence	PASSED
B-12	G1	Chat	PASSED

Step	Device	Check	Result
B-13	G1	Share event in chat	PASSED
B-14	G1	Shopping	PASSED
B-15	G1	Tasks	PASSED
B-16	G1	Settings: appearance	PASSED
B-17	G1, G2	App lock	FINDING
B-18	G2	Screen protection	PASSED
B-19	G1	Privacy	PASSED
B-20	G1	Reminders	PASSED
B-21	G1	About the app	PASSED
B-22	G1	Version and account	PASSED
C-01	G2	Wrong password	PASSED
C-02	G2, G1	Unlock by symbol comparison	PASSED
C-03	G2	Emergency key and devices	PASSED
C-04	G2	Sign out	PASSED
C-05	G1	New emergency key (#11)	PASSED
C-06	G2	Old key KN1	PASSED
C-07	G2	New key KN1b	PASSED
C-08	G2	Sign out	PASSED
D-01	G2	Taken name, fallback (N2)	PASSED
D-02	G1, G2	Family code and rejection	FINDING
D-03	G2	Start a new family instead	PASSED
D-04	G2	Switch to sign-in	PASSED
D-05	G2	Sign in N2, no other device	PASSED
D-06	G2	Abort without creating an account	PASSED
D-07	G1	Registration closed	N/A
E-01	G1	Family	PASSED
E-02	G1	Rename family	PASSED
E-03	G1	Invite by user ID	PASSED
E-04	G1	Remove invitee	PASSED
E-05	G1	Invitation link	PASSED
E-06	G2	No / invalid link	PASSED
E-07	G2	Join card with details	PASSED

Step	Device	Check	Result
E-08	G2	Provider from the link	PASSED
E-09	G2	Create I2	PASSED
E-10	G2	Emergency key (KI2)	PASSED
E-11	G1, G2	Automatic admission	PASSED
E-12	G2	Used link	PASSED
E-13	G1, G2	Members	PASSED
E-14	G2	Member without management	PASSED
E-15	G1, G2	Online status	PASSED
E-16	G2, G1	Chat	FINDING
E-17	G2, G1	Attachment	PASSED
E-18	G1, G2	Direct chat	PASSED
E-19	G2	Events	PASSED
E-20	G2, G1	Accept / decline	PASSED
E-21	G2, G1	Own event of I2	PASSED
E-22	G2, G1	Shopping together	PASSED
E-23	G1, G2	Task for I2	PASSED
E-24	G1, G2	Verify person	PASSED
E-25	G1	Report message	FINDING
E-26	G1, G2	Block	PASSED
E-27	G1	Unblock	PASSED
E-28	G1, G2	Version	PASSED
E-29	G1	Only moderator	PASSED
E-30	G1, G2	Appoint moderator	PASSED
E-31	G1	Delete account after appointing	PASSED
E-32	G2, G1	Member deletes account (I2)	PASSED
F-01	G2	Delete N2: wrong then correct password	PASSED
F-02	–	Control check N2	PASSED
F-03	G1	Delete all local data	PASSED
F-04	G1	Restart	PASSED
F-05	G1	Sign in N1, restore	PASSED
F-06	G1	Delete N1	PASSED
F-07	–	Control check N1, N2, I2	PASSED

Step	Device	Check	Result
F-08	–	End state	PASSED
G-01	–	flutter analyze	PASSED
G-02	–	flutter test	PASSED
G-03	–	review_notes_test.dart	PASSED
G-04	–	E2E tests (optional)	NOT RUN
G-05	–	Covered by tests	PASSED
G-06	G1	Review notes, manual	FINDING
G-07	G1	Person without prior knowledge	NOT RUN
G-08	Web	Web only	N/A

Detailed results with screenshots

V-01 Determine target version · – · 08:35

PASSED

Observed: main = origin/main @ bb7f347; expected 1.2.1+18

Images: – (console output, see logs/)

V-02 Check installed version · G1, G2 · 08:35

PASSED

Observed: G1 Linux Flatpak: 1.2.1, build_number 18 (release bundle 28.10., commit c9c6345…); G2 Android: versionCode 18 / 1.2.1 (release APK, installed in run 1)

Images: – (console output, see logs/)

V-03 Install latest version · G1, G2 · 08:35

PASSED


Observed: No reinstallation needed (actual = expected); for installation see run 1 (release APK and Flatpak v1.2.1 build 18, sha256 verified)


Images: – (console output, see logs/)

V-04 Clean local state · G1, G2 · 08:35

PASSED

Observed: Both without local data after the account deletions in run 1; app quit and restarted on both → “Welcome” (G2 device language English). The third-party data set aside in run 1 stays under ~/.var/app/de.inneso.familynexus.bak-20261028 until the end; emulator's Download folder cleaned of key files





Images: V-04-G1, V-04-G2

V-05 Check server · – · 08:35

PASSED

Observed: versions JSON; register: flows m.login.dummy (open)

Images: – (console output, see logs/)

V-06 Usernames free · – · 08:35

PASSED

Observed: fnt-1028c-n1/-n12/-i2 now taken (other people's accounts from a parallel run, not used; still free at 06:49); fnt-1028d-* free → date part 1028d

Images: – (console output, see logs/)

V-07 Note system settings · G1, G2 · 08:35

PASSED


Observed: G1 Linux de_DE.UTF-8 (no app lock/screen protection on Linux → B-17/B-18 on G2); G2 Android en-US, PIN set, notifications allowed after reinstallation in run 1? → checked in B-02 on G2

Images: – (console output, see logs/)

A-01 Start page · G1 · 08:35

PASSED

Observed: “Welcome to FamilyNexus” (device language German) with “Start a new family”, “I was invited”, “I already have an account”; three notes; “Language”: Device language/Deutsch/English; no language or server step





Images: A-01-G1

A-02 English / German · G1 · 08:35

PASSED

Observed: “English” → immediately “Welcome to FamilyNexus”; “Deutsch” → “Willkommen bei FamilyNexus”, without restart






Images: A-02a-G1, A-02b-G1

A-03 New family, provider unchanged · G1 · 08:35

PASSED

Observed: “Create account”, “Step 1 of 3”, “At matrix.org you create your account on the provider’s page. …”, field “What is your name?”, “Create account at matrix.org” (not clicked), “Your account is hosted at matrix.org.”




Images: A-03-G1

A-04 Unreachable provider · G1 · 08:36

PASSED

Observed: “nicht-vorhanden.invalid cannot be reached right now. Check your internet connection.” with “Try again”; “Create account” not usable




Images: A-04-G1

A-05 Enter test server · G1 · 08:36

PASSED

Observed: “Your account is hosted at matrix-synapse-3ues.srv1348446.hstgr.cloud.”, “Operator: …”, “Contact: not specified”, metadata note; fields name/username/password with hints; “Create account” greyed out





Images: A-05-G1

A-06 **Name suggestion** · G1 · 08:37

PASSED

Observed: “Joerg Muessig” → joerg.muessig; name changed to “Jörg Müßig” (umlauts and ß via the keyboard) → username stays joerg.muessig, “This username is available.” with checkmark







Images: A-06a-G1, A-06-G1


A-07 **Invalid usernames** · G1 · 08:37

PASSED

Observed: All six inputs (ab, Anna, anna müller with a real ü, .anna, anna., 33×a): “Please use 3 to 32 characters: lowercase letters, digits, dot, underscore or hyphen.” shown in full (desktop: one line); “Create account” greyed out; “Anna” not silently turned into “anna” (#44)









Images: A-07a-G1, A-07b-G1, A-07c-G1, A-07d-G1, A-07e-G1, A-07f-G1

A-08 **Required fields** · G1 · 08:38

PASSED

Observed: Username fnt-1028d-n1 stays after changing the name to “Test N1”; “This username is available.”; 7 characters: “Create account” inactive, 17 characters: active; eye icon shows/hides the password (image redacted); empty name: inactive, “Test N1” again: active







Images: A-08a-G1, A-08-G1

A-09 **Create N1** · G1 · 08:38

PASSED

Observed: “Create account” → after approx. 1–2 s “Your emergency key”, “Step 2 of 3”; no extra step






Images: A-09a-G1, A-09b-G1

A-10 Emergency key (KN1) · G1 · 08:39

FINDING

Observed: Key appears and stays unchanged after 20 s (#10); “Copy” → “Copied. … The clipboard is cleared after one minute.”; “Next” only active after the checkmark; stored as KN1 (via the clipboard). “Save as file” not performed here: the Flatpak file picker opens on the real desktop (Appendix D) – checked on G2 Android in run 1 (A-10) and here in D-01. Screen recording: replaced by screenshots




Images: A-10a-G1, A-10b-G1, A-10c-G1, A-10d-G1

A-11 Create family · G1 · 08:39

PASSED

Observed: Notes on moderator and consent for children; “Done! “Testfamilie 1028d” is set up.” with “Later” and “Invite now”




Images: A-11-G1

A-12 **“Later”** · G1 · 08:40

PASSED

Observed: “Later” → main view “Today”





Images: A-12-G1

B-01 **Today** · G1 · 08:50

PASSED

Observed: Tiles Upcoming events, Reminders, Who is online, Shopping list, Tasks, Unread messages; tabs at the bottom; menu top right; “+” (New event). After B-06/B-11: Upcoming events in chronological order 29.10. 10:00, 29.10. 21:00, series 30.10., series 13.11. (#33); on Linux no “Notifications are blocked” notice






Images: B-01a-G1, B-01b-G1

B-02 **Allow notifications** · G1, G2 · 09:02

PASSED

Observed: Linux (G1) without notice/permission → on G2 Android (N1 signed in after C-02, permission reset beforehand via pm revoke): “Notifications are blocked. …” → “Allow” → system dialog “Allow FamilyNexus to send you notifications?” → Allow → notice gone




Images: B-01a-G1, B-02a-G2, B-02b-G2, B-02c-G2

B-03 **Shared event** · G1 · 08:42

PASSED

Observed: Visibility initially “Private”; “Shared” → “Sent encrypted to the family. …”; “Test geteilt” 29.10. 10:00–11:00, location “Küche”, note, colour chosen → agenda “Shared”. Time picker on desktop: dial with toggle to text input; text input also accepts 21 (cf. L1-1 Android/12-h device only)




Images: B-03a-G1, B-05y-G1, B-03b-G1

B-04 Required fields of an event · G1 · 08:44

PASSED

Observed: Without title → “Please enter a title.”; end 05:00 before start 06:00 → “The end is before the start.” directly below start/end without scrolling (#34); back arrow without saving → nothing saved





Images: B-04-G1

B-05 Private event · G1 · 08:45

PASSED

Observed: Only start set to 21:00 (text input) → end 22:00 (#34); “Test privat” 21:00–22:00 “Private”, note “Only on your own devices. …”







Images: B-05-G1, B-05b-G1

B-06 **All-day and recurrence** · G1 · 08:45

PASSED

Observed: “Test Serie” 30.10., Private (default), All day, Weekly, Ends “After count” 3 → 30.10., 6.11., 13.11., repeat indicator (icon)






Images: B-06a-G1, B-06-G1

B-07 **Views and navigation** · G1 · 08:46

PASSED

Observed: Day (“Wednesday, 28 October 2026”), Week (from “Mon, 26 Oct 2026”), Month, Agenda show the events; Next → November, Back ×2 → September, Today → October 2026




Images: B-07-Tag-G1, B-07-Woche-G1, B-07-Monat-G1, B-07-Agenda-G1

B-08 View, edit, history · G1 · 08:47

FINDING

Observed: Detail with “By you”, Shared, Küche, test note; “Edit event” → “Test geteilt 2” → Save: detail shows the new title; “History (1)” shows “Test geteilt – Version 1”. FINDING L1-2 also confirmed on Linux: start changed to 12:00 and saved → detail page still shows “10:00 – 11:00” (afterwards reset to 10:00; history therefore has 3 versions)





Images: B-08a-G1, B-08b-G1, B-08c-G1, L1-2c-G1

B-09 Reminder per event · G1 · 08:48

PASSED

Observed: “1 hour before” additionally selected (checkmark next to “10 minutes before”), “Use default” → back to default






Images: B-09a-G1, B-09b-G1

B-10 **Reminder arrives** · G2 · 09:04

PASSED

Observed: Linux via script → on G2 Android (N1): “Test Erinnerung” 09:14 private, default reminder 10 min (G2 setting), app in background → 09:04:02 system notification “Reminder” / “Event in 10 minutes” without title/location




Images: B-10-G2

B-11 **Delete event / occurrence** · G1 · 08:49

PASSED

Observed: Occurrence 6.11. of “Test Serie” → “Delete event” → “Delete all occurrences or just this one?” → “Only this one” → only 6.11. gone (30.10., 13.11. remain); “Test Erinnerung” (created on G1, B-10 itself on G2) → “Really delete this event?” → “Delete” → gone





Images: B-11a-G1, B-11b-G1, B-11c-G1, B-11d-G1

B-12 **Chat** · G1 · 08:50

PASSED

Observed: “End-to-end encrypted”; “Hallo” Shift+Enter → line break, “Testfamilie”, Enter → sent (desktop, #37), message on two lines with time 08:50







Images: B-12a-G1, B-12-G1

B-13 **Share event in chat** · G1 · 08:50

PASSED

Observed: “Test geteilt 2” → “Share in chat” → “Shared in chat”; in the chat an event card (Thu 29 October 2026, 10:00 – 11:00, Accept/Maybe/Decline)







Images: B-13a-G1, B-13-G1

B-14 **Shopping** · G1 · 08:51

PASSED

Observed: “Milch” with quantity “2 l” → “+” (Add); “Brot” typed and Enter → added (desktop, #37) → “To buy (2)”; Milch ticked off → “Done (1)”; menu → “Edit” → “Vollkornbrot” → Save (Enter in the edit dialog does not save, button needed); empty entry and spaces only: no entry







Images: B-14a-G1, B-14b-G1

B-15 **Tasks** · G1 · 08:53

PASSED

Observed: “Only moderators create lists. …”; saving empty → “Please enter a title, a person and at least one item.”; “Bad putzen”, You, Weekly (Monday), items Waschbecken/Spiegel (line break via Enter) → under “Assigned to me”, “Next restart: Monday, 2 November 2026”; Waschbecken with comment “erledigt” → “1 of 2 done”, “Done on 28.10.2026 at 08:53”, history “You · 28.10.2026, 08:53” (#38); “Today”: “Tasks for you: 1 open”






Images: B-15a-G1, B-15b-G1

B-16 **Settings: appearance** · G1 · 08:55

PASSED

Observed: Language English → immediately “Settings/Appearance”, back to Deutsch; theme “Light”, accent “Magenta”, “Reduce effects” on – take effect immediately; preserved after app restart (flatpak kill, restarted); afterwards back to Dark/Teal/off





Images: B-16a-G1, B-16b-G1, B-16c-G1


B-17 **App lock** · G1, G2 · 08:58


FINDING


Observed: Linux (G1): contrary to the plan, the “App lock” switch exists; switching it on is rejected with “No secure screen lock is set up on this device.” (FINDING L2-1: misleading on Linux, the platform does not support device credentials; plan error: Linux has the switch). Actual check on G2 Android (see note below) | G2 Android (N1): switching on requires PIN; “Lock after: Immediately”; app 5 s in background → system dialog “Unlock FamilyNexus”, after cancelling “FamilyNexus is locked … Unlock”; unlocking with PIN opens the app; then off (PIN required)












Images: B-17a-G1, B-17-G1, B-17a-G2, B-17b-G2, B-17c-G2, B-17d-G2

B-18 **Screen protection** · G2 · 08:58

PASSED

Observed: Linux (G1): no “Screen protection” switch (as per plan) → checked on G2 Android (see note below) | G2 Android: on (factory default) → adb screencap black, app overview black; off → content visible in screenshot and overview. Screen protection stays off for the rest of the run




Images: B-18a-G2, B-18b-G2, B-18c-G2, B-18d-G2

B-19 **Privacy** · G1 · 08:56

PASSED

Observed: “Share online status” off and on again (left on); “Blocked members”: “You have not blocked anyone.”; privacy policy with sections (Who processes …, What data …, What does the server see?, Private events …)





Images: B-19a-G1, B-19b-G1, B-19c-G1

B-20 **Reminders** · G1 · 08:57

PASSED

Observed: Default reminder (multiple choice) changed to only “30 minutes before”; note “Reminders are local notifications …”; new event takes over 30 minutes (editor shows checkmark at 30)






Images: B-20-G1, B-20b-G1

B-21 **About the app** · G1 · 08:58

PASSED

Observed: “Storage locations”: database folder (~/.var/app/…), “System keyring (Secret Service)”, online at the provider; local report with plaintext warning, “app version 1.2.1 (18)”, events (incl. deletion marker of the deleted event), shopping, tasks; copy icon → “Report copied.” (446 lines in the clipboard); online report with “Display name: Test N1”, “FamilyNexus Linux – Verified – This device”, account data types, members, rooms (logs/B-21_*)




Images: B-21a-G1, B-21b-G1, B-21c-G1, B-21d-G1

B-22 **Version and account** · G1 · 08:58

PASSED

Observed: Menu at the bottom “Version 1.2.1 (18)”, settings “Version 1.2.1 (18)” (#14); account: server matrix-synapse-3ues.srv1348446.hstgr.cloud, username @fnt-1028d-n1:matrix.chaostribunal.de



Images: B-22a-G1, B-22b-G1, B-21a-G1

C-01 **Wrong password** · G2 · 09:00

PASSED

Observed: G2 Android: “I already have an account” → Advanced → provider address → fnt-1028d-n1 + wrong password → “Sign in” → “Username or password is wrong.”, no sign-in






Images: C-01a-G2, C-01-G2

C-02 Unlock by symbol comparison · G2, G1 · 09:02

PASSED


Observed: G2 Android after correct password: “Unlock this device” with “Confirm with “FamilyNexus Linux”” → G1 Linux “… (YODUBNAAYE) wants to start a verification.” → Accept; same symbols in the same order (rooster, hat, folder, dog, key, folder, folder – on G2 via accessibility with German names, #39); both “They match” → “Verified.”; G2 main view with F1, shared and private events















Images: C-02a-G2, C-02b-G1, C-02c-G1, C-02d-G2, C-02e-G2, C-02e-G1, C-02f-G2

C-03 Emergency key and devices · G2 · 09:06

PASSED

Observed: G2: “This device is verified.”; devices: “FamilyNexus Linux – Verified”, “FamilyNexus Android (This device) – Verified”; “Create new emergency key” present





Images: C-03-G2

C-04 Sign out · G2 · 09:07

PASSED

Observed: G2: Settings → “Sign out” → dialog “Sign out” (Cancel/Sign out) → directly “Sign in”






Images: C-04a-G2, C-04-G2

C-05 New emergency key (#11) · G1 · 09:08

PASSED

Observed: G1 Linux: Settings → “Create new emergency key” → page “New emergency key” (“The old one stops working …”) → new key; back arrow, Esc and Alt+Left have no effect; Copy (KN1b), checkmark → “Next” → Settings



Images: C-05a-G1, C-05b-G1, C-05c-G1, C-05d-G1

C-06 Old key KN1 · G2 · 09:10

PASSED

Observed: G2: sign-in N1 → “Unlock this device” → KN1 → “Unlock” → “The emergency key does not match. Please check it again.”; device stays locked





Images: C-06a-G2, C-06-G2

C-07 New key KN1b · G2 · 09:13

PASSED

Observed: KN1b → “Unlock” → after approx. 3 s main view with F1 and the data from B. (Tester: two previous attempts failed because the key field had not been fully cleared via adb – input error, not an app finding)




Images: C-07-G2

C-08 Sign out · G2 · 09:13

PASSED

Observed: Sign out as in C-04 → “Sign in”



Images: C-08-G2


D-01 Taken name, fallback (N2) · G2 · 09:16


PASSED

Observed: G2 Android: “No account yet?” → provider → “Test N2”, fnt-1028d-n1 → “Already taken – how about “fnt-1028d-n12”?” with chip, “Create account” greyed out → chip → “This username is available.” → account created; key stays unchanged; “Save as file” → Android file picker → “Saved. …” (file with account fnt-1028d-n12), stored as KN2, file deleted from the device afterwards; checkmark → “Next” → family step “Create | Join”













Images: D-01a-G2, D-01b-G2, D-01c-G2, D-01d-G2, D-01e-G2


D-02 Family code and rejection · G1, G2 · 09:20

FINDING

Observed: G1 Linux: Family → copy icon next to the family code → “Code copied” (clipboard). G2 Android: toggle “Join” → “Join without a link (family code)” → “abc” → “That is not a valid family code. …”; code → “Almost done! …” (09:17:18). G1: “Join requests – Test N2 wants to join – Request via family code (no link) – only confirm if you know @fnt-1028d-n12…” → “Reject” (09:17:43) → disappears. G2: “Your request was declined. …” after 119 s (09:19:42); clocks in sync. As in run 1 (~2 min): within the plan's limits, but observation for #43. Suspected cause (not checked on the server): polling every 10 s via /sync without a since token and with the same filter; Synapse serves identical sync requests from its response cache for up to 2 min








Images: D-02a-G1, D-02b-G2, D-02c-G2, D-02d-G1, D-02e-G1, D-02f-G2

D-03 Start a new family instead · G2 · 09:21

PASSED

Observed: “Got it” → toggle “Create” → “Loeschtest 1028d” (substitute spelling, adb) → “Create family” → directly “Today” (without “Done!”)




Images: D-03-G2

D-04 Switch to sign-in · G2 · 09:22

PASSED

Observed: Sign out → “No account yet?” → provider → “Test”, fnt-1028d-n12 → “I already have an account” → “Sign in” with fnt-1028d-n12 and provider prefilled







Images: D-04a-G2, D-04-G2


D-05 Sign in N2, no other device · G2 · 09:22

PASSED

Observed: N2 signed in → “No other device found. Use your emergency key.” (no “Confirm with …”) → KN2 → after approx. 2 s “Today”; F2 “Loeschtest 1028d” recognised; no hang at “Syncing …”








Images: D-05a-G2, D-05-G2, D-05b-G2

D-06 Abort without creating an account · G2 · 09:24

PASSED

Observed: G2: signed out → account creation with provider, “Test N9”, fnt-1028d-n9 (“available”), password → back arrow without “Create account” → “Welcome”; control check {"available":true}





Images: D-06a-G2, D-06-G2

D-07 Registration closed · G1 · 09:24

N/A


Observed: Optional, not performed without server access

Images: –

E-01 Family · G1 · 09:24

PASSED

Observed: “Testfamilie 1028d”, “Recommendation: appoint a second moderator.”, members: only Test N1 (Moderator, “You are online”); “Invite a member”, “Family code”




Images: E-01-G1

E-02 **Rename family** · G1 · 09:24

PASSED

Observed: Pencil icon → “Change family name” → “Testfamilie 1028d neu” → “Save” → “Name changed.”; new name in the Family tab (Enter in the dialog does not save, button needed)




Images: E-02-G1

E-03 **Invite by user ID** · G1 · 09:25

PASSED

Observed: “abc” → “Please enter a valid user ID, …”; @fnt-1028d-n12:… → confirmation “Invite …? Invitees receive … even before accepting …” → “Invite” → “Invitation sent.”; Test N2 “Invited” in the list





Images: E-03a-G1, E-03b-G1, E-03c-G1

E-04 **Remove invitee** · G1 · 09:26

PASSED

Observed: Menu for Test N2 → “Remove” → “Really remove Test N2 from the family? Room keys are renewed …” → Remove → N2 gone from the list






Images: E-04a-G1, E-04b-G1

E-05 **Invitation link** · G1 · 09:27

PASSED

Observed: G1 Linux: “Invite someone” → QR code directly, “Valid for” 1/3/7 days, note “The link is valid for 3 days and can be used once …”; Advanced → “Account server for newcomers” = provider address → “Create new link”; “Copy link” → “Link copied.” (visible on the desktop; L1-3 phone only); link https://carpeasrael.github.io/FamilyNexus/join/#v=3&room=…&srv=matrix-synapse-3ues…&…&n=<32 hex> (n at the end, #26). “Send by email” (open): under Flatpak opens the mail program of the real desktop, not performed





Images: E-05a-G1, E-05b-G1, E-05c-G1

E-06 **No / invalid link** · G2 · 09:28

PASSED

Observed: G2 Android: “abc” → “This is not an invitation link. An invitation link starts with “https://carpeasrael.github.io/FamilyNexus/join/” or “familynexus://join”.” (#26); link shortened by 10 characters → “The link is incomplete or damaged – …”






Images: E-06a-G2, E-06b-G2

E-07 **Join card with details** · G2 · 09:30

PASSED

Observed: Full link (from G1's clipboard, typed in via adb) → account creation first (Step 2 of 4); join card after E-10: “You are joining the family “Testfamilie 1028d neu”. You were invited by Test N1 (account at matrix.chaostribunal.de).”, details with @fnt-1028d-n1:... and “Family server matrix.chaostribunal.de”, “Discard” present






Images: E-07a-G2, E-07b-G2

E-08 Provider from the link · G2 · 09:30

PASSED

Observed: Provider already “matrix-synapse-3ues.srv1348446.hstgr.cloud” (from the link)



Images: E-08-G2

E-09 Create I2 · G2 · 09:30

PASSED

Observed: Test Nutzer 2 / fnt-1028d-i2 (“available”) → “Create account” → without extra step “Your emergency key” (Step 3 of 4)





Images: E-09a-G2


E-10 Emergency key (KI2) · G2 · 09:30

PASSED

Observed: Key created, “Save as file” (Android) → stored as KI2, file deleted; checkmark → “Next” → join card “Join a family” (Step 4 of 4) → “Request to join”









Images: E-10a-G2, E-10b-G2, E-10c-G2

E-11 Automatic admission · G1, G2 · 09:30

PASSED

Observed: I2 admitted automatically after approx. 3 s (G1 online); G2 main view; G1 member list with Test Nutzer 2, no pending request






Images: E-11-G1, E-11-G2


E-12 **Used link** · G2 · 09:31

PASSED

Observed: G2 Android: used-up link via “adb shell am start -a VIEW -d <https-Link>” → Chrome page “Invitation to FamilyNexus” → “Open app” → app: brief message “You are already in a family.”; nothing changes, no crash








Images: E-12a-G2, E-12b-G2, E-12-G2

E-13 **Members** · G1, G2 · 09:31

PASSED

Observed: Both: Test N1 (Moderator), Test Nutzer 2 (Member, “Not checked in person” from N1's point of view; correspondingly for N1 on I2's side); “Testfamilie 1028d neu” also on I2







Images: E-13-G1, E-13-G2

E-14 **Member without management** · G2 · 09:32

PASSED

Observed: I2 (G2 Android): “Only moderators manage the family.”; no change family name/invite a member/family code; menu for Test N1 only “Verify” and “Block Test N1”; Tasks without “New task list”







Images: E-14a-G2, E-14b-G2


E-15 **Online status** · G1, G2 · 09:33

PASSED

Observed: On: G2 “Test N1 – Online”, G1 “Test Nutzer 2 – Online”. G1 Linux off (09:32:42): G1's own entry “Your status is not shared”; G2 “Nobody else is online right now.” and for Test N1 “Last online just now”. On again: G2 shows N1 online again











Images: E-15a-G1, E-15a-G2, E-15b-G1, E-15b-G2, E-15c-G2, E-15d-G2


E-16 **Chat** · G2, G1 · 09:35


FINDING


Observed: G1 Linux sends “Hallo von Nutzer 1” (Enter); G2 Android before opening: tile “8 unread messages” (FINDING L1-4 here too: only 1 readable new message); in the chat a single notice “Older messages from before you joined cannot be read.” (#35); G2 long press → “Reply” → “Replying to Test N1” → “Hallo zurueck von Nutzer 2” (substitute spelling) → arrives on G1 with reference; G1 click and hold → (thumbs-up) → “(thumbs-up) 1” on both












Images: E-16a-G2, E-16b-G2, E-16c-G2, E-16d-G1, E-16e-G2


E-17 **Attachment** · G2, G1 · 09:37

PASSED

Observed: Direction reversed (Flatpak file picker opens on the real desktop): G2 Android sends testdatei.txt and testbild.png; G1 Linux: both visible, image shown after “Load attachment”, “Save” below the image (#40) → warning “The file is decrypted and saved unencrypted …” → Cancel (file picker cannot be automated). Saving all the way to the folder on G2: image “Load attachment” → “Save” → warning → Save → Android file picker → testbild (1).png, identical content (md5)









Images: E-17a-G2, E-17b-G1, E-17c-G1, E-17d-G2


E-18 **Direct chat** · G1, G2 · 09:38

PASSED

Observed: G1 Linux: Family → speech bubble at Test Nutzer 2 (“Send message”) → briefly “Opening private chat …”, then direct chat “Only between you and Test Nutzer 2, end-to-end encrypted” (#31) → “Nur für dich” (Enter); G2 Android: “Conversations” with “Family chat …” and “Direct chat with Test N1, Online, 1 unread” → message only there; after E-24 no raw text “Attempting verification request” in either direct chat (#29)









Images: E-18a-G1, E-18b-G1, E-18c-G1, E-18d-G2, E-18e-G1, E-18f-G2


E-19 **Events** · G2 · 09:38

PASSED

Observed: G2 Android agenda and “Today”: only “Test geteilt 2 – By Test N1”; “Test privat” and “Test Serie” not visible; filter “Test Nutzer 2” → “No events”; “Everyone” → visible again







Images: E-19a-G2, E-19b-G2, E-19c-G2


E-20 **Accept / decline** · G2, G1 · 09:39

PASSED

Observed: G2 Android: detail “By Test N1”, “Only the creator can change this event.”, no editing; “Response – No response” with Accept/Maybe/Decline → “Accept” → “You – Accepted”; G1 Linux: “Response – Test Nutzer 2 – Accepted”; “Share in chat” only on G1








Images: E-20a-G2, E-20b-G2, E-20c-G1

E-21 **Own event of I2** · G2, G1 · 09:41


PASSED


Observed: G2 Android creates “Termin I2” (28.10. 10:00) “Shared”; G1 Linux sees “Termin I2 – By Test Nutzer 2”; G2 edits → “Private” → note “Content already sent to the family stays …” → Save: detail page shows “Termin I2 … Private · By you”, not “Deleted” (#46); list has one entry “Private”; gone on G1













Images: E-21a-G2, E-21b-G1, E-21c-G2, E-21d-G2, E-21e-G2


E-22 **Shopping together** · G2, G1 · 09:42


PASSED

Observed: G2 sees Vollkornbrot (last changed by Test N1) and Milch done, adds “Kaese” (substitute spelling, adb); G1 sees “Kaese – last changed by Test Nutzer 2”, ticks it off → “Remove done items” → “Remove 2 done items for the whole family?” → “2 items removed”; G2 menu → “Delete” on Vollkornbrot → both “The shopping list is empty.”











Images: E-22a-G2, E-22b-G1, E-22c-G1, E-22d-G2, E-22e-G1


E-23 **Task for I2** · G1, G2 · 09:44


PASSED

Observed: G1 Linux creates “Müll rausbringen” (Test Nutzer 2, Daily → Monday to Friday, item “Tonne an die Straße”) → under “Other lists”; G1 cannot tick off (no dialog); G2 Android: “Tasks for you: 1 open”, list under “Assigned to me” (Mon–Fri), ticked off with comment → “Done on 28.10.2026 at 09:43”; G1 history “Tonne an die Straße done – Test Nutzer 2 · 28.10.2026, 09:43” (#38); G1 “Delete list “Bad putzen”?” → “Delete list” → gone










Images: E-23a-G1, E-23b-G1, E-23c-G2, E-23d-G2, E-23e-G1, E-23f-G1, E-23g-G1


E-24 **Verify person** · G1, G2 · 09:45

PASSED

Observed: G1 Linux: menu for Test Nutzer 2 → “Verify” → “Waiting for the other side …”; G2 Android “… (JMLDLSDMEL) wants to start a verification.” → Accept; same symbols (glasses, corn, book, umbrella, telephone, cactus, hat) → both “They match” → “Verified.”; G1 member list “Verified”








Images: E-24a-G1, E-24b-G2, E-24c-G2, E-24d-G1, E-24e-G2, E-24f-G1, E-24g-G1

E-25 **Report message** · G1 · 09:47

FINDING

Observed: G1 Linux: click and hold a message from Test Nutzer 2 → “Report message” → dialog with note about the operator and four reasons → “Spam or advertising”, text → “Report” → “Report sent.” with action “Block sender”; notice disappears by itself (measured 12 s incl. OCR delay), navigation usable afterwards (#45). FINDING L2-2: the “Block sender” action in the notice is barely readable in the dark theme (dark text on dark background) – on Linux and Android (cf. run 1, E-25b-G1)





Images: E-25a-G1, E-25b-G1, E-25c-G1

E-26 **Block** · G1, G2 · 09:48

PASSED

Observed: G1 Linux: click and hold → “Block Test Nutzer 2” → “Block Test Nutzer 2?” with explanation → “Block” → “Test Nutzer 2 is blocked.”; messages from I2 hidden, member marked “Blocked”; G2 Android sends “Noch da?” without error message, not visible on G1







Images: E-26a-G1, E-26b-G2, E-26c-G1, E-26d-G1

E-27 **Unblock** · G1 · 09:49

PASSED

Observed: Settings → “Blocked members” → “Unblock” → “Test Nutzer 2 is unblocked.”, “You have not blocked anyone.”; messages visible again, including “Noch da?”






Images: E-27a-G1, E-27b-G1

E-28 **Version** · G1, G2 · 09:49

PASSED

Observed: G1 Linux menu “Version 1.2.1 (18)” (settings see B-22); G2 Android menu and settings “Version 1.2.1 (18)” (#14)






Images: E-28-G1, E-28a-G2, E-28b-G2

E-29 **Only moderator** · G1 · 09:50

PASSED

Observed: G1 Linux: “Delete account?” with “You are the family's only moderator. Make another member a moderator first …” (#12); “Delete account permanently” inactive without password; “Cancel” → unchanged




Images: E-29-G1

E-30 **Appoint moderator** · G1, G2 · 09:51

PASSED

Observed: G1 Linux: menu for Test Nutzer 2 → “Make moderator” → “Make Test Nutzer 2 a moderator? Moderators can invite, promote and remove.” → confirmed; both show I2 as moderator (G2 now sees “Invite a member”); recommendation for a second moderator gone




Images: E-30a-G1, E-30b-G1, E-30c-G2

E-31 **Delete account after appointing** · G1 · 09:51

PASSED

Observed: “Delete account?” without “only moderator” notice; Cancel





Images: E-31-G1


E-32 **Member deletes account (I2)** · G2, G1 · 09:52

PASSED

Observed: G2 Android: “Delete account” names @fnt-1028d-i2:... and server, no moderator notice → password → “Delete account permanently” → “Welcome” (device language English). G1 Linux: Test Nutzer 2 no longer a member; earlier messages visible (sender shown as @fnt-1028d-i2:...). Control check M_FORBIDDEN









Images: E-32a-G2, E-32b-G2, E-32c-G1, E-32d-G1


F-01 Delete N2: wrong then correct password · G2 · 09:54

PASSED

Observed: G2 Android: N2 signed in (no “Unknown error.”, #28) → “No other device” → KN2 → “Today”; “Delete account?” names @fnt-1028d-n12:... and server, no moderator notice; wrong password → “The password is not correct.” (#36), dialog stays; field cleared, correct password → “Welcome” (device language English)







Images: F-01a-G2, F-01b-G2, F-01c-G2

F-02 Control check N2 · – · 09:54

PASSED


Observed: curl sign-in fnt-1028d-n12 → M_FORBIDDEN


Images: – (console output, see logs/)

F-03 Delete all local data · G1 · 09:55

PASSED

Observed: G1 Linux: “Delete all local data?” → “Delete permanently” → “Welcome”; account still exists






Images: F-03a-G1, F-03b-G1

F-04 Restart · G1 · 09:55

PASSED

Observed: App quit (flatpak kill) and restarted → “Welcome”, not “Sign in”




Images: F-04-G1

F-05 **Sign in N1, restore** · G1 · 09:57

PASSED

Observed: G1 Linux: “I already have an account” → N1 → “No other device found” (Android signed out in C-08) → KN1b → after approx. 7 s “Today”; restored: shared and private events (Test privat, Test Serie), 4 reminders, chat, task list “Müll rausbringen”, shopping empty as before





Images: F-05a-G1, F-05b-G1, F-05c-G1

F-06 **Delete N1** · G1 · 09:58

PASSED

Observed: G1 Linux: “Delete account?” without moderator notice → password → “Delete account permanently” → “Welcome”





Images: F-06a-G1, F-06b-G1

F-07 **Control check N1, N2, I2** · – · 09:58

PASSED

Observed: curl sign-in fnt-1028d-n1 and fnt-1028d-i2 (also n12) → M_FORBIDDEN (logs/F-07_F-08_endzustand.txt)

Images: – (console output, see logs/)

F-08 End state · – · 09:58

PASSED

Observed: All run 2 accounts (fnt-1028d-n1, -n12, -i2) deleted (M_FORBIDDEN; register/available still M_USER_IN_USE), fnt-1028d-n9 never created; run 1 accounts already checked in run 1 F-07 (re-check partly hit rate limit M_LIMIT_EXCEEDED); registration left open

Images: – (console output, see logs/)

G-01 flutter analyze · – · 08:34

PASSED

Observed: flutter analyze @ bb7f347: “No issues found!” – same commit, result taken over from run 1

Images: – (console output, see logs/)

G-02 flutter test · – · 08:34

PASSED

Observed: flutter test (LD_LIBRARY_PATH pointing to libsqlcipher) @ bb7f347: 749 passed, 44 skipped, “All tests passed!” (logs/G-02_flutter_test.txt) – same commit, result taken over from run 1

Images: – (console output, see logs/)

G-03 review_notes_test.dart · – · 08:34

PASSED

Observed: flutter test test/store/review_notes_test.dart: 4 passed, “All tests passed!” – same commit, result taken over from run 1

Images: – (console output, see logs/)

G-04 E2E tests (optional) · – · 09:58

NOT RUN

Observed: Optional, not performed (local Synapse/E2E)

Images: – (console output, see logs/)

G-05 Covered by tests · – · 09:58

PASSED

Observed: Included in G-02

Images: – (console output, see logs/)

G-06 Review notes, manual · G1 · 09:58

FINDING

Observed: As in run 1: all review-note locations found during the run (Welcome → account/family, emergency key, unlock, delete account, Allow (G2), report/block); matrix.org sign-in in the browser not checked (test server, #15)

Images: – (console output, see logs/)

G-07 Person without prior knowledge · G1 · 09:58

NOT RUN

Observed: Not feasible: no test person without prior knowledge available

Images: – (console output, see logs/)

G-08 **Web only** · Web · 09:58

N/A

Observed: Web platform not part of this run (G1 Linux Flatpak, G2 Android emulator)

Images: – (console output, see logs/)