JSON step-by-step





```
json john.json
```

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
 "name": "Brutus",
 "species": "dog",
  "age": 7
```



```
john.json
                                                  Objects are
                                                  enclosed in curly
"name": "John",
                                                  braces
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus",
  "species": "dog",
  "age": 7
```



```
john.json
                                                       Information is
"name": "John",
                                                       stored in
                                                       "key": "value"
"employed": true,
                                                       pairs
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus",
  "species": "dog",
  "age": 7
```



```
john.json
                                                      Information is
"name": "John",
                                                      stored in
"age": 27,
                                                      "key": "value"
"employed": true,
                                                      pairs
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
                                                      keys are of
  "name": "Brutus",
                                                      datatype string
  "species": "dog",
  "age": 7
```



json john.json

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
 "name": "Brutus",
  "species": "dog",
  "age": 7
```

values **must be** one of the following data types: string number boolean null array object



```
json john.json
```

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus"
  "species": "dog"
  "age": 7
```

values **must be** one of the following data types:

string

number boolean null array object



```
strings are any kind of characters
                                        be one
enclosed in " "
       "word"
       "This is also a string."
       "7 bananas"
```



json john.json

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
 "name": "Brutus",
  "species": "dog",
  "age": 7
```

values **must be** one of the following data types:

number boolean null array object



```
be one
numbers can be:
     integers (e.g. 42)
     floats (e.g. 0.0005)
```



json john.json

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
 "name": "Brutus",
 "species": "dog",
  "age": 7
```

```
values must be one
of the following
data types:
string
number
boolean
null
array
object
```



```
a boolean has one of two possible
                                     be one
values
    true / false
     1/0
```



json john.json

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus",
  "species": "dog",
  "age": 7
```

values **must be** one of the following data types: string number boolean null array object



```
be one
null can only have the value NULL.
The variable of data type null has
no value assigned to it.
```



json john.json

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus",
 "species": "dog",
  "age": 7
```

values **must be** one of the following data types: string number boolean null array object



```
An array is a collection of elements.
                                         be one
Can be understood as a list.
  • ["Bibi", "Tina"]
  • [1,2,3]
  • ["some string", 0.5, true]
```



```
json john.json
```

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
  "name": "Brutus",
  "species": "dog",
  "age": 7
```

```
values must be one
of the following
data types:
string
number
boolean
null
array
object
```



```
An object contains key/value pairs,
                                                        be one
              seperated by commata and is
              enclosed by {}
                      {"name": "Bill",
                       "jobTitle": "Postdoc",
                       "city": "New York",
                       "age": 36}
'name": "Brutus'
```



```
john.json
                                                     Data is
"name": "John",
"age": 27,
                                                     separated by
"employed": true,
                                                     commas
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus",
  "species": "dog",
  "age": 7
```

The JSON object - indentation



```
<sup>json</sup> john.json
```

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus",
  "species": "dog",
  "age": 7
```

Structured metadata – JSON vs. XML



^{json} john.json

```
"name": "John",
"age": 27,
"employed": true,
"hasCar": null,
"parents": ["Anna", "Michael"],
"pet": {
  "name": "Brutus",
  "species": "dog",
  "age": 7
```

xml john.xml

```
<name>John</name>
<age>27</age>
<employed>TRUE</employed>
<hasCar>NULL</hasCar>
<parents>Anna</parents>
<parents>Michael</parents>
<pet>
 <name>Brutus</name>
 <species>dog</species>
 <age>7</age>
</pet>
```

Structured metadata



XML	JSON	YAML
<example></example>	{	
<superhero>Wonder Woman</superhero>	"superhero": "Wonder Woman",	superhero: Wonder Woman
<publisher>DC Comics</publisher>	"publisher": "DC Comics",	publisher: DC Comics
<identities></identities>	"identities": [identities:
<identity>Princess Diana</identity>	"Princess Diana",	- Princess Diana
<identity>Diana Prince</identity>	"Diana Prince"	- Diana Prince
],	pet:
<pet></pet>	"pet": {	name: Jumpa
<name>Jumpa</name>	"name": "Jumpa",	species: kangaroo
<species>kangaroo</species>	"species": "kangaroo"	
	}	Your and to to a district MAMI
	}	if you are interested in YAML, also see https://yaml.org/



DISCLAIMER

This slide deck is part of the Lesson

<u>Fundamentals of Scientific Metadata:</u> <u>Why Context Matters</u>

published on **The Carpentries Incubator**.

Please cite this presentation as:

Gerlich, S., Strupp, A., Hofmann, V., Sandfeld, S. (2023). Fundamentals of Scientific Metadata: Why Context Matters. The Carpentries Incubator. DOI: 10.5281/zenodo.10091708

You can find more information about this course on **Github**.



image:

https://c.pxhere.com/photos/35/f5/coffee_notebook_wooden_background_orange_work_table_office-1222115.jpg!d