

NORDSTROM RACK – TURNKEY PROTOTYPE

SECTION 030133 – CONCRETE SLAB PATCHING

PART 1 - GENERAL

1.1 SUMMARY

- A. Section Includes:
 - 1. Patching of concrete slab-on-grade.
 - 2. New concrete in trenches, block-outs and infills.
 - 3. Brass markers for concrete.
- B. Related Sections:
 - 1. 033536 – Polished Concrete Finishing: Patching requirements by concrete polishing work.
 - 2. 035416 – Hydraulic Cement Underlayment: Concrete slab preparation for installation of finishes.
 - 3. 321313 – Site Concrete.
- C. Drawings, the provisions of the Agreement, the General Conditions, and Division 01 specification sections apply to all work of this Section.
- D. Substitutions: Substitute products will be considered only under the terms and conditions of Section 016000.

1.2 REFERENCES

- A. American Concrete Institute (ACI):
 - 1. 301 - Specifications of Structural Concrete for Buildings.
 - 2. 305.1 - Specification for Hot Weather Concreting.
 - 3. 306.1 - Standard Specification for Cold Weather Concreting.
- B. American Society for Testing and Materials (ASTM):
 - 1. A615 - Standard Specification for Deformed and Plain-Carbon-Steel Bars for Concrete Reinforcement.
 - 2. C33 - Standard Specification for Concrete Aggregates.
 - 3. C94 - Standard Specification for Ready-Mixed Concrete.
 - 4. C150 - Standard Specification for Portland Cement.
 - 5. C171 - Standard Specification for Sheet Materials for Curing Concrete.
 - 6. C494 - Standard Specification for Chemical Admixtures for Concrete.
 - 7. E1643 – Standard Practice for Selection, Design, Installation and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill under Concrete Slabs.
- C. Concrete Reinforcing Steel Institute (CRSI):
 - 1. MSP-Manual of Standard Practice (MSP).

1.3 SUBMITTALS

- A. Make submittals in accordance with Section 013300.
- B. Product Data: Submit data for materials and procedures proposed for the work.

1.4 MOCKUP

- A. Brass Markers: Before installation of all brass markers, provide a mockup of one location installed for review and approval.

PART 2 - PRODUCTS

2.1 MATERIALS

- A. Concrete Materials:
 - 1. Cement: ASTM C150, normal - Type 1 Portland cement.
 - 2. Normal Weight Fine and Coarse Aggregates: ASTM C33.
 - 3. Water: Clean and not detrimental to concrete.
 - 4. Admixtures: