Support & conversation data

Architecture overview. Readable node and connection sheets follow.



Support & conversation data

Readable detail sheet 1/5. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Domain persistence request

Application services query the collections listed in this domain.

src/server/db.ts:44

Next -> #2 (p2); Failure -> #18 (p6)

#02 / Database Query / Implemented

support_attachments

Code-backed collection support_attachments; view reference fields in the model inventory.

src/app/api/support/attachments/[id]/route.ts:18

Next -> #3 (p2)

#03 / Database Query / Implemented

support_connections

Code-backed collection support_connections; view reference fields in the model inventory.

src/app/api/admin/support/gmail/callback/route.ts:58

Next -> #4 (p2)

#04 / Database Query / Implemented

support_conversations

Code-backed collection support_conversations; view reference fields in the model inventory.

src/app/api/v1/care/[[...path]]/route.ts:453

Next -> #5 (p3)

Support & conversation data

Readable detail sheet 2/5. Node numbers and page references preserve every directed connection.

#05 / Database Query / Implemented

support_drafts

Code-backed collection support_drafts; view reference fields in the model inventory.

src/server/support-mailbox.ts:283

Next -> #6 (p3)

#06 / Database Query / Implemented

support_email_receipts

Code-backed collection support_email_receipts; view reference fields in the model inventory.

src/server/support-gmail.ts:153

Next -> #7 (p3)

#07 / Database Query / Implemented

support_forwards

Code-backed collection support_forwards; view reference fields in the model inventory.

src/server/support-mailbox.ts:442

Next -> #8 (p3)

#08 / Database Query / Implemented

support_labels

Code-backed collection support_labels; view reference fields in the model inventory.

src/server/support-mailbox.ts:343

Next -> #9 (p4)

Support & conversation data

Readable detail sheet 3/5. Node numbers and page references preserve every directed connection.

#09 / Database Query / Implemented

support_mailbox

Code-backed collection support_mailbox; view reference fields in the model inventory.

src/server/support-inbox.ts:363

Next -> #10 (p4)

#10 / Database Query / Implemented

support_messages

Code-backed collection support_messages; view reference fields in the model inventory.

src/app/api/v1/care/[[...path]]/route.ts:231

Next -> #11 (p4)

#11 / Database Query / Implemented

support_notes

Code-backed collection support_notes; view reference fields in the model inventory.

src/server/support-conversations.ts:198

Next -> #12 (p4)

#12 / Database Query / Implemented

support_scheduled

Code-backed collection support_scheduled; view reference fields in the model inventory.

src/server/support-mailbox.ts:305

Next -> #13 (p5)

Support & conversation data

Readable detail sheet 4/5. Node numbers and page references preserve every directed connection.

#13 / Database Query / Implemented

support_sent

Code-backed collection support_sent; view reference fields in the model inventory.

src/server/support-mailbox.ts:403

Next -> #14 (p5)

#14 / Database Query / Implemented

support_settings

Code-backed collection support_settings; view reference fields in the model inventory.

src/server/support-mailbox.ts:367

Next -> #15 (p5)

#15 / Database Query / Implemented

support_templates

Code-backed collection support_templates; view reference fields in the model inventory.

src/server/support-mailbox.ts:323

Next -> #16 (p5)

#16 / Database Query / Implemented

support_tickets

Code-backed collection support_tickets; view reference fields in the model inventory.

src/app/api/v1/support/route.ts:75

Next -> #17 (p6)

Support & conversation data

Readable detail sheet 5/5. Node numbers and page references preserve every directed connection.

#17 / Response / Implemented

Stored domain response

Return persisted domain data to the service.

src/server/db.ts:100

END: no outgoing connection

#18 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #19 (p6)

#19 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Support & conversation data

Complete directed connection register / no omitted success, failure or proposed edges

#01 Domain persistence request -> #02 support_attachments | Next

#02 support_attachments -> #03 support_connections | Next

#03 support_connections -> #04 support_conversations | Next

#04 support_conversations -> #05 support_drafts | Next

#05 support_drafts -> #06 support_email_receipts | Next

#06 support_email_receipts -> #07 support_forwards | Next

#07 support_forwards -> #08 support_labels | Next

#08 support_labels -> #09 support_mailbox | Next

#09 support_mailbox -> #10 support_messages | Next

#10 support_messages -> #11 support_notes | Next

#11 support_notes -> #12 support_scheduled | Next

#12 support_scheduled -> #13 support_sent | Next

#13 support_sent -> #14 support_settings | Next

#14 support_settings -> #15 support_templates | Next

#15 support_templates -> #16 support_tickets | Next

#16 support_tickets -> #17 Stored domain response | Next

#01 Domain persistence request -> #18 Request failed | Failure | FAILURE

#18 Request failed -> #19 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: support_messages.ticketId -> conversation ID (src/server/support-conversations.ts:17)