User & account data

Architecture overview. Readable node and connection sheets follow.



User & account data

Readable detail sheet 1/3. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Domain persistence request

Application services query the collections listed in this domain.

src/server/db.ts:44

Next -> #2 (p2); Failure -> #8 (p3)

#02 / Database Query / Implemented

users

Code-backed collection users; view reference fields in the model inventory.

src/app/api/admin/customers/route.ts:59

Next -> #3 (p2)

#03 / Database Query / Implemented

sessions

Code-backed collection sessions; view reference fields in the model inventory.

src/app/api/admin/security/route.ts:17

Next -> #4 (p2)

#04 / Database Query / Implemented

addresses

Code-backed collection addresses; view reference fields in the model inventory.

src/app/api/v1/account/addresses/[[...id]]/route.ts:19

Next -> #5 (p3)

User & account data

Readable detail sheet 2/3. Node numbers and page references preserve every directed connection.

#05 / Database Query / Implemented

tokens

Code-backed collection tokens; view reference fields in the model inventory.

src/server/db.ts:270

Next -> #6 (p3)

#06 / Database Query / Implemented

account_notifications

Code-backed collection account_notifications; view reference fields in the model inventory.

src/app/api/v1/account/activity/route.ts:17

Next -> #7 (p3)

#07 / Response / Implemented

Stored domain response

Return persisted domain data to the service.

src/server/db.ts:100

END: no outgoing connection

#08 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #9 (p4)

User & account data

Readable detail sheet 3/3. Node numbers and page references preserve every directed connection.

#09 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

User & account data

Complete directed connection register / no omitted success, failure or proposed edges

#01 Domain persistence request -> #02 users | Next

#02 users -> #03 sessions | Next

#03 sessions -> #04 addresses | Next

#04 addresses -> #05 tokens | Next

#05 tokens -> #06 account_notifications | Next

#06 account_notifications -> #07 Stored domain response | Next

#01 Domain persistence request -> #08 Request failed | Failure | FAILURE

#08 Request failed -> #09 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: sessions.userId -> users.id (src/server/auth.ts:128)

Note: addresses.userId -> users.id (src/app/api/v1/account/addresses/[[...id]]/route.ts:8)

Note: orders.userId / owner -> user identity (src/server/commerce.ts:171)

Note: reviews.userId -> users.id (src/app/api/v1/reviews/route.ts:63)

Note: account_notifications.userId -> users.id (src/server/account-activity.ts:9)