Cart & checkout data

Architecture overview. Readable node and connection sheets follow.



Cart & checkout data

Readable detail sheet 1/2. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Domain persistence request

Application services query the collections listed in this domain.

src/server/db.ts:44

Next -> #2 (p2); Failure -> #7 (p3)

#02 / Database Query / Implemented

carts

Code-backed collection carts; view reference fields in the model inventory.

src/server/account-sign-in.ts:7

Next -> #3 (p2)

#03 / Database Query / Implemented

checkoutSessions

Code-backed collection checkoutSessions; view reference fields in the model inventory.

src/server/commerce.ts:136

Next -> #4 (p2)

#04 / Database Query / Implemented

checkoutPromos

Code-backed collection checkoutPromos; view reference fields in the model inventory.

src/server/checkout-pricing.ts:132

Next -> #5 (p3)

Cart & checkout data

Readable detail sheet 2/2. Node numbers and page references preserve every directed connection.

#05 / Database Query / Implemented

coupons

Code-backed collection coupons; view reference fields in the model inventory.

src/server/admin-service.ts:1546

Next -> #6 (p3)

#06 / Response / Implemented

Stored domain response

Return persisted domain data to the service.

src/server/db.ts:100

END: no outgoing connection

#07 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #8 (p3)

#08 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Cart & checkout data

Complete directed connection register / no omitted success, failure or proposed edges

#01 Domain persistence request -> #02 carts | Next

#02 carts -> #03 checkoutSessions | Next

#03 checkoutSessions -> #04 checkoutPromos | Next

#04 checkoutPromos -> #05 coupons | Next

#05 coupons -> #06 Stored domain response | Next

#01 Domain persistence request -> #07 Request failed | Failure | FAILURE

#07 Request failed -> #08 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: checkoutSessions.orderId -> orders.id (src/server/commerce.ts:191)

Note: carts.lines[].sku -> variants[].sku (src/server/commerce.ts:25)