
Product & catalog management

Architecture overview. Readable node and connection sheets follow.



Product & catalog management

Readable detail sheet 1/3. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Edit product or category

Owner catalog editor; create, update or remove catalog records.

src/components/admin/product-editor.tsx:1

Next -> #2 (p2)

#02 / HTTP Request / Implemented

Admin product / category API

Category CRUD has its own routes; inspect the API inventory for each method.

src/app/api/admin/products/route.ts:29

Next -> #3 (p2)

#03 / Authentication / Implemented

Authorize store owner

JWT session plus normalized OWNER or ADMIN role.

src/server/admin-auth.ts:107

Next -> #4 (p2); Failure -> #9 (p4)

#04 / Backend Service / Implemented

Create / update catalog

Server normalizes product data, variants and media. Category records are maintained separately.

src/server/admin-service.ts:678

Next -> #5 (p3)

Product & catalog management

Readable detail sheet 2/3. Node numbers and page references preserve every directed connection.

#05 / Database Query / Implemented

Products and categories

Persist actual catalog collections; category matching includes name, slug and department logic rather than a declared foreign key.

src/server/admin-service.ts:1092

Next -> #6 (p3)

#06 / External API / Implemented

Sync Algolia index

Writes run only when a write key exists. Index errors are logged and are non-blocking. Runtime configuration and connectivity are Unverified.

src/lib/algolia.ts:85

Next -> #7 (p3)

#07 / Backend Service / Implemented

Publication & stock filter

Storefront excludes unpublished, draft, archived and imported/demo records and overlays inventory balances.

src/server/db.ts:182

Next -> #8 (p3)

#08 / Response / Implemented

Updated storefront catalog

Catalog listings display published products and supported facets.

src/components/catalog-view.tsx:1

END: no outgoing connection

Product & catalog management

Readable detail sheet 3/3. Node numbers and page references preserve every directed connection.

#09 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #10 (p4)

#10 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Product & catalog management

Complete directed connection register / no omitted success, failure or proposed edges

#01 Edit product or category -> #02 Admin product / category API | Next

#02 Admin product / category API -> #03 Authorize store owner | Next

#03 Authorize store owner -> #04 Create / update catalog | Next

#04 Create / update catalog -> #05 Products and categories | Next

#05 Products and categories -> #06 Sync Algolia index | Next

#06 Sync Algolia index -> #07 Publication & stock filter | Next

#07 Publication & stock filter -> #08 Updated storefront catalog | Next

#03 Authorize store owner -> #09 Request failed | Failure | FAILURE

#09 Request failed -> #10 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: Algolia synchronization is optional and best effort; successful database writes do not prove the search index was updated.