
Checkout & address validation

Architecture overview. Readable node and connection sheets follow.



Checkout & address validation

Readable detail sheet 1/3. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Review bag and address

Checkout page collects customer address and shipping preferences.

src/app/checkout/page.tsx:1

Next -> #2 (p2)

#02 / HTTP Request / Implemented

Request shipping + quote

Quote input is strict; origin and rate-limit checks apply.

src/app/api/v1/checkout/[[...action]]/route.ts:43

Next -> #3 (p2)

#03 / Validation / Implemented

Validate Indian address

Country IN, six-digit PIN, email, city and region. Checkout input requires a valid Indian mobile number.

src/server/commerce.ts:9

Next -> #4 (p2); Failure -> #8 (p3)

#04 / External API / Implemented

Delhivery serviceability

Checkout page separately calls shipping/serviceability for the PIN code. Runtime configuration and connectivity are Unverified.

src/lib/shipping/delhivery.ts:97

Next -> #5 (p3)

Checkout & address validation

Readable detail sheet 2/3. Node numbers and page references preserve every directed connection.

#05 / Backend Service / Implemented

Server checkout pricing

Price catalog lines, shipping and coupon rules using server records.

src/server/checkout-pricing.ts:208

Next -> #6 (p3)

#06 / Database Query / Implemented

Cart / coupons / settings

Persisted cart version and current discount data are used to construct the quote.

src/server/checkout-pricing.ts:115

Next -> #7 (p3)

#07 / Response / Implemented

Confirm authoritative total

Frontend displays quote and passes quoteId to secure checkout.

src/app/checkout/page.tsx:1

END: no outgoing connection

#08 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #9 (p4)

Checkout & address validation

Readable detail sheet 3/3. Node numbers and page references preserve every directed connection.

#09 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Checkout & address validation

Complete directed connection register / no omitted success, failure or proposed edges

#01 Review bag and address -> #02 Request shipping + quote | Next

#02 Request shipping + quote -> #03 Validate Indian address | Next

#03 Validate Indian address -> #04 Delhivery serviceability | Next

#04 Delhivery serviceability -> #05 Server checkout pricing | Next

#05 Server checkout pricing -> #06 Cart / coupons / settings | Next

#06 Cart / coupons / settings -> #07 Confirm authoritative total | Next

#03 Validate Indian address -> #08 Request failed | Failure | FAILURE

#08 Request failed -> #09 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: Serviceability is a separate frontend request, not a sequential call inside checkoutQuote. The diagram expresses the checkout interaction, not a single handler stack.