
Order creation & management

Architecture overview. Readable node and connection sheets follow.



Order creation & management

Readable detail sheet 1/3. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Place or view an order

Customer order detail and post-checkout management.

src/components/account-order-details.tsx:1

Next -> #2 (p2)

#02 / Backend Service / Implemented

Idempotent createOrder

Existing owner + idempotencyKey returns the prior compatible order; active checkout is reused.

src/server/commerce.ts:115

Next -> #3 (p2)

#03 / IF / Switch / Implemented

Quote and stock still valid?

Empty carts, changed quoteId, incompatible providers and insufficient stock are rejected.

src/server/commerce.ts:154

Yes / accepted -> #4 (p2); No / rejected -> #8 (p3)

#04 / Database Query / Implemented

Persist orders

Order contains address, line snapshots, provider IDs, owner, userId and expiry.

src/server/commerce.ts:184

Next -> #5 (p3)

Order creation & management

Readable detail sheet 2/3. Node numbers and page references preserve every directed connection.

#05 / HTTP Request / Implemented

Read customer order

Lookup by ID or order number; ownership and allowed staff roles are checked.

src/app/api/v1/[[...path]]/route.ts:79

Next -> #6 (p3)

#06 / IF / Switch / Implemented

Owner or allowed staff?

Unauthorized access returns 403; owner and idempotencyKey fields are removed from public responses.

src/app/api/v1/[[...path]]/route.ts:105

Yes / accepted -> #7 (p3); No / rejected -> #8 (p3)

#07 / Response / Implemented

Safe order details

Render payment state and courier-verified shipping data.

src/components/account-order-details.tsx:1

END: no outgoing connection

#08 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #9 (p4)

Order creation & management

Readable detail sheet 3/3. Node numbers and page references preserve every directed connection.

#09 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Order creation & management

Complete directed connection register / no omitted success, failure or proposed edges

#01 Place or view an order -> #02 Idempotent createOrder | Next

#02 Idempotent createOrder -> #03 Quote and stock still valid? | Next

#03 Quote and stock still valid? -> #04 Persist orders | Yes / accepted

#04 Persist orders -> #05 Read customer order | Next

#05 Read customer order -> #06 Owner or allowed staff? | Next

#06 Owner or allowed staff? -> #07 Safe order details | Yes / accepted

#03 Quote and stock still valid? -> #08 Request failed | No / rejected | FAILURE

#06 Owner or allowed staff? -> #08 Request failed | No / rejected | FAILURE

#08 Request failed -> #09 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.