
Order cancellation

Architecture overview. Readable node and connection sheets follow.



Order cancellation

Readable detail sheet 1/3. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Confirm cancellation

Customer confirms cancellation and optional reason.

src/components/account-order-details.tsx:1

Next -> #2 (p2)

#02 / HTTP Request / Implemented

POST order cancellation

Validate owner, deadline and confirmed=true payload.

src/app/api/v1/[[...path]]/route.ts:482

Next -> #3 (p2)

#03 / IF / Switch / Implemented

Cancellation allowed?

Expired deadline rejects the request; logistics checks prevent unsafe cancellation.

src/app/api/v1/[[...path]]/route.ts:505

Yes / accepted -> #4 (p2); No / rejected -> #9 (p4)

#04 / Backend Service / Implemented

Lease logistics operation

Tracks processing, failed or confirmed phases on the order and audit entries.

src/server/logistics.ts:69

Next -> #5 (p3)

Order cancellation

Readable detail sheet 2/3. Node numbers and page references preserve every directed connection.

#05 / External API / Implemented

Cancel Delhivery shipment

Cancel a shipment when present; courier confirmation is required before final reconciliation. Runtime configuration and connectivity are Unverified.

src/lib/shipping/delhivery.ts:396

Next -> #6 (p3)

#06 / Backend Service / Implemented

Reconcile Razorpay refund

Captured Razorpay payment is reconciled through the refund service. Other providers require appropriate review.

src/server/logistics.ts:507

Next -> #7 (p3)

#07 / Database Query / Implemented

Release inventory once

Update order cancellation, stock and audit; errors remain visible on logisticsOperations.cancel.

src/server/logistics.ts:558

Next -> #8 (p3)

#08 / Response / Implemented

Cancellation outcome

Customer sees confirmed or unresolved cancellation and refund status.

src/components/account-order-details.tsx:1

END: no outgoing connection

Order cancellation

Readable detail sheet 3/3. Node numbers and page references preserve every directed connection.

#09 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/logistics.ts:296

Next -> #10 (p4)

#10 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/logistics.ts:296

END: no outgoing connection

Order cancellation

Complete directed connection register / no omitted success, failure or proposed edges

#01 Confirm cancellation -> #02 POST order cancellation | Next

#02 POST order cancellation -> #03 Cancellation allowed? | Next

#03 Cancellation allowed? -> #04 Lease logistics operation | Yes / accepted

#04 Lease logistics operation -> #05 Cancel Delhivery shipment | Next

#05 Cancel Delhivery shipment -> #06 Reconcile Razorpay refund | Next

#06 Reconcile Razorpay refund -> #07 Release inventory once | Next

#07 Release inventory once -> #08 Cancellation outcome | Next

#03 Cancellation allowed? -> #09 Request failed | No / rejected | FAILURE

#09 Request failed -> #10 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: A cancelled order does not itself prove the payment provider has completed a refund.