
Customer support

Architecture overview. Readable node and connection sheets follow.



Customer support

Readable detail sheet 1/3. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Open support conversation

Customer care interface sends tickets, reads conversations and uploads attachments.

src/components/account-support.tsx:1

Next -> #2 (p2)

#02 / HTTP Request / Implemented

Care / support API

Authenticated care path creates structured tickets. /api/v1/support is a separate legacy ticket path.

src/app/api/v1/care/[[...path]]/route.ts:187

Next -> #3 (p2)

#03 / Authentication / Implemented

Authenticate and validate

Care viewer must be signed in; schema and rate limit apply to mutations.

src/app/api/v1/care/[[...path]]/route.ts:30

Next -> #4 (p2); Failure -> #9 (p4)

#04 / Backend Service / Implemented

Create care ticket

Record request and initial support conversation; order-linked requests validate ownership.

src/server/care-order-requests.ts:131

Next -> #5 (p3)

Customer support

Readable detail sheet 2/3. Node numbers and page references preserve every directed connection.

#05 / Database Query / Implemented

Tickets and messages

tickets, support_conversations, support_messages and attachment metadata store conversation state.

src/server/support-conversations.ts:70

Next -> #6 (p3)

#06 / Backend Service / Implemented

Support inbox and replies

Owner/support inbox manages replies, status and mail thread linkage.

src/server/support-inbox.ts:130

Next -> #7 (p3)

#07 / External API / Implemented

Resend / Gmail mailbox

Gmail OAuth mailbox sync and Resend outbound delivery are implemented code paths. Runtime configuration and connectivity are Unverified.

src/server/support-gmail.ts:1

Next -> #8 (p3)

#08 / Response / Implemented

Updated conversation

Customer sees support replies; realtime notifications have a separate transport service.

src/components/account-support.tsx:1

END: no outgoing connection

Customer support

Readable detail sheet 3/3. Node numbers and page references preserve every directed connection.

#09 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #10 (p4)

#10 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Customer support

Complete directed connection register / no omitted success, failure or proposed edges

#01 Open support conversation -> #02 Care / support API | Next

#02 Care / support API -> #03 Authenticate and validate | Next

#03 Authenticate and validate -> #04 Create care ticket | Next

#04 Create care ticket -> #05 Tickets and messages | Next

#05 Tickets and messages -> #06 Support inbox and replies | Next

#06 Support inbox and replies -> #07 Resend / Gmail mailbox | Next

#07 Resend / Gmail mailbox -> #08 Updated conversation | Next

#03 Authenticate and validate -> #09 Request failed | Failure | FAILURE

#09 Request failed -> #10 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: Care tickets and legacy support_tickets are distinct collections. Conversation IDs encode the source collection; do not conflate them.