
Marketing & coupons

Architecture overview. Readable node and connection sheets follow.



Marketing & coupons

Readable detail sheet 1/3. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Owner manages campaign / coupon

Marketing and coupon admin interfaces.

src/app/admin/(control-center)/marketing/page.tsx:1

Next -> #2 (p2)

#02 / HTTP Request / Implemented

Marketing / coupon API

Owner-authorized CRUD; campaign routes collect storefront activity.

src/app/api/admin/coupons/route.ts:18

Next -> #3 (p2)

#03 / Backend Service / Implemented

Persist coupon rules

Validate discount, eligibility, usage and expiration settings.

src/server/admin-service.ts:1564

Next -> #4 (p2)

#04 / Database Query / Implemented

coupons and campaigns

Campaign events and order campaignId support attribution; coupons store pricing rules.

src/server/campaigns.ts:22

Next -> #5 (p3)

Marketing & coupons

Readable detail sheet 2/3. Node numbers and page references preserve every directed connection.

#05 / IF / Switch / Implemented

Coupon eligible at checkout?

Server reads current coupon and prior customer orders to apply allowed pricing.

src/server/checkout-pricing.ts:115

Yes / accepted -> #6 (p3); No / rejected -> #8 (p3)

#06 / Backend Service / Implemented

Record paid coupon usage

Confirmed order usage is recorded; pending checkout must not consume paid usage.

src/server/checkout-pricing.ts:312

Next -> #7 (p3)

#07 / Response / Implemented

Campaign and pricing results

Marketing UI and checkout display persisted campaign and discount outcomes.

src/app/admin/(control-center)/marketing/page.tsx:1

END: no outgoing connection

#08 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #9 (p4)

Marketing & coupons

Readable detail sheet 3/3. Node numbers and page references preserve every directed connection.

#09 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Marketing & coupons

Complete directed connection register / no omitted success, failure or proposed edges

#01 Owner manages campaign / coupon -> #02 Marketing / coupon API | Next

#02 Marketing / coupon API -> #03 Persist coupon rules | Next

#03 Persist coupon rules -> #04 coupons and campaigns | Next

#04 coupons and campaigns -> #05 Coupon eligible at checkout? | Next

#05 Coupon eligible at checkout? -> #06 Record paid coupon usage | Yes / accepted

#06 Record paid coupon usage -> #07 Campaign and pricing results | Next

#05 Coupon eligible at checkout? -> #08 Request failed | No / rejected | FAILURE

#08 Request failed -> #09 Show error / retry | Next | FAILURE

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.