
API architecture

Architecture overview. Readable node and connection sheets follow.



API architecture

Readable detail sheet 1/6. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Client / webhook request

Customer, owner, cron and provider entry points.

src/app/api/v1/[[...path]]/route.ts:42

Next -> #2 (p2); Failure -> #6 (p3)

#02 / HTTP Request / Implemented

App Router dispatch

Inventory records every exported method from all 86 route files; catchalls have an additional explicit branch inventory.

src/app/api/v1/[[...path]]/route.ts:45

Next -> #3 (p2)

#03 / Backend Service / Implemented

Handler-specific guards

Auth, origin, rate limits, validation and response conventions vary by endpoint.

src/server/http.ts:69

Next -> #8 (p3); Next -> #9 (p4); Next -> #10 (p4); Next -> #11 (p4); Next -> #12 (p4); Next -> #13 (p5); Next -> #14 (p5); Next -> #15 (p5); Next -> #16 (p5); Next -> #17 (p6); Next -> #18 (p6); Next -> #19 (p6); Next -> #20 (p6); Next -> #21 (p7);...

#04 / Database Query / Implemented

Database / service boundary

Imported service symbols and source file evidence are retained per operation.

src/server/db.ts:44

Next -> #5 (p3)

API architecture

Readable detail sheet 2/6. Node numbers and page references preserve every directed connection.

#05 / Response / Implemented

Actual route response

Use the inventory and per-operation graph to inspect the full source-derived lifecycle.

src/server/http.ts:69

END: no outgoing connection

#06 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #7 (p3)

#07 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

#08 / HTTP Request / Implemented

Authentication APIs

5 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/admin/auth/login/route.ts:1

Next -> #4 (p2)

API architecture

Readable detail sheet 3/6. Node numbers and page references preserve every directed connection.

#09 / HTTP Request / Implemented

Account APIs

14 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/v1/account/activity/route.ts:1

Next -> #4 (p2)

#10 / HTTP Request / Implemented

Products APIs

2 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/products/route.ts:1

Next -> #4 (p2)

#11 / HTTP Request / Implemented

Categories APIs

1 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/categories/route.ts:1

Next -> #4 (p2)

#12 / HTTP Request / Implemented

Search APIs

1 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/search/route.ts:1

Next -> #4 (p2)

API architecture

Readable detail sheet 4/6. Node numbers and page references preserve every directed connection.

#13 / HTTP Request / Implemented

Cart & checkout APIs

2 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/v1/checkout/[[...action]]/route.ts:1

Next -> #4 (p2)

#14 / HTTP Request / Implemented

Orders APIs

4 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/v1/bulk-orders/route.ts:1

Next -> #4 (p2)

#15 / HTTP Request / Implemented

Payments APIs

2 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/v1/payments/razorpay/[[...action]]/route.ts:1

Next -> #4 (p2)

#16 / HTTP Request / Implemented

Shipping APIs

3 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/orders/[orderId]/tracking/route.ts:1

Next -> #4 (p2)

API architecture

Readable detail sheet 5/6. Node numbers and page references preserve every directed connection.

#17 / HTTP Request / Implemented

Returns & refunds APIs

1 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/v1/orders/[id]/return/route.ts:1

Next -> #4 (p2)

#18 / HTTP Request / Implemented

Reviews APIs

4 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/v1/reviews/route.ts:1

Next -> #4 (p2)

#19 / HTTP Request / Implemented

Support APIs

11 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/internal/support/sync/route.ts:1

Next -> #4 (p2)

#20 / HTTP Request / Implemented

Admin APIs

70 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/admin/abandoned-carts/route.ts:1

Next -> #4 (p2)

API architecture

Readable detail sheet 6/6. Node numbers and page references preserve every directed connection.

#21 / HTTP Request / Implemented

Notifications APIs

3 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/admin/notifications/route.ts:1

Next -> #4 (p2)

#22 / HTTP Request / Implemented

Marketing APIs

13 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/admin/coupons/route.ts:1

Next -> #4 (p2)

#23 / HTTP Request / Implemented

Reports APIs

2 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/admin/dashboard/route.ts:1

Next -> #4 (p2)

#24 / HTTP Request / Implemented

Other APIs

14 exported file-route operations. See inventory for individual handlers, service symbols and detected guards.

src/app/api/cron/expire/route.ts:1

Next -> #4 (p2)

API architecture

Complete directed connection register / no omitted success, failure or proposed edges

#01 Client / webhook request -> #02 App Router dispatch | Next

#02 App Router dispatch -> #03 Handler-specific guards | Next

#04 Database / service boundary -> #05 Actual route response | Next

#01 Client / webhook request -> #06 Request failed | Failure | FAILURE

#06 Request failed -> #07 Show error / retry | Next | FAILURE

#03 Handler-specific guards -> #08 Authentication APIs | Next

#08 Authentication APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #09 Account APIs | Next

#09 Account APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #10 Products APIs | Next

#10 Products APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #11 Categories APIs | Next

#11 Categories APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #12 Search APIs | Next

#12 Search APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #13 Cart & checkout APIs | Next

#13 Cart & checkout APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #14 Orders APIs | Next

#14 Orders APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #15 Payments APIs | Next

#15 Payments APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #16 Shipping APIs | Next

API architecture

Directed connection register continued

#16 Shipping APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #17 Returns & refunds APIs | Next

#17 Returns & refunds APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #18 Reviews APIs | Next

#18 Reviews APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #19 Support APIs | Next

#19 Support APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #20 Admin APIs | Next

#20 Admin APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #21 Notifications APIs | Next

#21 Notifications APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #22 Marketing APIs | Next

#22 Marketing APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #23 Reports APIs | Next

#23 Reports APIs -> #04 Database / service boundary | Next

#03 Handler-specific guards -> #24 Other APIs | Next

#24 Other APIs -> #04 Database / service boundary | Next

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.