
Database collections & relationships

Architecture overview. Readable node and connection sheets follow.



Database collections & relationships

Readable detail sheet 1/14. Node numbers and page references preserve every directed connection.

#01 / Trigger / Implemented

Database service request

Backend requests a shared MongoDB client.

src/server/db.ts:30

Next -> #2 (p2)

#02 / Database Query / Implemented

MongoClient connection pool

MONGODB_URI environment lookup, pool of 10 and six-second selection timeout. No URI is displayed.

src/server/db.ts:34

Next -> #3 (p2)

#03 / IF / Switch / Implemented

Database configured?

Live services fail without MongoDB. A legacy local adapter exists after an unconditional early rejection and is not a working fallback.

src/server/db.ts:31

Yes / accepted -> #4 (p2); No / rejected -> #7 (p3)

#04 / Database Query / Implemented

ovia database / override

Configured DB name or ovia default; deployed Atlas topology is Unverified.

src/server/db.ts:45

Next -> #5 (p3)

Database collections & relationships

Readable detail sheet 2/14. Node numbers and page references preserve every directed connection.

#05 / Database Query / Implemented

Collections and indexes

setupDatabase defines identity, email uniqueness, token TTL and checkout idempotency indexes.

src/server/db.ts:239

Next -> #6 (p3); Collection access -> #9 (p4); Collection access -> #10 (p4); Collection access -> #11 (p4); Collection access -> #12 (p4); Collection access -> #13 (p5); Collection access -> #14 (p5); Collection access -> #15 (p5); Collection...

#06 / Response / Implemented

Persisted result

Repository reads and transactional writes return stored records.

src/server/db.ts:100

END: no outgoing connection

#07 / Error Handler / Implemented

Request failed

Validation, access, conflict or service errors are returned to the caller. Status and error shape depend on the specific route.

src/server/http.ts:69

Next -> #8 (p3)

#08 / Response / Implemented

Show error / retry

Failure end state. Caller receives the actual error; a retry may be offered by the UI.

src/server/http.ts:69

END: no outgoing connection

Database collections & relationships

Readable detail sheet 3/14. Node numbers and page references preserve every directed connection.

#09 / Database Query / Implemented

account_notifications

Actual collection name used by source. Evidence: 7 literal references. Production contents are Unverified.

src/app/api/v1/account/activity/route.ts:17

Next -> #6 (p3); userId -> users.id -> #56 (p15)

#10 / Database Query / Implemented

addresses

Actual collection name used by source. Evidence: 9 literal references. Production contents are Unverified.

src/app/api/v1/account/addresses/[[...id]]/route.ts:19

Next -> #6 (p3); userId -> users.id -> #56 (p15)

#11 / Database Query / Implemented

audit

Actual collection name used by source. Evidence: 13 literal references. Production contents are Unverified.

src/app/api/admin/support/route.ts:196

Next -> #6 (p3)

#12 / Database Query / Implemented

bulk_orders

Actual collection name used by source. Evidence: 3 literal references. Production contents are Unverified.

src/app/api/v1/bulk-orders/route.ts:142

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 4/14. Node numbers and page references preserve every directed connection.

#13 / Database Query / Implemented

campaignEvents

Actual collection name used by source. Evidence: 3 literal references. Production contents are Unverified.

src/server/campaigns.ts:20

Next -> #6 (p3); campaignId -> campaign identity -> #14 (p5)

#14 / Database Query / Implemented

campaigns

Actual collection name used by source. Evidence: 4 literal references. Production contents are Unverified.

src/server/campaigns.ts:11

Next -> #6 (p3)

#15 / Database Query / Implemented

carts

Actual collection name used by source. Evidence: 18 literal references. Production contents are Unverified.

src/server/account-sign-in.ts:7

Next -> #6 (p3); lines[].sku -> variants[].sku -> #32 (p9)

#16 / Database Query / Implemented

categories

Actual collection name used by source. Evidence: 5 literal references. Production contents are Unverified.

src/app/api/admin/product-taxonomy/route.ts:14

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 5/14. Node numbers and page references preserve every directed connection.

#17 / Database Query / Implemented

checkoutPromos

Actual collection name used by source. Evidence: 3 literal references. Production contents are Unverified.

src/server/checkout-pricing.ts:132

Next -> #6 (p3)

#18 / Database Query / Implemented

checkoutSessions

Actual collection name used by source. Evidence: 15 literal references. Production contents are Unverified.

src/server/commerce.ts:136

Next -> #6 (p3); orderId -> orders.id -> #29 (p9)

#19 / Database Query / Implemented

contact

Actual collection name used by source. Evidence: 4 literal references. Production contents are Unverified.

src/app/api/v1/[[...path]]/route.ts:450

Next -> #6 (p3)

#20 / Database Query / Implemented

coupons

Actual collection name used by source. Evidence: 18 literal references. Production contents are Unverified.

src/server/admin-service.ts:1546

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 6/14. Node numbers and page references preserve every directed connection.

#21 / Database Query / Implemented

events

Actual collection name used by source. Evidence: 20 literal references. Production contents are Unverified.

src/app/api/admin/content/blog-events/route.ts:127

Next -> #6 (p3)

#22 / Database Query / Implemented

integrations

Actual collection name used by source. Evidence: 6 literal references. Production contents are Unverified.

src/server/integrations-service.ts:53

Next -> #6 (p3)

#23 / Database Query / Implemented

inventory

Actual collection name used by source. Evidence: 17 literal references. Production contents are Unverified.

src/app/api/v1/orders/[id]/return/route.ts:77

Next -> #6 (p3); id -> variants[].sku -> #32 (p9)

#24 / Database Query / Implemented

inventoryMovements

Actual collection name used by source. Evidence: 2 literal references. Production contents are Unverified.

src/server/admin-service.ts:1206

Next -> #6 (p3); sku -> inventory.id -> #23 (p7)

Database collections & relationships

Readable detail sheet 7/14. Node numbers and page references preserve every directed connection.

#25 / Database Query / Implemented

limits

Actual collection name used by source. Evidence: 5 literal references. Production contents are Unverified.

src/server/http.ts:114

Next -> #6 (p3)

#26 / Database Query / Implemented

newsletter_subscribers

Actual collection name used by source. Evidence: 1 literal references. Production contents are Unverified.

src/app/api/v1/account/newsletter/route.ts:22

Next -> #6 (p3)

#27 / Database Query / Implemented

notification_logs

Actual collection name used by source. Evidence: 6 literal references. Production contents are Unverified.

src/server/notification-service.ts:751

Next -> #6 (p3)

#28 / Database Query / Implemented

order_return_requests

Actual collection name used by source. Evidence: 3 literal references. Production contents are Unverified.

src/app/api/admin/orders/[id]/return-request/route.ts:17

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 8/14. Node numbers and page references preserve every directed connection.

#29 / Database Query / Implemented

orders

Actual collection name used by source. Evidence: 112 literal references. Production contents are Unverified.

src/app/api/admin/orders/[id]/document/route.ts:16

Next -> #6 (p3); userId / owner -> user identity -> #56 (p15); campaignId -> campaigns.id -> #14 (p5)

#30 / Database Query / Implemented

outbox

Actual collection name used by source. Evidence: 30 literal references. Production contents are Unverified.

src/app/api/admin/shipping/route.ts:63

Next -> #6 (p3)

#31 / Database Query / Implemented

privacyRequests

Actual collection name used by source. Evidence: 8 literal references. Production contents are Unverified.

src/app/api/v1/care/[[...path]]/route.ts:58

Next -> #6 (p3)

#32 / Database Query / Implemented

products

Actual collection name used by source. Evidence: 20 literal references. Production contents are Unverified.

src/app/api/admin/product-taxonomy/route.ts:30

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 9/14. Node numbers and page references preserve every directed connection.

#33 / Database Query / Implemented

returns

Actual collection name used by source. Evidence: 2 literal references. Production contents are Unverified.

src/server/admin-service.ts:1401

Next -> #6 (p3); ticketId -> tickets.id -> #54 (p15); orderRawId -> orders.id -> #29 (p9)

#34 / Database Query / Implemented

reviews

Actual collection name used by source. Evidence: 9 literal references. Production contents are Unverified.

src/app/api/v1/reviews/route.ts:63

Next -> #6 (p3); userId -> users.id -> #56 (p15); optional orderId -> orders.id -> #29 (p9)

#35 / Database Query / Implemented

sessions

Actual collection name used by source. Evidence: 24 literal references. Production contents are Unverified.

src/app/api/admin/security/route.ts:17

Next -> #6 (p3); userId -> users.id -> #56 (p15)

#36 / Database Query / Implemented

settings

Actual collection name used by source. Evidence: 4 literal references. Production contents are Unverified.

src/server/admin-service.ts:1818

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 10/14. Node numbers and page references preserve every directed connection.

#37 / Database Query / Implemented

site_content

Actual collection name used by source. Evidence: 4 literal references. Production contents are Unverified.

src/app/api/admin/content/route.ts:230

Next -> #6 (p3)

#38 / Database Query / Implemented

stories

Actual collection name used by source. Evidence: 16 literal references. Production contents are Unverified.

src/app/api/admin/articles/route.ts:11

Next -> #6 (p3)

#39 / Database Query / Implemented

support_attachments

Actual collection name used by source. Evidence: 6 literal references. Production contents are Unverified.

src/app/api/support/attachments/[id]/route.ts:18

Next -> #6 (p3)

#40 / Database Query / Implemented

support_connections

Actual collection name used by source. Evidence: 5 literal references. Production contents are Unverified.

src/app/api/admin/support/gmail/callback/route.ts:58

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 11/14. Node numbers and page references preserve every directed connection.

#41 / Database Query / Implemented

support_conversations

Actual collection name used by source. Evidence: 17 literal references. Production contents are Unverified.

src/app/api/v1/care/[[...path]]/route.ts:453

Next -> #6 (p3)

#42 / Database Query / Implemented

support_drafts

Actual collection name used by source. Evidence: 4 literal references. Production contents are Unverified.

src/server/support-mailbox.ts:283

Next -> #6 (p3)

#43 / Database Query / Implemented

support_email_receipts

Actual collection name used by source. Evidence: 7 literal references. Production contents are Unverified.

src/server/support-gmail.ts:153

Next -> #6 (p3)

#44 / Database Query / Implemented

support_forwards

Actual collection name used by source. Evidence: 3 literal references. Production contents are Unverified.

src/server/support-mailbox.ts:442

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 12/14. Node numbers and page references preserve every directed connection.

#45 / Database Query / Implemented

support_labels

Actual collection name used by source. Evidence: 3 literal references. Production contents are Unverified.

src/server/support-mailbox.ts:343

Next -> #6 (p3)

#46 / Database Query / Implemented

support_mailbox

Actual collection name used by source. Evidence: 8 literal references. Production contents are Unverified.

src/server/support-inbox.ts:363

Next -> #6 (p3)

#47 / Database Query / Implemented

support_messages

Actual collection name used by source. Evidence: 7 literal references. Production contents are Unverified.

src/app/api/v1/care/[[...path]]/route.ts:231

Next -> #6 (p3); ticketId -> conversation ID -> #41 (p12)

#48 / Database Query / Implemented

support_notes

Actual collection name used by source. Evidence: 5 literal references. Production contents are Unverified.

src/server/support-conversations.ts:198

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 13/14. Node numbers and page references preserve every directed connection.

#49 / Database Query / Implemented

support_scheduled

Actual collection name used by source. Evidence: 6 literal references. Production contents are Unverified.

src/server/support-mailbox.ts:305

Next -> #6 (p3)

#50 / Database Query / Implemented

support_sent

Actual collection name used by source. Evidence: 4 literal references. Production contents are Unverified.

src/server/support-mailbox.ts:403

Next -> #6 (p3)

#51 / Database Query / Implemented

support_settings

Actual collection name used by source. Evidence: 2 literal references. Production contents are Unverified.

src/server/support-mailbox.ts:367

Next -> #6 (p3)

#52 / Database Query / Implemented

support_templates

Actual collection name used by source. Evidence: 3 literal references. Production contents are Unverified.

src/server/support-mailbox.ts:323

Next -> #6 (p3)

Database collections & relationships

Readable detail sheet 14/14. Node numbers and page references preserve every directed connection.

#53 / Database Query / Implemented

support_tickets

Actual collection name used by source. Evidence: 7 literal references. Production contents are Unverified.

src/app/api/v1/support/route.ts:75

Next -> #6 (p3)

#54 / Database Query / Implemented

tickets

Actual collection name used by source. Evidence: 18 literal references. Production contents are Unverified.

src/app/api/v1/account/activity/route.ts:14

Next -> #6 (p3); orderId -> orders.id -> #29 (p9)

#55 / Database Query / Implemented

tokens

Actual collection name used by source. Evidence: 29 literal references. Production contents are Unverified.

src/server/db.ts:270

Next -> #6 (p3)

#56 / Database Query / Implemented

users

Actual collection name used by source. Evidence: 53 literal references. Production contents are Unverified.

src/app/api/admin/customers/route.ts:59

Next -> #6 (p3)

Database collections & relationships

Complete directed connection register / no omitted success, failure or proposed edges

#01 Database service request -> #02 MongoClient connection pool | Next

#02 MongoClient connection pool -> #03 Database configured? | Next

#03 Database configured? -> #04 ovia database / override | Yes / accepted

#04 ovia database / override -> #05 Collections and indexes | Next

#05 Collections and indexes -> #06 Persisted result | Next

#03 Database configured? -> #07 Request failed | No / rejected | FAILURE

#07 Request failed -> #08 Show error / retry | Next | FAILURE

#05 Collections and indexes -> #09 account_notifications | Collection access

#09 account_notifications -> #06 Persisted result | Next

#05 Collections and indexes -> #10 addresses | Collection access

#10 addresses -> #06 Persisted result | Next

#05 Collections and indexes -> #11 audit | Collection access

#11 audit -> #06 Persisted result | Next

#05 Collections and indexes -> #12 bulk_orders | Collection access

#12 bulk_orders -> #06 Persisted result | Next

#05 Collections and indexes -> #13 campaignEvents | Collection access

#13 campaignEvents -> #06 Persisted result | Next

#05 Collections and indexes -> #14 campaigns | Collection access

#14 campaigns -> #06 Persisted result | Next

#05 Collections and indexes -> #15 carts | Collection access

#15 carts -> #06 Persisted result | Next

#05 Collections and indexes -> #16 categories | Collection access

Database collections & relationships

Directed connection register continued

#16 categories -> #06 Persisted result | Next

#05 Collections and indexes -> #17 checkoutPromos | Collection access

#17 checkoutPromos -> #06 Persisted result | Next

#05 Collections and indexes -> #18 checkoutSessions | Collection access

#18 checkoutSessions -> #06 Persisted result | Next

#05 Collections and indexes -> #19 contact | Collection access

#19 contact -> #06 Persisted result | Next

#05 Collections and indexes -> #20 coupons | Collection access

#20 coupons -> #06 Persisted result | Next

#05 Collections and indexes -> #21 events | Collection access

#21 events -> #06 Persisted result | Next

#05 Collections and indexes -> #22 integrations | Collection access

#22 integrations -> #06 Persisted result | Next

#05 Collections and indexes -> #23 inventory | Collection access

#23 inventory -> #06 Persisted result | Next

#05 Collections and indexes -> #24 inventoryMovements | Collection access

#24 inventoryMovements -> #06 Persisted result | Next

#05 Collections and indexes -> #25 limits | Collection access

#25 limits -> #06 Persisted result | Next

#05 Collections and indexes -> #26 newsletter_subscribers | Collection access

#26 newsletter_subscribers -> #06 Persisted result | Next

#05 Collections and indexes -> #27 notification_logs | Collection access

Database collections & relationships

Directed connection register continued

#27 notification_logs -> #06 Persisted result | Next

#05 Collections and indexes -> #28 order_return_requests | Collection access

#28 order_return_requests -> #06 Persisted result | Next

#05 Collections and indexes -> #29 orders | Collection access

#29 orders -> #06 Persisted result | Next

#05 Collections and indexes -> #30 outbox | Collection access

#30 outbox -> #06 Persisted result | Next

#05 Collections and indexes -> #31 privacyRequests | Collection access

#31 privacyRequests -> #06 Persisted result | Next

#05 Collections and indexes -> #32 products | Collection access

#32 products -> #06 Persisted result | Next

#05 Collections and indexes -> #33 returns | Collection access

#33 returns -> #06 Persisted result | Next

#05 Collections and indexes -> #34 reviews | Collection access

#34 reviews -> #06 Persisted result | Next

#05 Collections and indexes -> #35 sessions | Collection access

#35 sessions -> #06 Persisted result | Next

#05 Collections and indexes -> #36 settings | Collection access

#36 settings -> #06 Persisted result | Next

#05 Collections and indexes -> #37 site_content | Collection access

#37 site_content -> #06 Persisted result | Next

#05 Collections and indexes -> #38 stories | Collection access

Database collections & relationships

Directed connection register continued

#38 stories -> #06 Persisted result | Next

#05 Collections and indexes -> #39 support_attachments | Collection access

#39 support_attachments -> #06 Persisted result | Next

#05 Collections and indexes -> #40 support_connections | Collection access

#40 support_connections -> #06 Persisted result | Next

#05 Collections and indexes -> #41 support_conversations | Collection access

#41 support_conversations -> #06 Persisted result | Next

#05 Collections and indexes -> #42 support_drafts | Collection access

#42 support_drafts -> #06 Persisted result | Next

#05 Collections and indexes -> #43 support_email_receipts | Collection access

#43 support_email_receipts -> #06 Persisted result | Next

#05 Collections and indexes -> #44 support_forwards | Collection access

#44 support_forwards -> #06 Persisted result | Next

#05 Collections and indexes -> #45 support_labels | Collection access

#45 support_labels -> #06 Persisted result | Next

#05 Collections and indexes -> #46 support_mailbox | Collection access

#46 support_mailbox -> #06 Persisted result | Next

#05 Collections and indexes -> #47 support_messages | Collection access

#47 support_messages -> #06 Persisted result | Next

#05 Collections and indexes -> #48 support_notes | Collection access

#48 support_notes -> #06 Persisted result | Next

#05 Collections and indexes -> #49 support_scheduled | Collection access

Database collections & relationships

Directed connection register continued

#49 support_scheduled -> #06 Persisted result | Next

#05 Collections and indexes -> #50 support_sent | Collection access

#50 support_sent -> #06 Persisted result | Next

#05 Collections and indexes -> #51 support_settings | Collection access

#51 support_settings -> #06 Persisted result | Next

#05 Collections and indexes -> #52 support_templates | Collection access

#52 support_templates -> #06 Persisted result | Next

#05 Collections and indexes -> #53 support_tickets | Collection access

#53 support_tickets -> #06 Persisted result | Next

#05 Collections and indexes -> #54 tickets | Collection access

#54 tickets -> #06 Persisted result | Next

#05 Collections and indexes -> #55 tokens | Collection access

#55 tokens -> #06 Persisted result | Next

#05 Collections and indexes -> #56 users | Collection access

#56 users -> #06 Persisted result | Next

#35 sessions -> #56 users | userId -> users.id

#10 addresses -> #56 users | userId -> users.id

#29 orders -> #56 users | userId / owner -> user identity

#18 checkoutSessions -> #29 orders | orderId -> orders.id

#23 inventory -> #32 products | id -> variants[].sku

#15 carts -> #32 products | lines[].sku -> variants[].sku

#34 reviews -> #56 users | userId -> users.id

Database collections & relationships

Directed connection register continued

#34 reviews -> #29 orders | optional orderId -> orders.id

#54 tickets -> #29 orders | orderId -> orders.id

#33 returns -> #54 tickets | ticketId -> tickets.id

#33 returns -> #29 orders | orderRawId -> orders.id

#29 orders -> #14 campaigns | campaignId -> campaigns.id

#13 campaignEvents -> #14 campaigns | campaignId -> campaign identity

#47 support_messages -> #41 support_conversations | ticketId -> conversation ID

#09 account_notifications -> #56 users | userId -> users.id

#24 inventoryMovements -> #23 inventory | sku -> inventory.id

Note: Source implementation is documented; deployed configuration and provider connectivity are not verified.

Note: 48 literal collection names were found in queries or index definitions. A collection name in code does not prove that the collection exists in production.

Note: Payments, refunds and shipments are embedded in orders. Wishlist is embedded in users. Categories are matched by catalog fields; no category foreign key is declared.

Note: No Mongoose schemas were found; data models are TypeScript types plus runtime route validation.