


Step A: Connecting to Different Data Sources 1. Launch the Tableau Desktop application.




SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE


Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

2. Locate the blue Connect control panel on the far-left section of the start page.



3. Under the To a File sub-header, click on Text File (Tableau classifies .csv spreadsheet extensions as flat text files)



NAME : ADARSH SHUKLA

ROLL NO : T117

4. Navigate through your file directory, select Orders.csv, and click Open.

The screenshot shows the Tableau Desktop interface with the 'Orders' data source loaded. The 'Connections' pane on the left shows 'Orders' as a 'Text file'. The 'Files' pane shows a list of files including 'Categories.csv', 'Customers.csv', 'Geolocation.csv', 'Order Items.csv', 'Order Payments.csv', 'Orders.csv', 'Products.csv', 'Reviews.csv', 'Sellers.csv', and 'New Union'. The 'Orders.csv' file is selected. The main view area shows a data preview table with 8 rows and 7 columns: Order Id, Customer Id, Order Status, Order Purchase Timestamp, Order Approved At, Order Delivered Carrier Date, and Order Delivered Customer Date. The table contains data for various orders, including their status (delivered, unavailable, canceled) and timestamps.

Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered Customer Date
9111603257d91c1180ea2bd...	cbece3180303b43f336eaab...	delivered	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17:00
f5299da77d8dc1c9630692...	7ec3f2352e9adbb54e27488...	delivered	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53:00
28c89c82267c381a0a5221...	32f6a59402a367c36b5e5ec...	delivered	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52:00
460bb1de438f2781234032...	d47c079420914343068b4...	delivered	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52:00
24940d1052df86a8e24f10e...	dda3f6a475d39044a793c94...	delivered	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21:00
9863811d9296e66dc407813...	894344399c9fcb69219284f...	delivered	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52:00
779078ac80552fa400b11c2...	f583831c572cc8569dc2841f...	unavailable	13-06-2017 21:11:00	13-06-2017 21:22:00	null	null
a8ad6062c046e8e59731c103...	a32bf652b772eb12837ab15d...	delivered	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55:00
058e0a8627dc25b49ea44ce...	ef48ea66b39a13e1310b36b...	canceled	10-05-2018 13:10:00	15-05-2018 07:14:00	null	null
430b5c447f6d1aef64e27157...	0e6043ec6383abe8e3ee07a6...	delivered	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:53:00

Step B: Creating Data Extracts vs. Live Connections 1. Once the dataset populates the main staging view, navigate to the top-right corner of the Data Source interface. 2. Locate the connection mode toggle section.

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

Tableau - Book2

File Data Server Window Help

Connections

Orders

Text file

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders.csv

8 fields 99441 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Order Status	Order...	order...
Abc	Order Purchase Timestamp	Order...	order...
Abc	Order Approved At	Order...	order...
Abc	Order Delivered Carrier Date	Order...	order...
Abc	Order Delivered Customer Date	Order...	order...

Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered Customer Date
91116032517691c1180ea2bd...	cbccc3180303b43f336eaab...	delivered	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17:00
f5299da77d8dc1c9630692...	7ec3f2352e9adb54e27488...	delivered	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53:00
28c89c82267d381a04c5221...	32f9ea59402a367c36b5e5ec...	delivered	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52:00
460bb1dc438d781234032...	d47c07942091434330b8d4...	delivered	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52:00
24940d3052f86d8e24f06e...	d6e3f6a475d39044e793c94...	delivered	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21:00
9863811d926ae6dc407813...	894344399c9f6b69219284f...	delivered	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52:00
779078ac80552fa400b11c2...	f583831c57cc8569de2841f...	unavailable	13-06-2017 21:11:00	13-06-2017 21:22:00	null	null
a8ad6062c04de8e59731cf03...	a32bf52b772eb12837ab15d...	delivered	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55:00
058e0a8627dc25b49eae4ce...	e148ea66b39a13a1310b36b...	cancelled	10-05-2018 13:10:00	15-05-2018 07:14:00	null	null
430b5c4d76d1aef44e27157...	0e6043c6383abe8e3ee07a6...	delivered	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:53:00

Data Source

Sheet 1

30°C

Mostly cloudy

Search

ENG

IN

13:32

04-08-2026

3. Switch the active selection from Live over to Extract.

Tableau - Book2

File Data Server Window Help

Connections

Orders

Text file

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders.csv

8 fields 99441 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Order Status	Order...	order...
Abc	Order Purchase Timestamp	Order...	order...
Abc	Order Approved At	Order...	order...
Abc	Order Delivered Carrier Date	Order...	order...
Abc	Order Delivered Customer Date	Order...	order...

Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered Customer Date
91116032517691c1180ea2bd...	cbccc3180303b43f336eaab...	delivered	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17:00
f5299da77d8dc1c9630692...	7ec3f2352e9adb54e27488...	delivered	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53:00
28c89c82267d381a04c5221...	32f9ea59402a367c36b5e5ec...	delivered	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52:00
460bb1dc438d781234032...	d47c07942091434330b8d4...	delivered	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52:00
24940d3052f86d8e24f06e...	d6e3f6a475d39044e793c94...	delivered	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21:00
9863811d926ae6dc407813...	894344399c9f6b69219284f...	delivered	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52:00
779078ac80552fa400b11c2...	f583831c57cc8569de2841f...	unavailable	13-06-2017 21:11:00	13-06-2017 21:22:00	null	null
a8ad6062c04de8e59731cf03...	a32bf52b772eb12837ab15d...	delivered	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55:00
058e0a8627dc25b49eae4ce...	e148ea66b39a13a1310b36b...	cancelled	10-05-2018 13:10:00	15-05-2018 07:14:00	null	null
430b5c4d76d1aef44e27157...	0e6043c6383abe8e3ee07a6...	delivered	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:53:00

Data Source

Sheet 1

30°C

Mostly cloudy

Search

ENG

IN

13:32

04-08-2026

4. Click on the Sheet 1 navigation tab located at the bottom-left corner of the workspace screen

NAME : ADARSH SHUKLA


ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

5. A system dialog save window will immediately appear. Name the local snapshot file Ecommerce_Extract and click Save.



Step C: Managing Operational Metadata 1. Navigate to the blank workspace canvas on Sheet 1 and view the left-hand side Data Pane. 2. Rename a Field: Locate the dimensional attribute field labeled order_status or Order Status. Right-click the field name, select Rename, type in Status, and hit Enter.

NAME : ADARSH SHUKLA
ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

Tableau - Book2

File Data Server Window Help

Connections

Orders
Text file

Files

☐ Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union
New Table Extension

Orders.csv

8 fields 99441 rows

100 rows

Name Orders.csv
Description
No description available.

Fields

Type	Field Name	Phys...	Rem...
Alt	Order Id	Order...	order_id
Alt	Customer Id	Order...	custo...
Alt	Order Status	Order...	order...
Alt	Order Purchase Timestamp	Order...	order...
Alt	Order Approved At	Order...	order...
Alt	Order Delivered Carrier Date	Order...	order...
Alt	Order Delivered Customer Date	Order...	order...

Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered Customer Date
91116032517691c1180ea2bd...	cbece3180303b43f336eaab...	delivered	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17:00
f5299da7708dc1c9630692...	7ec3f2352e9adb54e27488...	delivered	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53:00
28c89c82267d381a04c5221...	32f8a59402a367c36b5e5ec...	delivered	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52:00
460bbd1d43882781234032...	d47c0794209143430f8b4...	delivered	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52:00
24940d30528f86d8e24f06...	dde3f6a475d39044793c94...	delivered	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21:00
9863811d92b6ae6f4c407813...	894344399c96b69219284f...	delivered	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52:00
779078ac80552fa400b11c2...	f583831c572cc8569da2841f...	unavailable	13-06-2017 21:11:00	13-06-2017 21:22:00	null	null
a8ad6062c04de59731c403...	a32bf5b2b772eb12837ab55d...	delivered	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55:00
058e0a8627dc29b49aeedce...	e148ea66fb39a1310b36b...	cancelled	10-05-2018 13:10:00	15-05-2018 07:14:00	null	null
430b5c4d76d1aef44c27157...	0e043c6383abe8e3ee07a6...	delivered	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:53:00

Data Source Sheet 1

30°C Mostly cloudy


Search

ENG IN 13:32 04-08-2026

3 Hide a Field: Locate an internal tracking string variable that will not be used in visual reporting, such as customer. Right-click the field name and select Hide.

NAME : ADARSH SHUKLA

ROLL NO : T117




4. Change a Data Type: Locate the operational timestamp column labeled `order_purchase_timestamp`. Click directly on the data type icon (which may incorrectly display as text `Abc` or a calendar date) positioned immediately to the left of the field name. Select `Date & Time` from the context dropdown menu to force proper structural recognition (Note: It may by default selected to `Date` and `Time`).


SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation



Step D: Performing Relational Joins on Multiple Tables 1. Click the Data Source tab positioned at the bottom-left corner of the window to return to the data schema designer.



NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

2. In the top staging canvas area, locate the rectangular Orders.csv database block

The screenshot shows the Tableau Desktop interface. In the top staging canvas, the 'Orders.csv' database block is visible. The bottom pane displays the data preview for 'Orders.csv', showing 8 fields and 99441 rows. The data preview table is as follows:

Name	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv
Description	Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered Customer Date
91116032517d91c1180ea2bd...	91116032517d91c1180ea2bd...	cbce3180303b43f336eaab...	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17:00	
f5299da77d8dc1c9630f692...	f5299da77d8dc1c9630f692...	7ec3f2352e9adb554e27488...	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53:00	
28c89c82267d381a04c5221...	28c89c82267d381a04c5221...	32f6a59402a367c36b5e5ec...	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52:00	
4606b01de438f2781234032...	4606b01de438f2781234032...	d47c079420914343308b84...	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52:00	
24940d1052ef86a8e24f06e...	24940d1052ef86a8e24f06e...	dde3f6a475d39044a793c94...	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21:00	
9863811d9296ae6dc407813...	9863811d9296ae6dc407813...	894344399c9fcb69219284f...	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52:00	
779078ac80552f4a00b11c2...	779078ac80552f4a00b11c2...	f583831c572cc8569dc2841f...	13-06-2017 21:11:00	13-06-2017 21:22:00	17-05-2018 10:07:00	21-05-2018 18:52:00	
a8ad6062c04fe959731c1f03...	a8ad6062c04fe959731c1f03...	a32bf52b772e612837ab15d...	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55:00	
058e0a8627dc25b49eae4ce...	058e0a8627dc25b49eae4ce...	ef48ea66fb39a13e1310b36b...	10-05-2018 13:10:00	15-05-2018 07:14:00	17-05-2018 10:07:00	21-05-2018 18:52:00	
430b5c447f6d1eaf1d4e27157...	430b5c447f6d1eaf1d4e27157...	e0643c6383abe8e3ee07a6...	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:53:00	

3. Double-click directly on the Orders.csv block. This action drills down through the logical relationship layer and enters the Physical Layer canvas space.

The screenshot shows the Tableau Desktop interface. In the top staging canvas, the 'Orders.csv' database block is visible. The bottom pane displays the data preview for 'Orders.csv', showing 8 fields and 99441 rows. The data preview table is as follows:

Name	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv
Description	Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered Customer Date
91116032517d91c1180ea2bd...	91116032517d91c1180ea2bd...	cbce3180303b43f336eaab...	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17:00	
f5299da77d8dc1c9630f692...	f5299da77d8dc1c9630f692...	7ec3f2352e9adb554e27488...	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53:00	
28c89c82267d381a04c5221...	28c89c82267d381a04c5221...	32f6a59402a367c36b5e5ec...	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52:00	
4606b01de438f2781234032...	4606b01de438f2781234032...	d47c079420914343308b84...	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52:00	
24940d1052ef86a8e24f06e...	24940d1052ef86a8e24f06e...	dde3f6a475d39044a793c94...	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21:00	
9863811d9296ae6dc407813...	9863811d9296ae6dc407813...	894344399c9fcb69219284f...	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52:00	
779078ac80552f4a00b11c2...	779078ac80552f4a00b11c2...	f583831c572cc8569dc2841f...	13-06-2017 21:11:00	13-06-2017 21:22:00	17-05-2018 10:07:00	21-05-2018 18:52:00	
a8ad6062c04fe959731c1f03...	a8ad6062c04fe959731c1f03...	a32bf52b772e612837ab15d...	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55:00	
058e0a8627dc25b49eae4ce...	058e0a8627dc25b49eae4ce...	ef48ea66fb39a13e1310b36b...	10-05-2018 13:10:00	15-05-2018 07:14:00	17-05-2018 10:07:00	21-05-2018 18:52:00	
430b5c447f6d1eaf1d4e27157...	430b5c447f6d1eaf1d4e27157...	e0643c6383abe8e3ee07a6...	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:53:00	

NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

4. From the left-hand files listing pane, click and drag the Order Payments.csv file, dropping it directly next to the active Orders.csv block. A traditional Venn diagram icon link will snap open between them



The screenshot shows the Tableau Desktop interface. On the left, the 'Connections' pane shows 'Orders' as a 'Text file'. Below it, the 'Files' pane lists various CSV files, including 'Order Payments.csv'. In the main workspace, a Venn diagram icon links 'Orders.csv' and 'Order Payments.csv'. Below this, a data preview table is displayed, showing the relationship between the two datasets. The table has columns for 'Order Payments.csv' (order id), 'Order Payments.csv' (Payment Sequential), 'Order Payments.csv' (Payment Type), 'Order Payments.csv' (Payment Installments), and 'Order Payments.csv' (Payment Value). The table contains 10 rows of data.

Order Payments.csv order id (Order Payments.csv)	Order Payments.csv Payment Sequential	Order Payments.csv Payment Type	Order Payments.csv Payment Installments	Order Payments.csv Payment Value
75729cd39e546e44083ab7f...	1	credit_card	9	149.98
1d2a2c1119967c45184c9996...	1	credit_card	1	22.10
be96af68ea7ac440967173d0...	1	credit_card	1	50.34
732c9ceb9786952e76768e9f...	1	credit_card	5	106.87
64cd8f7b4890817dc20233...	1	boleto	1	25.38
4259e68b002b91e0547e0...	1	credit_card	5	267.27
actf0c21ea2b051266330ab0...	1	credit_card	4	77.41
65d0f5eb6f5db48fc9b5e4t...	1	credit_card	1	196.72
b0980803dc397415e4aee2d...	1	voucher	1	50.00
723a7113ee372c590ce268c4...	1	boleto	1	215.95


NAME : ADARSH SHUKLA

ROLL NO : T117


Practical: 2 Working with Data Sources and Data Preparation



ROLL NO : T117



7. Toggle Join Configurations: o Click Inner: Observe the underlying data preview window at the bottom. The rows instantly filter to show only records that contain both an order entry and a corresponding transaction payment receipt.



8. Leave the configuration set to a Left Join to preserve complete order history logs for the remainder of this exercise. Why we are doing it: Relational database systems store information in separate, specialized tables to minimize structural redundancy.



Joins combine these tables horizontally into a singular consolidated matrix by matching common data keys (order_id). Usage: Joins are executed when you need to merge highly dependent tables from the same data source to build cohesive row-level calculations (e.g., matching item costs with payment processing profiles). Step E: Applying Data Blending Between Independent Sources

1. Create a brand new blank workspace sheet by clicking on the New Worksheet icon (the chart block containing a \$\$ symbol) positioned at the bottom navigation tab area. This opens Sheet 2. 2. Ensure your joined Orders dataset connection is highlighted at the top left of the Data Pane. Drag the newly modified Status dimension field and drop it onto the Rows shelf. A blue checkmark will appear on the source, designating it as the Primary data pipeline.

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau


Practical: 2 Working with Data Sources and Data Preparation




NAME : ADARSH SHUKLA

ROLL NO : T117


3. Move your mouse to the top application menu bar and click Data > Edit Blend Relationships.
If the Option is grayed out as shown in the snapshot,click the New Data Source Option




After Clicking new data source you are directed to blue menu window select text file to add the Customers.csv file.



After adding the CSV file get back to sheet 2 and recheck the Edit Blend Relationship Option and click on it



4. Set the Primary data source field box to your active Orders connection, and map the Secondary data source block to the independent Customers dataset file.




5 .Switch the selection toggle switch from Automatic over to Custom, click the Add... button on the right, pair customer_id from the left dataset column to customer_id in the right column, and click OK.


SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation



Now Navigate Back to data source and change the connection to “LIVE” from “EXTRACT”



NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

Now Go Back to any to the Sheet 2 and right click on the Data Pane's empty space and click on "Show Hidden Fields"

Tableau - Book2

File Data Server Window Help

Connections

Orders

Text file

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders (2)

Orders.csv

Connection

Live Extract

Filters

0 Add

Relate tables

Drag tables near Orders.csv to relate them

Add a base table

Drag out additional base tables for multi-fact analysis.

Need help adding data? [Learn more](#)

Orders.csv 8 fields 99441 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Order Status	Order...	order...
Abc	Order Purchase Timestamp	Order...	order...
Abc	Order Approved At	Order...	order...
Abc	Order Delivered Carrier Date	Order...	order...
Abc	Order Delivered Customer Id	Order...	order...

Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered Customer Id
9111603257d91c1180ea2bd...	cbee3180303b43f336eaab...	delivered	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17:00
f5299daf77d8dc1c9630692...	7ec3f2352e9adb54e27488...	delivered	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53:00
28c89c32267c381a04c5221...	32f8ea59402a367c36b5e5ec...	delivered	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52:00
4606b01de438f2781234032...	d47c07942091434308b8a4...	delivered	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52:00
24940d3052af8648e24f06e...	dde3f6a475d39044e793c94...	delivered	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21:00
9863811d929e6f6c407813...	894344399c9f6b69219284f...	delivered	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52:00
779078ac80552f6400b11c2...	f583831c572cc85694c2841f...	unavailable	13-06-2017 21:11:00	13-06-2017 21:22:00	null	null
a8ad6062c04fe8e59731c103...	a32bfb52b772eb12837ab15d...	delivered	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55:00
058e0a8627dc25b49ee4ce...	ef48ea66b39a13a1310b36b...	cancelled	10-05-2018 13:10:00	15-05-2018 07:14:00	null	null
430b5c447f6d1ae1d4e27157...	0e043c6383abe8e3ee07a6...	delivered	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:53:00

Data Source Sheet 1 Sheet 2 Sheet 3

29°C Mostly cloudy

Search

ENG IN

13:55 04-08-2026

After Clicking it the Customer Id comes back into the data pane and make sure you click the "eye button" next to it marked in bellow provided snapshot

Now go back to Edit Blend Relationship option and after clicking it you may see both Customer Id in Left and Right,After that click on Custom it changes from automatic to custom and click Ok

Now go back to Edit Blend Relationship option and after clicking it you may see both Customer Id in Left and Right,After that click on Custom it changes from automatic to custom and click Ok


NAME : ADARSH SHUKLA

ROLL NO : T117


SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation




7. Click and drag the customer_state dimension variable out from this secondary dataset list and drop it onto the Columns shelf



NAME : ADARSH SHUKLA

ROLL NO : T117

Step F: Implementing Multi-Tiered Filters 1. Open a clean worksheet. Drag the quantitative measure field payment_value onto the Rows shelf and place the categorical dimension payment_type onto the Columns shelf.




2. Dimension Filter: From your Data Pane list, drag the categorical string attribute payment_type and drop it onto the empty Filters shelf positioned immediately above the Marks card layout. Uncheck the box for not_defined, check the boxes for credit_card and boleto, and click OK.


SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation



3. Measure Filter: Drag the quantitative numeric variable payment_value out from the measures list and drop it directly onto the Filters shelf. Select All Values in the prompt window, click Next, select the At Least option condition, type in 50 to screen out microtransactions(it will be at 0.1 at by default Change it by clicking on it and typing 50 on it), and click OK.





NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation



NAME : ADARSH SHUKLA


ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

4. Date Filter: Drag the calendar configuration time variable order_purchase_timestamp and drop it onto the Filters shelf. Select Years or Relative Date from the prompt configuration layout page to isolate the visualization into specific historical reporting boundaries.




NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation



Step G: Optimizing Dashboard Performance 1. Extract Filters: Navigate back to the main Data Source configuration workspace screen. Look immediately below the selected Extract radio dial selection button in the upper-right area and click the small Edit link. Click Add, select the categorical field Status, choose to check delivered exclusively, and click OK. Tableau will purge all canceled or unfulfilled order rows from the local extract file entirely.

NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation

Tableau - Book2

File Data Server Window Help

Connections

Orders Text file

Files

Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union
New Table Extension

Orders.csv 8 fields 99441 rows

100 rows

Name Orders.csv
Description
No description available.
Fields

Type	Field Name	Physi...	Rem...
Alt	Order Id	Order...	order_id
Alt	Customer Id	Order...	custo...
Alt	Order Status	Order...	order...
Alt	Order Purchase Timestamp	Order...	order...
Alt	Order Approved At	Order...	order...
Alt	Order Delivered Carrier Date	Order...	order...
Alt	Order Delivered Customer Dat	Order...	order...

Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered C
91116032517691c1180ea2bd...	cbece3180303b43f336eab...	null	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17C
f5299da777d8dc1c9630692...	7ec3f2352e9eddb54e27488...	null	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53
28c89c82267c381a04c5221...	32f8a59402a367c36b5e5ec...	null	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52
460bbd1de438f2781234032...	d47c0794209143430f8b4...	null	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52
24940d1052f86d8e24f06e...	d6e3f6e475d39044e793c94...	null	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21
9663811d92f6ae6dc407813...	894344399c9db69219284f...	null	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52
779078ac80552fa400b11c2...	f583831c572cc8569de2841f...	null	13-06-2017 21:11:00	13-06-2017 21:22:00	null	null
a8ad6062c04de8e59731cf03...	a32bf52b772eb12837ab15d...	null	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55
058e0a8627dc25b49ae4dce...	ef48ea66fb39a13e1310b36b...	null	10-05-2018 13:10:00	15-05-2018 07:14:00	null	null
430b5c4d7f6d1aef4e27157...	0e043c6383abe8e3ee07a6...	null	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:534

Data Source Sheet 1 Sheet 2 Sheet 3 Sheet 4

29°C Mostly cloudy

Search

ENG IN 14:08 04-08-2025

Tableau - Book2

File Data Server Window Help

Connections

Orders Text file

Files

Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union
New Table Extension

Orders.csv 8 fields 99441 rows

100 rows

Name Orders.csv
Description
No description available.
Fields

Type	Field Name	Physi...	Rem...
Alt	Order Id	Order...	order_id
Alt	Customer Id	Order...	custo...
Alt	Order Status	Order...	order...
Alt	Order Purchase Timestamp	Order...	order...
Alt	Order Approved At	Order...	order...
Alt	Order Delivered Carrier Date	Order...	order...
Alt	Order Delivered Customer Dat	Order...	order...

Order Id	Customer Id	Order Status	Order Purchase Timestamp	Order Approved At	Order Delivered Carrier Date	Order Delivered C
91116032517691c1180ea2bd...	cbece3180303b43f336eab...	null	16-07-2017 09:50:00	16-07-2017 10:03:00	18-07-2017 19:42:00	15-08-2017 21:17C
f5299da777d8dc1c9630692...	7ec3f2352e9eddb54e27488...	null	25-11-2017 13:50:00	28-11-2017 15:34:00	02-12-2017 00:09:00	08-01-2018 18:53
28c89c82267c381a04c5221...	32f8a59402a367c36b5e5ec...	null	20-04-2017 21:43:00	25-04-2017 08:02:00	25-04-2017 14:28:00	03-05-2017 14:52
460bbd1de438f2781234032...	d47c0794209143430f8b4...	null	22-06-2018 11:57:00	23-06-2018 01:40:00	25-06-2018 14:45:00	26-06-2018 10:52
24940d1052f86d8e24f06e...	d6e3f6e475d39044e793c94...	null	01-05-2017 13:31:00	01-05-2017 13:50:00	05-05-2017 15:10:00	16-05-2017 20:21
9663811d92f6ae6dc407813...	894344399c9db69219284f...	null	16-05-2018 13:53:00	16-05-2018 15:18:00	17-05-2018 10:07:00	21-05-2018 18:52
779078ac80552fa400b11c2...	f583831c572cc8569de2841f...	null	13-06-2017 21:11:00	13-06-2017 21:22:00	null	null
a8ad6062c04de8e59731cf03...	a32bf52b772eb12837ab15d...	null	02-04-2018 14:04:00	02-04-2018 14:15:00	03-04-2018 18:57:00	12-04-2018 05:55
058e0a8627dc25b49ae4dce...	ef48ea66fb39a13e1310b36b...	null	10-05-2018 13:10:00	15-05-2018 07:14:00	null	null
430b5c4d7f6d1aef4e27157...	0e043c6383abe8e3ee07a6...	null	04-03-2018 23:25:00	04-03-2018 23:35:00	05-03-2018 18:39:00	17-03-2018 16:534

Data Source Sheet 1 Sheet 2 Sheet 3 Sheet 4

29°C Mostly cloudy

Search

ENG IN 14:08 04-08-2025

1 . Context Filters: Return to an active worksheet layout canvas view. Move your cursor to your Filters shelf, right-click any active filter pill sitting in the shelf area, and select Add to Context from the context dropdown. The selected pill background formatting will immediately change to a dark gray color.



NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation




NAME : ADARSH SHUKLA

ROLL NO : T117

SHETH L.U.J. AND SIR M.V. COLLEGE OF ARTS, SCIENCE, AND COMMERCE

Subject: :Subject: Data Visualization with Power BI and Tableau

Practical: 2 Working with Data Sources and Data Preparation



NAME : ADARSH SHUKLA
ROLL NO : T117