

ELECTRICAL OPEN

Administrator access checklist

Purpose Use this sheet whenever you need to give an existing app user an administrator role. The person must already have a login account before you add a role.

1. Choose the correct role

Role	Use it for
admin	Highest-level access. Full administration, including course details, scores, publishing/committing fixtures and sending member invitations.
membership_admin	Membership lists, fixture participants and fixture-calendar details. Cannot change course details, scores, results or fixture status.
scorekeeper	Staff score-entry access. Use only if the person needs score administration.
handicap_committee	Staff/committee access, including handicap administration. Use only for trusted committee members.

2. Find the user ID

In Supabase, open **SQL Editor**, create a new query and replace the email address below with the member's email. Run it, then copy the **id** value from the result.

```
select au.id, au.email, p.display_name,
pl.surname, pl.first_name
from auth.users au
left join public.profiles p on p.id = au.id
left join public.players pl on pl.profile_id = au.id
where lower(au.email) = lower('member@example.com');
```

3. Grant the role

Replace both placeholders. Use **admin** for full access, or replace it with **membership_admin**, **scorekeeper** or **handicap_committee** as required. Run the query once.

```
insert into public.user_roles (user_id, role)
values ('PASTE-USER-UUID-HERE', 'admin'::public.app_role)
on conflict (user_id, role) do nothing;
```

4. Ask the person to sign out and back in

Their current session may not refresh immediately. After they sign out and sign back in, the small **Admin** button should appear beside their initials if their assigned role gives administration access.

Check or remove access

To see who has a role, run:

```
select au.email, p.display_name, ur.role, ur.created_at
from public.user_roles ur
join auth.users au on au.id = ur.user_id
left join public.profiles p on p.id = ur.user_id
order by ur.role, au.email;
```

To remove one role, replace the placeholder values and run:

```
delete from public.user_roles
where user_id = 'PASTE-USER-UUID-HERE'
and role = 'admin'::public.app_role;
```

Safety Never delete rows from auth.users to remove admin access. Remove only the appropriate row from public.user_roles. Keep at least one trusted full administrator account at all times.