















Performance

Accessibility

Best **Practices**

SEO



Performance

Values are estimated and may vary. The <u>performance score</u> is calculated directly from these metrics. See calculator.

0-49

50-89

90-100



Expand view

METRICS

First Contentful Paint

12.1 s

Total Blocking Time

60 ms

Speed Index

12.1 s

View Treemap

▲ Largest Contentful Paint

22.2 s

Cumulative Layout Shift

0

about:blank 1/38


















Show audits relevant to: All FCP LCP TBT

DIAGNOSTICS



about:blank 2/38

URL	Transfer Size	Potential Savings
deps/react-icons_fa.js?v=0637a4a2 (localhost)	1,378.8 KiB	949.8 KiB
deps/react-dom_client.js?v=0637a4a2 (localhost)	907.1 KiB	767.5 KiB
/@vite/client (localhost)	134.1 KiB	107.3 KiB
deps/chunk-2YIMICFJ.js?v=0637a4a2 (localhost)	77.4 KiB	61.2 KiB
/@react-refresh (localhost)	74.2 KiB	60.3 KiB
deps/react_jsx-dev-runtime.js?v=0637a4a2 (localhost)	36.1 KiB	28.3 KiB
/src/Frontend.jsx?t=173 (localhost)	10.6 KiB	8.4 KiB
/src/Links.jsx?t=173 (localhost)	8.8 KiB	6.5 KiB
/src/main.jsx?t=173 (localhost)	5.5 KiB	3.5 KiB
/src/App.jsx?t=173 (localhost)	5.2 KiB	3.4 KiB
client/env.mjs (localhost)	3.9 KiB	2.7 KiB
/src/About.jsx?t=173 (localhost)	3.9 KiB	2.2 KiB

▲ Minify JavaScript — Potential savings of 811 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. <u>Learn how to minify JavaScript</u>. FCP <u>LCP</u>

URL	Transfer Size	Potential Savings
localhost 1st Party	2,392.7 KiB	785.2 KiB
deps/react-dom_client.js?v=0637a4a2 (localhost)	907.1 KiB	332.0 KiB
deps/lucide-react.js?v=0637a4a2 (localhost)	1,129.8 KiB	206.6 KiB
/@vite/client (localhost)	134.1 KiB	116.7 KiB
/@react-refresh (localhost)	74.2 KiB	64.0 KiB
deps/chunk-2YIMICFJ.js?v=0637a4a2 (localhost)	77.4 KiB	31.5 KiB

about:blank 3/38

URL	Transfer Size	Potential Savings
deps/react_jsx-dev-runtime.js?v=0637a4a2 (localhost)	36.1 KiB	14.0 KiB
/src/Frontend.jsx?t=173 (localhost)	10.6 KiB	6.6 KiB
/src/Links.jsx?t=173 (localhost)	8.8 KiB	5.3 KiB
client/env.mjs (localhost)	3.9 KiB	3.5 KiB
/src/App.jsx?t=173 (localhost)	5.2 KiB	2.6 KiB
/src/main.jsx?t=173 (localhost)	5.5 KiB	2.4 KiB
Unattributable	60.1 KiB	25.3 KiB
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_c ompact.js</pre>	60.1 KiB	25.3 KiB

▲ Reduce unused JavaScript — Potential savings of 1,921 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. <u>Learn how to reduce unused JavaScript</u>. FCP LCP

URL	Transfer Size	Potential Savings
localhost 1st Party	3,529.2 KiB	1,848.9 KiB
deps/react-icons_fa.js?v=0637a4a2 (localhost)	1,378.8 KiB	1,340.8 KiB
fa/index.mjs	1,350.3 KiB	1,340.4 KiB
deps/react-dom_client.js?v=0637a4a2 (localhost)	907.1 KiB	418.5 KiB
react-dom/cjs/react-dom.development.js	887.9 KiB	414.6 KiB
scheduler/cjs/scheduler.development.js	16.5 KiB	3.7 KiB
deps/chunk-2YIMICFJ.js?v=0637a4a2 (localhost)	77.4 KiB	45.0 KiB
cjs/react.development.js	75.2 KiB	45.0 KiB
deps/lucide-react.js?v=0637a4a2 (localhost)	1,129.8 KiB	23.9 KiB
lucide-react/dist/esm/icons/index.js	47.9 KiB	23.9 KiB
deps/react_jsx-dev-runtime.js?v=0637a4a2 (localhost)	36.1 KiB	20.7 KiB

about:blank 4/38

URL	Transfer Size	Potential Savings
cjs/react-jsx-dev-runtime.development.js	35.2 KiB	20.7 KiB
Unattributable	108.7 KiB	72.5 KiB
chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backen d_compact.js	60.1 KiB	39.5 KiB
//react-devtools-shared/src/utils.js	8.1 KiB	7.3 KiB
//react-devtools-shared/src/backend/agent.js	8.6 KiB	5.3 KiE
//react-devtools-shared/src/hydration.js	4.1 KiB	3.9 KiE
//node_modules/util/util.js	4.6 KiB	3.6 KiE
//node_modules/lru-cache/index.js	3.5 KiB	2.4 KiE
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	48.6 KiB	33.1 KiE
//react-devtools-shared/src/backend/fiber/renderer.js	16.2 KiB	8.5 KiE
<pre>///build/oss-experimental/react-debug-tools/cjs/react-debug- tools.production.js</pre>	4.2 KiB	3.8 KiE
//react-devtools-shared/src/backend/legacy/renderer.js	3.6 KiB	3.6 KiE
//react-devtools-shared/src/utils.js	2.4 KiB	2.1 KiE
//build/oss-experimental/react/cjs/react.production.js	2.7 KiB	2.0 KiE

▲ Eliminate render-blocking resources — Potential savings of 600 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn how to eliminate render-blocking resources. FCP [LCP]

✓ Show 3rd-party resources (2)

URL	Transfer Size	Potential Savings
JSDelivr CDN Cdn	49.7 KiB	1,320 ms
css/bootstrap.min.css (cdn.jsdelivr.net)	26.9 KiB	1,150 ms
js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	22.7 KiB	170 ms
localhost 1st Party	0.3 KiB	150 ms
/src/index.css (localhost)	0.3 KiB	150 ms

about:blank 5/38

Reduce unused CSS — Potential savings of 26 KiB Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP Potential Transfer **URL** Size Savings JSDelivr CDN Cdn 26.8 KiB 26.0 KiB 26.8 KiB 26.0 KiB ...css/bootstrap.min.css (cdn.jsdelivr.net) Page prevented back/forward cache restoration — 1 failure reason Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache Failure reason Failure type Pages with WebSocket cannot enter back/forward cache. Pending browser support http://localhost:3000 Serve images in next-gen formats — Potential savings of 13 KiB Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more about modern image formats. FCP [LCP] Resource Potential URL Size Savings localhost 1st Party 56.5 KiB 13.4 KiB 13.4 KiB /assets/carlos.jpg (localhost) 56.5 KiB img#profpic Properly size images — Potential savings of 37 KiB Serve images that are appropriately-sized to save cellular data and improve load time. Learn how to size images. FCP LCP

about:blank 6/38

	URL	Resource Size	Potential Savings
localhost (1st Party)		56.5 KiB	37.2 KiB
img#profpic	/assets/carlos.jpg (localhost)	56.5 KiB	37.2 KiB

Remove duplicate modules in JavaScript bundles — Potential savings of 11 KiB

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. $\boxed{\text{FCP}}$ $\boxed{\text{LCP}}$

Source	Transfer Size	Potentia Saving
//react-devtools-shared/src/utils.js		0 Kil
chrome-		
<pre>extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe nd_compact.js</pre>	10 KiB	
chrome-	O K:D	
extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	
Other		0 Ki
chrome-		
<pre>extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe nd_compact.js</pre>		
chrome-		
extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js		
node_modules/util		0 Ki
chrome-		
<pre>extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe nd_compact.js</pre>	0 KiB	
chrome-	0 KiB	
extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	O KID	
node_modules/lru-cache		0 Ki
chrome-		
<pre>extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe nd_compact.js</pre>	0 KiB	

about:blank 7/38

Source	Transfer Size	Potenti Saving
chrome-	0 KiB	
extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js		
node_modules/yallist		0 K
chrome-		
extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe	0 KiB	
nd_compact.js		
chrome-	0 KiB	
extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	O KID	
//react-devtools-shared/src/hydration.js		0 Ki
chrome-		
extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe	0 KiB	
nd_compact.js		
chrome-	0 KiB	
extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	UNID	

Avoid enormous network payloads — Total size was 3,893 KiB

Large network payloads cost users real money and are highly correlated with long load times. <u>Learn how to reduce payload sizes</u>.

✓ Show 3rd-party resources (2)

URL	Transfer Size
localhost 1st Party	3,796.1 KiB
deps/react-icons_fa.js?v=0637a4a2 (localhost)	1,379.1 KiB
deps/lucide-react.js?v=0637a4a2 (localhost)	1,130.1 KiB
deps/react-dom_client.js?v=0637a4a2 (localhost)	907.3 KiB
/@vite/client (localhost)	134.4 KiB
deps/chunk-2YIMICFJ.js?v=0637a4a2 (localhost)	77.6 KiB
/@react-refresh (localhost)	74.4 KiB
/assets/carlos.jpg (localhost)	56.8 KiB
deps/react_jsx-dev-runtime.js?v=0637a4a2 (localhost)	36.4 KiB

about:blank 8/38

URL	Transfer Size
JSDelivr CDN Cdn	49.7 KiB
css/bootstrap.min.css (cdn.jsdelivr.net)	26.9 KiB
js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	22.7 KiB

○ JavaScript execution time — 0.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. (TBT)

✓ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	344 ms	45 ms	0 ms
Unattributable	344 ms	45 ms	0 ms
localhost (1st Party)	315 ms	133 ms	29 ms
http://localhost:3000	200 ms	32 ms	24 ms
deps/react-dom_client.js?v=0637a4a2 (localhost)	115 ms	101 ms	5 ms
JSDelivr CDN Cdn	66 ms	48 ms	5 ms
js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	66 ms	48 ms	5 ms

Minimizes main-thread work — 0.9 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work [TBT]

Category	Time Spent
Other	457 ms
Script Evaluation	262 ms
Script Parsing & Compilation	73 ms

about:blank 9/38

Category	Time Spent
Style & Layout	53 ms
Parse HTML & CSS	21 ms
Garbage Collection	13 ms
Rendering	3 ms

O Avoid long main-thread tasks — 4 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. <u>Learn how to avoid long main-thread tasks</u> (TBT)

✓ Show 3rd-party resources (1)

URL	Start Time	Duration
Unattributable		159 ms
Unattributable	4,262 ms	159 ms
localhost 1st Party		105 ms
http://localhost:3000	604 ms	55 ms
deps/react-dom_client.js?v=0637a4a2 (localhost)	8,412 ms	50 ms
JSDelivr CDN Cdn		54 ms
js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	4,208 ms	54 ms

O User Timing marks and measures — 194 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more about User Timing marks</u>.

Name	Туре	Start Time	Duration
v3	Mark	0.00 ms	
clearMarks	Mark	27.59 ms	
schedule-render-16	Mark	136.00 ms	

about:blank 10/38

Name	Туре	Start Time	Duration
clearMarks	Mark	136.08 ms	
render-start-16	Mark	141.28 ms	
clearMarks	Mark	141.33 ms	
component-render-start-GlobalErrorHandler	Mark	142.77 ms	
clearMarks	Mark	142.91 ms	
-component-render-stop	Mark	143.25 ms	
clearMarks	Mark	143.31 ms	
-component-render-stop	Mark	144.42 ms	
clearMarks	Mark	144.71 ms	
suspense-suspend-0-Lazy-mount-16-	Mark	144.82 ms	
clearMarks	Mark	144.85 ms	
render-stop	Mark	147.73 ms	
clearMarks	Mark	148.36 ms	
commit-start-16	Mark	148.74 ms	
clearMarks	Mark	148.78 ms	
react-version-18.3.1	Mark	148.85 ms	
clearMarks	Mark	148.89 ms	
profiler-version-1	Mark	148.90 ms	
clearMarks	Mark	148.91 ms	
r-react-internal-module-start- at http://localhost:3000/node_modules/.vite/deps/chunk-2YIMICFJ. r=0637a4a2:39:70	js? Mark	148.95 ms	
clearMarks	Mark	148.97 ms	
-react-internal-module-stop- at http://localhost:3000/node_modules/.vite/deps/chunk-2YIMICFJ.	Mark js?	148.98 ms	

7			
Name	Type	Start Time	Duration
v=0637a4a2:1898:69			
clearMarks	Mark	149.00 ms	
react-internal-module-start- at			
		4.40.04	
http://localhost:3000/node_modules/.vite/deps/react-dom_client.js?	Mark	149.01 ms	
v=0637a4a2:14:70			
clearMarks	Mark	149.02 ms	
react-internal-module-stop- at			
http://localhost:3000/node_modules/.vite/deps/react-dom_client.js?	Mark	149.02 ms	
v=0637a4a2:449:69			
alaayMayka	Magle	140.04	
clearMarks	Mark	149.04 ms	
react-internal-module-start- at			
http://localhost:3000/node_modules/.vite/deps/react-dom_client.js?	Mark	149.04 ms	
v=0637a4a2:476:70		-	
clearMarks	Mark	149.06 ms	
react-internal-module-stop- at			
http://localhost:3000/node_modules/.vite/deps/react-dom_client.js?	Mark	149.06 ms	
v=0637a4a2:21567:69			
clearMarks	Mark	149.07 ms	
Cleativial KS	IVIAIK	143.07 1113	
react-lane-labels-			
Sync, Input Continuous Hydration, Input Continuous, Default Hydration, Default, Table 1000, Default (Continuous) and Continuous (Continuous)			
ran sition Hydration, Transition, Transi	Morle	140.00 ma	
sition, Transition, Transiti	Mark	149.09 ms	
on, Transition, Transition, Retry, Retry, Retry, Retry, Retry, Selective Hy			
dration,IdleHydration,Idle,Offscreen			
		4.0.45	
clearMarks	Mark	149.11 ms	
layout-effects-start-16	Mark	149.92 ms	
.,		0.02 1110	
clearMarks	Mark	149.96 ms	
layout-effects-stop	Mark	150.16 ms	
elearMarke	Mork	150 10 ~~	
clearMarks	Mark	150.18 ms	
commit-stop	Mark	153.12 ms	
		-	

about:blank 12/38

Name	Туре	Start Time	Duration
clearMarks	Mark	153.20 ms	
suspense-resolved-0-Lazy	Mark	279.32 ms	
clearMarks	Mark	279.45 ms	
render-start-4194304	Mark	281.12 ms	
clearMarks	Mark	281.35 ms	
component-render-start-App	Mark	281.75 ms	
clearMarks	Mark	281.79 ms	
component-render-stop	Mark	281.99 ms	
clearMarks	Mark	282.01 ms	
component-render-start-About	Mark	283.04 ms	
clearMarks	Mark	283.11 ms	
component-render-stop	Mark	283.18 ms	
clearMarks	Mark	283.20 ms	
component-render-start-Frontend	Mark	283.37 ms	
clearMarks	Mark	283.46 ms	
component-render-stop	Mark	283.57 ms	
clearMarks	Mark	283.59 ms	
component-render-start-FaHtml5	Mark	283.82 ms	
clearMarks	Mark	283.86 ms	
component-render-stop	Mark	284.39 ms	
clearMarks	Mark	284.44 ms	
component-render-start-IconBase	Mark	284.48 ms	
clearMarks	Mark	284.53 ms	

Name	Туре	Start Time	Duration
component-render-stop	Mark	284.57 ms	
clearMarks	Mark	284.60 ms	
component-render-start-Context.Consumer	Mark	284.71 ms	
clearMarks	Mark	284.75 ms	
-component-render-stop	Mark	284.87 ms	
clearMarks	Mark	284.91 ms	
-component-render-start-FaCss3Alt	Mark	285.54 ms	
clearMarks	Mark	285.60 ms	
component-render-stop	Mark	285.66 ms	
clearMarks	Mark	285.70 ms	
-component-render-start-IconBase	Mark	285.73 ms	
clearMarks	Mark	285.78 ms	
-component-render-stop	Mark	285.81 ms	
clearMarks	Mark	285.87 ms	
-component-render-start-Context.Consumer	Mark	285.89 ms	
clearMarks	Mark	285.93 ms	
-component-render-stop	Mark	285.95 ms	
clearMarks	Mark	285.99 ms	
render-yield	Mark	286.03 ms	
clearMarks	Mark	286.07 ms	
render-start-4194304	Mark	290.50 ms	
clearMarks	Mark	290.72 ms	
-component-render-start-FaJs	Mark	291.04 ms	

about:blank 14/38

Name	Type	Start Time	Duration
clearMarks	Mark	291.14 ms	
component-render-stop	Mark	291.24 ms	
clearMarks	Mark	291.30 ms	
component-render-start-IconBase	Mark	291.34 ms	
clearMarks	Mark	291.36 ms	
component-render-stop	Mark	291.36 ms	
clearMarks	Mark	291.38 ms	
component-render-start-Context.Consumer	Mark	291.39 ms	
clearMarks	Mark	291.41 ms	
component-render-stop	Mark	291.43 ms	
clearMarks	Mark	291.45 ms	
component-render-start-FaReact	Mark	291.54 ms	
clearMarks	Mark	291.56 ms	
component-render-stop	Mark	291.60 ms	
clearMarks	Mark	291.62 ms	
component-render-start-IconBase	Mark	291.63 ms	
clearMarks	Mark	291.66 ms	
component-render-stop	Mark	291.66 ms	
clearMarks	Mark	291.68 ms	
component-render-start-Context.Consumer	Mark	291.69 ms	
clearMarks	Mark	291.70 ms	
component-render-stop	Mark	291.71 ms	
clearMarks	Mark	291.74 ms	

Name	Туре	Start Time	Duration
component-render-start-FaBootstrap	Mark	291.87 ms	
clearMarks	Mark	291.91 ms	
component-render-stop	Mark	291.97 ms	
clearMarks	Mark	292.01 ms	
component-render-start-IconBase	Mark	292.04 ms	
clearMarks	Mark	292.07 ms	
component-render-stop	Mark	292.08 ms	
clearMarks	Mark	292.10 ms	
component-render-start-Context.Consumer	Mark	292.11 ms	
clearMarks	Mark	292.14 ms	
component-render-stop	Mark	292.15 ms	
clearMarks	Mark	292.17 ms	
component-render-start-FaNode	Mark	292.47 ms	
clearMarks	Mark	292.57 ms	
component-render-stop	Mark	292.73 ms	
clearMarks	Mark	292.75 ms	
component-render-start-IconBase	Mark	292.77 ms	
clearMarks	Mark	292.79 ms	
component-render-stop	Mark	292.80 ms	
clearMarks	Mark	292.82 ms	
component-render-start-Context.Consumer	Mark	292.83 ms	
clearMarks	Mark	292.86 ms	
component-render-stop	Mark	292.87 ms	

about:blank 16/38

Name	Type	Start Time	Duration
clearMarks	Mark	292.89 ms	
component-render-start-Links	Mark	293.14 ms	
clearMarks	Mark	293.16 ms	
component-render-stop	Mark	293.31 ms	
clearMarks	Mark	293.34 ms	
component-render-start-Github	Mark	293.54 ms	
clearMarks	Mark	293.57 ms	
component-render-stop	Mark	293.93 ms	
clearMarks	Mark	293.97 ms	
component-render-start-ForwardRef(Anonymous)	Mark	293.99 ms	
clearMarks	Mark	294.01 ms	
component-render-stop	Mark	294.15 ms	
clearMarks	Mark	294.18 ms	
component-render-start-Linkedin	Mark	294.54 ms	
clearMarks	Mark	294.56 ms	
component-render-stop	Mark	294.58 ms	
clearMarks	Mark	294.60 ms	
component-render-start-ForwardRef(Anonymous)	Mark	294.60 ms	
clearMarks	Mark	294.63 ms	
component-render-stop	Mark	294.70 ms	
clearMarks	Mark	294.72 ms	
component-render-start-Mail	Mark	294.90 ms	
clearMarks	Mark	294.93 ms	

about:blank 17/38

Name	Туре	Start Time	Duration
component-render-stop	Mark	294.95 ms	
clearMarks	Mark	294.97 ms	
component-render-start-ForwardRef(Anonymous)	Mark	294.98 ms	
clearMarks	Mark	295.00 ms	
component-render-stop	Mark	295.02 ms	
clearMarks	Mark	295.04 ms	
render-stop	Mark	295.15 ms	
clearMarks	Mark	295.17 ms	
commit-start-4194304	Mark	295.23 ms	
clearMarks	Mark	295.25 ms	
react-version-18.3.1	Mark	295.25 ms	
clearMarks	Mark	295.27 ms	
profiler-version-1	Mark	295.27 ms	
clearMarks	Mark	295.28 ms	
react-internal-module-start- at http://localhost:3000/node_modules/.vite/deps/chunk-2YIMICFJ.js? v=0637a4a2:39:70	Mark	295.29 ms	
clearMarks	Mark	295.30 ms	
react-internal-module-stop- at http://localhost:3000/node_modules/.vite/deps/chunk-2YIMICFJ.js? v=0637a4a2:1898:69	Mark	295.31 ms	
clearMarks	Mark	295.32 ms	
react-internal-module-start- at http://localhost:3000/node_modules/.vite/deps/react-dom_client.js? v=0637a4a2:14:70	Mark	295.32 ms	
clearMarks	Mark	295.33 ms	

about:blank 18/38

Name	Туре	Start Time	Duration
react-internal-module-stop- at http://localhost:3000/node_modules/.vite/deps/react-dom_client.js? v=0637a4a2:449:69	Mark	295.33 ms	
clearMarks	Mark	295.35 ms	
react-internal-module-start- at http://localhost:3000/node_modules/.vite/deps/react-dom_client.js? v=0637a4a2:476:70	Mark	295.35 ms	
clearMarks	Mark	295.37 ms	
react-internal-module-stop- at http://localhost:3000/node_modules/.vite/deps/react-dom_client.js? v=0637a4a2:21567:69	Mark	295.37 ms	
clearMarks	Mark	295.39 ms	
react-lane-labels- Sync,InputContinuousHydration,InputContinuous,DefaultHydration,Default,T ransitionHydration,Transiti	Mark	295.39 ms	
clearMarks	Mark	295.41 ms	
layout-effects-start-4194304	Mark	295.93 ms	
clearMarks	Mark	295.95 ms	
layout-effects-stop	Mark	296.39 ms	
clearMarks	Mark	296.42 ms	
commit-stop	Mark	296.88 ms	
clearMarks	Mark	296.91 ms	
passive-effects-start-4194304	Mark	306.05 ms	
clearMarks	Mark	306.12 ms	
passive-effects-stop	Mark	306.30 ms	
clearMarks	Mark	306.32 ms	

about:blank 19/38


Keep the server response time for t Time to First Byte metric. FCP LC	he main document short becaus	se all other requests depend	on it. <u>Learn more about th</u>
URL			Time Spen
localhost 1st Party			0 ms
http://localhost:3000			0 ms
Avoids an excessive DOM size	— 53 elements		
A large DOM will increase memory avoid an excessive DOM size. (TBT		lations, and produce costly l	ayout reflows. Learn how t
Statistic	Element		Value
Total DOM Elements			53
		path	
Maximum DOM Depth			(
		div.App	
Maximum Child Elements			(
Avoid chaining critical requests	— 14 chains found		
The Critical Request Chains below chains, reducing the download size	of resources, or deferring the do		
Maximum critical path latency: 219.	856 ms		
Initial Navigation			
http://localhost:3000			
/@vite/client (localhost)		
	localhost) - 8.552 ms, 4.18 KiB		

about:blank 20/38

/src/main.jsx?t=173... (localhost) ...deps/react_jsx-dev-runtime.js?v=0637a4a2 (localhost) ...deps/chunk-2YIMICFJ.js?v=0637a4a2 (localhost) - 8.954 ms, 77.63 KiB ...deps/react.js?v=0637a4a2 (localhost) - 6.791 ms, 0.42 KiB ...deps/react-dom_client.js?v=0637a4a2 (localhost) /src/App.jsx?t=173... (localhost) /src/App.css?t=173... (localhost) - 13.635 ms, 1.51 KiB /src/About.jsx?t=173... (localhost) /src/About.css?t=173... (localhost) - 2.925 ms, 1.04 KiB /src/Links.jsx?t=173... (localhost) ...deps/lucide-react.js?v=0637a4a2 (localhost) - 27.218 ms, 1,130.08 KiB /src/Links.css?t=173... (localhost) - 15.851 ms, 1.59 KiB /src/Frontend.jsx?t=173... (localhost) /src/Frontend.css?t=173... (localhost) - 16.836 ms, 1.09 KiB ...deps/react-icons_fa.js?v=0637a4a2 (localhost) - 33.648 ms, 1,379.10 KiB /src/index.css (localhost) - 11.488 ms, 0.74 KiB ...js/bootstrap.bundle.min.js (cdn.jsdelivr.net) - 81.408 ms, 22.73 KiB /@react-refresh (localhost) - 21.135 ms, 74.43 KiB Minimize third-party usage — Third-party code blocked the main thread for 0 ms Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn how to minimize third-party impact. TBT Third-Party Transfer Size Main-Thread Blocking Time JSDelivr CDN Cdn **50 KiB** 4 ms ...js/bootstrap.bundle.min.js (cdn.jsdelivr.net) 23 KiB 4 ms 27 KiB ...css/bootstrap.min.css (cdn.jsdelivr.net) 0 ms

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (19)



about:blank 21/38

Efficiently encode images	^
Optimized images load faster and consume less cellular data. <u>Learn how to efficiently encode images</u> . FCP LCP	
Preconnect to required origins	^
Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-part origins. Learn how to preconnect to required origins. LCP FCP	у
Avoid multiple page redirects	^
Redirects introduce additional delays before the page can be loaded. <u>Learn how to avoid page redirects</u> . <u>LCP</u> <u>FCP</u>	
Use HTTP/2	^
HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more about HTTP/2. LC	CP
Use video formats for animated content	^
Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more about efficient video formats FCP LC	P
Avoid serving legacy JavaScript to modern browsers	^
Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule fedetection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Lead to use modern JavaScript FCP LCP	
O Preload Largest Contentful Paint image	^
If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. <u>Learn monabout preloading LCP elements</u> . <u>LCP</u>	ore_
Uses efficient cache policy on static assets — 0 resources found	^
A long cache lifetime can speed up repeat visits to your page. <u>Learn more about efficient cache policies</u> .	
All text remains visible during webfont loads	^
Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more about font-display.	<u>t</u>
Lazy load third-party resources with facades	^

about:blank 22/38

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn how to defer third-parties with a facade. (TBT) Largest Contentful Paint image was not lazily loaded Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more about optimal lazy loading. [LCP] Avoid large layout shifts These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to windowing. Learn how to improve CLS CLS Uses passive listeners to improve scrolling performance Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. Learn more about adopting passive event listeners. Avoids document.write() For users on slow connections, external scripts dynamically injected via document.write() can delay page load by tens of seconds. Learn how to avoid document.write(). Avoid non-composited animations Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS Image elements have explicit width and height Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions (CLS) Has a <meta name="viewport"> tag with width or initial-scale A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.



Accessibility

about:blank 23/38

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. <u>Learn how to make custom controls focusable</u> .	
Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.	
The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. <u>Learn more about logical tab ordering.</u>	
Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. <u>Learn more about DOM and visual ordering</u> .	
O User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus tra	<u>ps</u> .
The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. <u>Learn how to direct focus to new content</u> .	
HTML5 landmark elements are used to improve navigation	^
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.</nav></main>	
Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content.	
Custom controls have associated labels	^

about:blank 24/38

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels.

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls.

These items address areas which an automated testing tool cannot cover. Learn more in our guide on <u>conducting an accessibility</u> <u>review</u>.

PASSED AUDITS (19)

[aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document

 [aria-*] attributes have valid values Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes. [aria-*] attributes are valid and not misspelled Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes. Buttons have an accessible name When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible. Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute. [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

about:blank 25/38

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag. ARIA attributes are used as specified for the element's role Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes. Elements use only permitted ARIA attributes Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. Learn more about prohibited ARIA roles. Background and foreground colors have a sufficient contrast ratio Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles. <html> element has a [lang] attribute If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. <html> element has a valid value for its [lang] attribute Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the lang attribute. Links have a discernible name Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible. Lists contain only elements and script supporting elements (<script> and <template>). Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more about proper list structure. List items () are contained within , or <menu> parent elements Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. Learn more about proper list structure.

about:blank 26/38

Touch targets have sufficient size and spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the alt attribute.

NOT APPLICABLE (38)

[accesskey] values are unique Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. Uses ARIA roles only on compatible elements Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. Learn more about ARIA roles. button, link, and menuitem elements have accessible names When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to make command elements more accessible. Deprecated ARIA roles were not used Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles. Elements with role="dialog" or role="alertdialog" have accessible names. ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. [aria-hidden="true"] elements do not contain focusable descendents

about:blank 27/38

Focusable descendents within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how aria-hidden affects focusable elements.	
ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusation for users who rely on screen readers. Learn more about input field labels.	able
ARIA meter elements have accessible names	^
When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn how to name meter elements</u> .	
ARIA progressbar elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, mait unusable for users who rely on screen readers. <u>Learn how to label progressbar elements</u> .	aking
O [role]s have all required [aria-*] attributes	^
Some ARIA roles have required attributes that describe the state of the element to screen readers. <u>Learn more about roand required attributes</u> .	<u>iles</u>
Elements with an ARIA [role] that require children to contain a specific [role] have all required children.	^
Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. <u>Learn more al</u> <u>roles and required children elements</u> .	<u>bout</u>
[role]s are contained by their required parent element	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functio Learn more about ARIA roles and required parent element.	ns.
O [role] values are valid	^
ARIA roles must have valid values in order to perform their intended accessibility functions. <u>Learn more about valid ARIA roles.</u>	<u>A</u>
Elements with the role=text attribute do not have focusable descendents.	^
Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the role=text attribute.	
ARIA toggle fields have accessible names	^

about:blank 28/38

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields.
ARIA tooltip elements have accessible names
When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn how to name tooltip elements</u> .
O ARIA treeitem elements have accessible names
When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements.
O The page contains a heading, skip link, or landmark region
Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks.
O <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.</td></tr><tr><td>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly.</td></tr><tr><td>O Definition list items are wrapped in <dl> elements</td></tr><tr><td>Definition list items (<dt> and <dd>) must be wrapped in a parent <dl> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly.</td></tr><tr><td>O ARIA IDs are unique</td></tr><tr><td>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. <u>Learn how to fix duplicate ARIA IDs</u>.</td></tr><tr><td>O No form fields have multiple labels</td></tr><tr><td>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels.</td></tr><tr><td>O <frame> Or <iframe> elements have a title</td></tr><tr><td>Screen reader users rely on frame titles to describe the contents of frames. <u>Learn more about frame titles</u>.</td></tr><tr><td>O <html> element has an [xml:lang] attribute with the same base language as the [lang] attribute.</td></tr><tr><td>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. <u>Learn more about the lang attribute</u>.</td></tr></tbody></table></script></dd></dt></dl>

about:blank 29/38

O Input buttons have discernible text.
Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.
O <input type="image"/> elements have [alt] text
When an image is being used as an <input/> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.
O Form elements have associated labels
Labels ensure that form controls are announced properly by assistive technologies, like screen readers. <u>Learn more about</u> <u>form element labels</u> .
Links are distinguishable without relying on color.
Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.
O The document does not use <meta http-equiv="refresh"/>
Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag.
O <object> elements have alternate text</object>
Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. Learn more about alt text for object elements.</object>
Select elements have associated label elements.
Form elements without effective labels can create frustrating experiences for screen reader users. <u>Learn more about the select element</u> .
O Skip links are focusable.
Including a skip link can help users skip to the main content to save time. <u>Learn more about skip links</u> .
No element has a [tabindex] value greater than 0
A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. <u>Learn more about the tabindex attribute</u> .

about:blank 30/38

Tables have different content in the summary attribute and <caption>.</caption>	^
The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate tab mark-up helps users of screen readers. Learn more about summary and caption.</caption>	le
Cells in a element that use the [headers] attribute refer to table cells within the same table.	^
Screen readers have features to make navigating tables easier. Ensuring cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more about the headers attribute.	<u> </u>
elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.	^
Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more about table headers.	
[lang] attributes have a valid value	^
Specifying a valid <u>BCP 47 language</u> on elements helps ensure that text is pronounced correctly by a screen reader. <u>Learn how to use the lang attribute</u> .	
<pre> <video> elements contain a <track/> element with [kind="captions"] </video></pre>	^
When a video provides a caption it is easier for deaf and hearing impaired users to access its information. <u>Learn more abovideo captions</u> .	<u>out</u>



Best Practices

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. Learn how to use a CSP to prevent XSS

 Description
 Directive
 Severity

No CSP found in enforcement mode

High

about:blank 31/38

PASSED AUDITS (15)

Uses HTTPS All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS. Avoids deprecated APIs Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs. Avoids third-party cookies Chrome is moving towards a new experience that allows users to choose to browse without third-party cookies. Learn more about third-party cookies. Allows users to paste into input fields Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields. Avoids requesting the geolocation permission on page load Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission. Avoids requesting the notification permission on page load Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications. Displays images with correct aspect ratio Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio. Serves images with appropriate resolution Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images. Has a <meta name="viewport"> tag with width or initial-scale A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

about:blank 32/38

Document uses legible font sizes — 100% legible text Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. Learn more about legible font sizes. Selector Source % of Page Text Font Size Legible text 100.00% ≥ 12px Page has the HTML doctype Specifying a doctype prevents the browser from switching to quirks-mode. Learn more about the doctype declaration. Properly defines charset A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding. No browser errors logged to the console Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit No issues in the Issues panel in Chrome Devtools Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue. Page has valid source maps Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more about source maps. Show 3rd-party resources (1) URL Map URL Unattributable chromechromeextension://fmkadmapgofadopljbjfkapdkoienihi/buil extension://fmkadmapgofadopljbjfkapdkoienihi/build d/react_devtools_backend_compact.js /react_devtools_backend_compact.js.map

about:blank 33/38

Warning: missing 35 items in `.sourcesContent`

URL Map URL chromechromeextension://fmkadmapgofadopljbjfkapdkoienihi/buil extension://fmkadmapgofadopljbjfkapdkoienihi/build d/installHook.js /installHook.js.map Warning: missing 50 items in `.sourcesContent` JSDelivr CDN Cdn ...js/bootstrap.bundle.min.js (cdn.jsdelivr.net) ...js/bootstrap.bundle.min.js.map (cdn.jsdelivr.net) localhost 1st Party /src/main.jsx?t=173... (localhost) /src/Links.jsx?t=173... (localhost) /src/Frontend.jsx?t=173... (localhost) /src/App.jsx?t=173... (localhost) /src/About.jsx?t=173... (localhost) ...client/env.mjs (localhost) ...deps/react.js?v=0637a4a2 (localhost) ...deps/react.js.map (localhost) ...deps/react-icons_fa.js.map (localhost) ...deps/react-icons_fa.js?v=0637a4a2 (localhost) ...deps/react-dom_client.js?v=0637a4a2 (localhost) ...deps/react-dom_client.js.map (localhost) ...deps/react_jsx-dev-runtime.js? ...deps/react jsx-dev-runtime.js.map (localhost) v=0637a4a2 (localhost) ...deps/lucide-react.js?v=0637a4a2 (localhost) ...deps/lucide-react.js.map (localhost) ...deps/chunk-2YIMICFJ.js?v=0637a4a2 (localhost) ...deps/chunk-2YIMICFJ.js.map (localhost) /@vite/client (localhost) /@react-refresh (localhost)

NOT APPLICABLE (2)

Redirects HTTP traffic to HTTPS

about:blank 34/38

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <u>Learn more</u>.

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. Learn more about this JavaScript library detection diagnostic audit.




SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CONTENT BEST PRACTICES

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING



about:blank 35/38

.50 PIVI	about.blatik	
Line #	Content	Error
4	<pre><script type="module">import { injectIntoGlobalHook } from "/@react- refresh";</pre></td><td>Syntax not understood</td></tr><tr><td>5</td><td><pre>injectIntoGlobalHook(window);</pre></td><td>Syntax not understood</td></tr><tr><td>6</td><td><pre>window.\$RefreshReg\$ = () => {};</pre></td><td>Syntax not understood</td></tr><tr><td>7</td><td><pre>window.\$RefreshSig\$ = () => (type) => type;</script></pre>	Syntax not understood
9	<pre><script src="/@vite/client" type="module"></script></pre>	Syntax not understood
11	<pre><link crossorigin="anonymous" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.m in.css" integrity="sha384- QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH" rel="stylesheet"/></pre>	Unknown directive
12	<meta charset="utf-8"/>	Syntax not understood
13	<pre><meta content="width=device-width, initial-scale=1.0" name="viewport"/></pre>	Syntax not understood
14	<title>Carlos Arroyo</title>	Syntax not understood
15	k rel="stylesheet" href="/src/index.css" />	Syntax not understood
16		Syntax not understood
17	 body>	Syntax not understood
18	<div id="root"></div>	Syntax not understood
19	<pre><script defer="" src="/src/main.jsx?t=1732463332274" type="module"> </script></pre>	Syntax not understood
20	<pre></pre>	

about:blank 36/38

Line #	Content	Error
	<pre>dle.min.js" integrity="sha384- YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIdslK1eN7N6jIeHz" crossorigin="anonymous"></pre>	
21		Syntax not understood
22		Syntax not understood

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Structured data is valid

Structured Data.

Hide

Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn more about</u>

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (7)

Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.

Links have descriptive text

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Links are crawlable


Search engines may use h ref attributes on links to crawl websites. Ensure that the h ref attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable

about:blank 37/38

Captured at Nov 24, 2024, 3:50

PM UTC

Initial page load



Generated by **Lighthouse** 12.2.1 | File an issue

Lighthouse 12.2.1

Slow 4G throttling

Emulated Moto G Power with

Single page session

devtools

Using Chromium 131.0.0.0 with

about:blank 38/38