## Inverting a Matrix through Calculating to RREF

Given the matrix A:

$$A = \begin{bmatrix} -4 & 2 & 1\\ 1 & -2 & 3\\ 5 & 1 & 2 \end{bmatrix}$$

We want to find  $A^{-1}$ .

## Step 1

Start by augmenting A with the identity matrix:

$$\left[\begin{array}{ccc|cccc}
-4 & 2 & 1 & 1 & 0 & 0 \\
1 & -2 & 3 & 0 & 1 & 0 \\
5 & 1 & 2 & 0 & 0 & 1
\end{array}\right]$$

Now, swap the rows:

$$\left[\begin{array}{ccc|cccc}
1 & -2 & 3 & 0 & 1 & 0 \\
-4 & 2 & 1 & 1 & 0 & 0 \\
5 & 1 & 2 & 0 & 0 & 1
\end{array}\right]$$

Perform Gaussian elimination (row reduction) to convert the left side to the identity matrix. After performing RREF operations, we get:

$$\begin{bmatrix}
1 & 0 & 0 & \frac{1}{13} & -\frac{3}{13} & \frac{4}{13} \\
0 & 1 & 0 & 1 & -1 & 1 \\
0 & 0 & 1 & -\frac{9}{13} & \frac{14}{13} & -\frac{10}{13}
\end{bmatrix}$$

## Conclusion

The left-hand side is now the identity matrix, and the right-hand side is the inverse of A:

$$A^{-1} = \begin{bmatrix} \frac{1}{13} & -\frac{3}{13} & \frac{4}{13} \\ 1 & -1 & 1 \\ -\frac{9}{13} & \frac{14}{13} & -\frac{10}{13} \end{bmatrix}$$

If we cannot reduce to RREF, the matrix is not invertible.

## Find $A^{-1}$

We are solving the system AX + B = CX. We want to express it as:

$$B = CX - AX$$

$$B = (C - A)X$$

Thus,

$$(C-A)^{-1}B = X$$

We need to compute C - A.

$$C - A = \begin{bmatrix} 1 & 2 \\ 2 & 1 \end{bmatrix} - \begin{bmatrix} 2 & 1 \\ 0 & 6 \end{bmatrix} = \begin{bmatrix} -1 & 1 \\ 2 & -5 \end{bmatrix}$$

Now, we compute the inverse of C-A. To find  $(C-A)^{-1}$ , we first compute the determinant:

$$\det(C - A) = (-1)(-5) - (2)(1) = 5 - 2 = 3$$

Thus,

$$(C-A)^{-1} = \frac{1}{3} \begin{bmatrix} -5 & -1 \\ -2 & -1 \end{bmatrix} = \begin{bmatrix} -\frac{5}{3} & -\frac{1}{3} \\ -\frac{2}{3} & -\frac{1}{3} \end{bmatrix}$$

Next, we compute:

$$(C-A)^{-1} \begin{bmatrix} 0 & 3 \\ 2 & 1 \end{bmatrix} = \begin{bmatrix} -\frac{5}{3} & -\frac{1}{3} \\ -\frac{2}{3} & -\frac{1}{3} \end{bmatrix} \begin{bmatrix} 0 & 3 \\ 2 & 1 \end{bmatrix}$$

Performing the matrix multiplication:

$$\begin{bmatrix} -\frac{5}{3}(0) + -\frac{1}{3}(2) & -\frac{5}{3}(3) + -\frac{1}{3}(1) \\ -\frac{2}{3}(0) + -\frac{1}{3}(2) & -\frac{2}{3}(3) + -\frac{1}{3}(1) \end{bmatrix} = \begin{bmatrix} -\frac{2}{3} & -\frac{16}{3} \\ -\frac{2}{3} & -\frac{7}{3} \end{bmatrix}$$

Thus, the solution is:

$$X = \begin{bmatrix} -\frac{2}{3} & -\frac{16}{3} \\ -\frac{2}{3} & -\frac{7}{3} \end{bmatrix}$$