

CARSON JAMES

201 Darwin Rd ♦ Edmond, Oklahoma 73034
(+1) 405 315 5881 ♦ carson.a.james@gmail.com

EDUCATION

Phd Statistics Texas A&M University	<i>August 2020 - May 2025</i> GPA: 4.0
MSc Mathematics Oklahoma State University	<i>August 2016 - May 2018</i> GPA: 4.0
BA Mathematics Oklahoma State University	<i>August 2013 - May 2016</i> GPA: 3.929

RELEVANT COURSES AND MATERIAL COVERED

- **Current Courses:** Bayesian inference, classical inference, data analysis (R)
- **Past Courses:** linear models (generalized inverses, Gauss-Markov/generalized models) R-programming and computing, probability (measure theory), real analysis (measure theory, basic functional analysis), complex analysis, algebra (groups, rings, fields, modules, vector spaces), arithmetic dynamics, mathematical cryptography, mathematical statistics, stochastic processes (discrete Markov processes, Poisson processes)

RESEARCH INTERESTS AND CURRENT PROJECTS

Arithmetic Dynamics:

- A requirement of my masters degree consisted in creating some introductory notes to some open problems in the area of arithmetic dynamics. The focus is centered on introducing the notion of height of algebraic numbers, potential theory and the interplay between the two. In particular, given some polynomial $\phi \in \mathbb{Z}[z]$ with $\deg(\phi) \geq 2$, we can consider the Julia set \mathcal{J}_ϕ of ϕ , the canonical height \hat{h}_ϕ associated with ϕ and the equilibrium measure μ of \mathcal{J}_ϕ , that is, the measure that minimizes the energy functional $\int_{\mathcal{J}_\phi^2} -\log|x-y|d\nu^2$ over all Borel probability measures ν with support in \mathcal{J}_ϕ . Then any sequence $(z_n)_{n \in \mathbb{N}} \subset \overline{\mathbb{Q}}$ with $\deg(z_n) \rightarrow \infty$ and $\hat{h}_\phi(z_n) \rightarrow 0$ as $n \rightarrow \infty$ has the conjugates of z_n equidistributing around \mathcal{J}_ϕ . There are open problems regarding the existence of a lower bound for $\hat{h}_\phi(z)$ for z not preperiodic and in some sense bounded, but there is no answer for even simple cases like $\phi(z) = z^2 + c$ with $c \in \mathbb{Z}$. I periodically update the notes. ([creative component](#))

Programming:

- I am currently working on a C library and a corresponding wrapper in python using ctypes that implements number fields and finite fields and elliptic curves over these fields. After implementing these objects, I will implement the elliptic curve El-Gamal cryptosystem. ([Number Fields Code](#))

Risk:

- I am currently writing up some notes on risk and different tools to assess it along with some case studies. Currently in a very early stage. ([Risk](#))

WORK EXPERIENCE

Graduate Teaching Assistant at Texas A&M University

August 2020 - Present
20hrs

Math Teacher at Pensacola High School

August 2019 - May 2020
40+hrs

Courses Taught:

- Honors Algebra II
- Honors Precalculus
- IB Statistics

Graduate Teaching Assistant at Oklahoma State University

August 2016 - May 2018
20hrs

Courses Taught:

- Trigonometry (instructor of record)
- Business Calculus (recitation)

VOLUNTEER EXPERIENCE

Volunteer with Love Without Boundaries Cambodia

May 2018 - September 2018
40+hrs

Responsibilities:

- Taught English to grades 11 and 12 in Tuol Prasat High School,
- Assisted the LWB staff in writing donor reports.

SKILLS

Computer Languages

- Python (intermediate)
- C (intermediate)
- R (intermediate)

Languages

- English (native)
- Spanish (fluent)
- Portuguese (basic)

AWARDS AND HONORS

Hazel Bucy Endowment Fund (2017)

Member of Phi Beta Kappa Honor Society (2016)

Litchenburg Family Scholarship for Mathematics (2014)

Department of Mathematics General Scholarship (2014)

REFERENCES

Paul Fili, Department of Mathematics, Oklahoma State University, paul.fili@okstate.edu

Alan Noell, Department of Mathematics, Oklahoma State University, noell@math.okstate.edu

Igor Pritsker, Department of Mathematics, Oklahoma State University, igor@math.okstate.edu