

A Behavioral State Vocabulary in Sony ERS-111 R-CODE

Dr. Christopher A. Tucker

Abstract

This paper presents a corpus-level analysis of generated behavior diagrams derived from Sony’s R-CODE sample distribution for the ERS-111 AIBO. Rather than reading each script in isolation, the study compares named states across the corpus to identify the recurring control vocabulary that structures the sample set. The resulting aggregate shows that many superficially different routines are built from a compact embodied grammar centered on initialization, sensing, iterative action, synchronization, and recovery. It further shows that this vocabulary supports a graded scale of rising behavioral complexity, from capability activation and startup regularization to monitored locomotion, environmental decision loops, and fuller mode-based control. In addition to historical analysis, the paper argues that this form of state-based abstraction is useful as an intermediate representation for constructing new encapsulated behavior routines, especially on constrained native robotic systems where deterministic control, direct hardware access, and modular behavioral composition remain important.

Introduction

This paper examines the generated ERS-111 R-CODE behavior diagrams as a single behavioral corpus rather than as an assortment of independent scripts. Its objective is to identify the common control vocabulary that structures the sample set, distinguishing recurring foundational states from those that appear only within more specialized variants.

This framing is useful in part because many contemporary robotics systems still exhibit a persistent imbalance between deliberation and embodiment. They may perform well in perception benchmarks, scripted manipulation pipelines, or high-level planning tasks, yet remain comparatively weak in the continuous background competencies that allow an animal or human to remain viable in the world while doing something else. As a heuristic analogy, one may think here of a layered **System 1** and **System 2** organization: fast, low-latency, embodied monitoring and response on one side, and slower, more reflective or task-selective decision processes on the other. In the psychological literature, these terms generally distinguish rapid, automatic, and largely background cognition from slower, more deliberative reasoning [1]. Many current robot architectures are still stronger on the deliberative side than on the deep integration of these everyday embodied loops. The value of the R-CODE corpus, therefore, is not that it solves that modern problem in full, but that it gives a compact historical example of behavior being organized around persistent bodily monitoring, recovery, local branching, and return-to-loop coordination rather than around isolated commands alone [2, 3].

The paper makes four main contributions. First, it provides a corpus aggregate over the currently generated ERS-111 diagrams and identifies the most common state titles and their frequencies. Second, it uses that aggregate to argue that the corpus is organized around a compact, reactive, embodied state vocabulary rather than around unrelated one-off routines. Third, it shows that this vocabulary has a graded internal structure: across examples running from capability activation,

to startup regularization, to monitored locomotion, to local interaction branching, to obstacle-dependent decision loops, and finally to task-specific mode control, the corpus provides a visible scale of rising behavioral complexity. Fourth, it treats that abstraction not only as an analytic device for legacy code, but also as a practical design representation for constructing new behavior routines on native robotic systems [4, 5].

Method and Corpus

These totals provide the first numerical outline of the corpus. Their value is not solely descriptive. They help determine whether the sample set is broad but structurally diffuse, or whether many distinct scripts are constructed from a comparatively compact set of recurring state forms. In this respect, the totals establish a baseline for assessing how much behavioral variation is produced from how little underlying control vocabulary.

The following corpus totals are included as a compact numerical reference point for the discussion that follows. They identify the size of the diagram set, the total number of state occurrences observed across it, and the number of distinct state titles from which that behavioral variation is constructed.

The method used here is deliberately simple and explicit. Behavior diagrams were generated from the **ERS-111** sample corpus, state titles were normalized where placeholder labels still obscured their functional role, and the resulting state names were then counted across the generated set. The aim is not to claim that the titles alone exhaust the semantics of the original code, but to show that the state layer is already rich enough to expose a stable behavioral grammar at corpus scale. Once that aggregate was established, representative diagrams were then compared as a graded sequence in order to test whether the same shared vocabulary also supports a visible progression of increasing control complexity across different behavior families.

- diagrams counted: 54
- total state instances: 292
- unique state titles: 47

The state-title aggregate makes it possible to treat the Sony **ERS-111 R-CODE** samples as a behavioral corpus rather than as an assortment of independent scripts. The most immediate result is the repeated reuse of a small control vocabulary. The most common titles, especially **Sense / Decide**, **Action Loop**, **Boot / Safe Pose**, **Synchronize**, **Boot**, **Sense Fall State**, and **Recover**, indicate that the dominant form in the corpus is not an extended linear routine. Instead, it is a recurrent embodied loop in which the robot establishes a viable posture, samples some portion of its body or local environment, selects an action, allows that action to settle, and then returns to monitoring.

This finding is significant because it indicates that the surface diversity of the scripts exceeds their structural diversity. A football behavior, an obstacle routine, a contact-response behavior, and a locomotion loop may differ in immediate purpose, yet the aggregate shows that they are often composed from the same recurring internal elements. The corpus is therefore not simply a set of demonstrations of what AIBO can do; it is also evidence of how Sony’s **R-CODE** sample distribution organized behavior. The repetition of these core titles suggests a practical design grammar in which behavior is assembled through recombination of a small number of stable state-types.

The highest-frequency title, **Sense / Decide**, is particularly important. Its prominence suggests that much of the corpus is organized around conditional interpretation rather than predetermined

motion playback alone. The scripts repeatedly evaluate the present situation and determine which state should follow. This places the sample set closer to reactive robotics than to simple animation. When considered alongside the strong presence of **Action Loop** and **Synchronize**, it points to a common sequence: evaluate, act, wait for bodily completion, and reevaluate. This is a compact yet robust pattern for embodied behavior [4, 5].

The frequent appearance of **Boot** and **Boot / Safe Pose** is likewise meaningful. These states show that initialization is not treated as an incidental preface but as part of the logic of behavior itself. The robot is repeatedly brought into a known physical and control condition before more specific behavior begins. Even these relatively early or simple scripts therefore assume that behavior depends on a stable bodily baseline. In robotics terms, the robot’s initial pose and internal setup form part of the control architecture rather than a mere setup convenience.

The recurring appearance of **Sense Fall State** and **Recover** is among the most revealing findings. It indicates that bodily failure is not peripheral within the corpus. The robot’s viability as a moving body is part of the logic that organizes behavior. The code does not merely issue movements and assume continued stability; it repeatedly checks whether posture has degraded and routes control through recovery when necessary. This reflects a strongly embodied orientation in the sample set. The robot is managing itself as a physical agent in the world, not merely executing isolated commands.

The lower-frequency state titles are equally informative because they show where specialization enters the corpus. Titles such as **Left Kick**, **Right Kick**, **Start Ball Tracking**, and **It approaches a ball by the angle of the head** belong to narrower families such as **Football** and related variants. Their lower counts indicate that these states do not belong to the corpus-wide backbone. Instead, they function as family-specific elaborations layered onto the more common loop of sensing, action, synchronization, and recovery. This distinction helps separate general architecture from task-specific extension.

The same holds for titles such as **Happy Hug Response**, **Idle Thought**, **Baby Sway Forward**, **Select First Average**, and **Reset Sample Count**. These are analytically useful because they show how the shared control vocabulary is directed toward different ends: social contact, expressive motion, temporary local computation, and directional averaging, among others. Their rarity, however, indicates that they are local elaborations rather than dominant organizational principles. In aggregate, the sample set is therefore less a collection of unrelated unique behaviors than a set of behaviors constructed from a relatively compact repertoire of reusable state-forms.

The elimination of placeholder titles was analytically important. Names such as **State 200**, **State 1011**, **State 1110**, and **State 1200** obscured the functional meaning the aggregate was meant to recover. These were temporary labels introduced during extraction when numeric state identifiers from the source scripts had not yet been resolved into functional names. Renaming them as **Quit Behavior**, **Reset Sample Count**, **Select First Average**, and **Reset Scan Counter** made those states legible as behavioral units rather than residual labels from the original scripts. Once the placeholders were removed, the count no longer mixed structural meaning with accidental naming residue. The aggregate therefore became not merely a quantitative list, but a more reliable semantic map of the corpus.

Taken together, the aggregate supports a clear interpretation: the **ERS-111 R-CODE** samples are organized around a compact embodied state vocabulary that is repeatedly recombined across different behavior families. The counts show that the common foundation is reactive and bodily grounded, while the rarer states indicate where the families diverge into specialized task or expressive behavior. This provides a clearer basis for discussing the material in both historical and technical terms. Historically, it suggests that Sony’s samples already embodied a recognizable control grammar. Technically, it indicates that many apparently distinct behaviors can be understood

as variations on a shared loop of setup, sensing, decision, action, stabilization, and recovery.

The aggregate also carries broader significance for robotics. State titles and transitions are not useful only for analyzing legacy AIBO scripts; they express a more general principle of robot control. Advanced systems likewise distinguish among modes such as searching, tracking, avoiding, recovering, and interacting. What changes over time is the richness of those states, the sophistication of their triggers, and the layering of control above and below them. In this respect, the ERS-111 sample corpus offers a small but concrete example of how complex robotic behavior can emerge through repeated reuse of a compact state-transition architecture [4, 5].

The tables below make that distinction easier to see directly. The first table captures the high-frequency state titles that form the recurring structural backbone of the corpus. The second table gathers the lower-frequency titles that appear more locally, often within narrower behavior families or single specialized variants.

Most Common State Titles

Count	State Title
56	Sense / Decide
51	Action Loop
36	Boot / Safe Pose
32	Synchronize
18	Boot
14	Sense Fall State
14	Recover
13	Head Scan Position
8	Repeat Forward Walk
4	Left Kick
4	Right Kick
3	It approaches a ball by the angle of the head

These more common titles provide the clearest expression of the shared behavioral grammar that runs through the sample set. They show where Sony’s examples repeatedly return to the same embodied control concerns: establishing posture, assessing conditions, selecting actions, waiting for movement to settle, and recovering when the body is no longer in a viable state.

Secondary State Titles

Count	State Title
2	Quit Behavior
2	Start Ball Tracking
2	Mode
2	Slow Forward Walk
1	Main
1	Increment Lost Counter
1	Reset Lost Counter
1	Set Search Mode

Count	State Title
1	Turn Left
1	Shift Left
1	Advance Left
1	Search Turn
1	Shift Right
1	Advance Right
1	Forward Walk
1	Happy Hug Response
1	It sleeps until it is set up
1	Idle Thought
1	Baby Sway Forward
1	Baby Sway Backward
1	When there was an obstacle in front
1	Reset Sample Count
1	When Distance became less than 300
1	At the time of loop_cnt=1
1	At the time of loop_cnt=2
1	Wait loop end
1	Select First Average
1	Reset Scan Counter
1	Start
1	Load Stored Poses
1	Save Current Poses
1	Resume Listener
1	MainLoop
1	Clear Light Playback
1	Power Down

Taken together, the secondary titles show where the common architecture branches into more specific local roles. They capture narrower aspects of the corpus: expressive reactions, temporary counters, intermediate scan steps, branch-specific motor decisions, and other states that are important within individual families without dominating the corpus as a whole.

Representative Behavior Diagrams

This section presents the paper’s second line of evidence in visual form. Alongside the corpus-level aggregate, it offers a graded behavioral ladder that makes one of the paper’s stronger claims directly visible: the shared control vocabulary of the **R-CODE** corpus is not only recurrent, but scalable. It supports a progression from minimal activation and startup organization, through monitored movement, contact-conditioned response, and obstacle-dependent decision loops, to fuller task-specific mode control. Read in that order, the figures do not merely illustrate isolated scripts. They demonstrate that the corpus contains a usable scale of rising behavioral complexity, and therefore a more precise basis for comparing sophistication across routines.




Figure 1: The embodied behavior aggregate provides a corpus-level view of the recurring control vocabulary. It makes visible the repeated dependence on shared states such as sensing, looping, synchronization, and recovery across otherwise distinct behaviors.

Read analytically, each step in the ladder adds a distinct control commitment. **C-Tracking** stands closest to capability activation: it enters a single role and then yields control back with little visible internal differentiation. **Boot / Safe Pose** already deepens the picture by showing that initialization is itself a behavioral unit: before task execution, the robot is brought into a known bodily and control condition. **Move** adds persistent embodied monitoring, since forward locomotion is no longer treated as a one-shot act but as a loop checked against fall state and routed through recovery when posture degrades. **Contact Response** introduces local conditional branching around interaction, showing that the same shared backbone can be redirected toward expressive or social response rather than locomotion alone.

Maze marks the important intermediate threshold at which the behavior becomes visibly decision-structured. Here the robot does not merely continue, stop, or recover. It repeatedly samples the local environment, compares distance conditions, redirects action when an obstacle appears, and then re-enters a sampling cycle. That pattern is more than reactive repetition; it is a compact decision loop organized around environmental comparison and controlled reorientation. **Football** extends that same logic into fuller task-specific mode control. Search, ball tracking, approach, kick selection, loss handling, and recovery appear as linked but differentiated sub-behaviors. The analytical value of the sequence is therefore not just that later diagrams contain more states. It is that one can watch, step by step, the growth from activation, to initialization, to monitored action, to conditional interaction, to environmental decision, and finally to persistent multi-state embodied organization.

The Purpose of Aggregation

This aggregate is intended to show which control structures are broadly shared across the **ERS-111 R-CODE** set and which belong only to narrower behavior families. The counts are analytically useful not because they rank scripts by popularity, but because they reveal the shared behavioral grammar of the corpus: the points at which the code repeatedly returns to sensing, looping, synchronization, and recovery before adding more specialized states for pursuit, contact response, or expressive




Figure 2: A compact comparison ladder from minimal activation to explicit mode control. Read left to right, top to bottom, the reductions show a graded increase in behavioral organization: capability activation, startup regularization, monitored locomotion, local interaction branching, obstacle-dependent decision loops, and finally multi-state task control.

variation.

This analysis is relevant beyond **AIBO**, because the same pattern appears in many embodied robotic systems: a stable loop of sensing, deciding, acting, and rechecking the body and local environment before continuing. Viewed in this way, the **ERS-111** samples are not only historically interesting artifacts. They also provide an early small-scale example of how robotics often develops in practice, by building richer task-specific states on top of a compact base of posture control, environmental monitoring, transition handling, and recovery [2, 3].

The principal result is not simply that one state title appears more often than another. The stronger result is that the diagram set repeatedly converges on the same architectural pattern:

initialize -> sense -> decide -> act -> synchronize -> repeat

This indicates that the preserved **ERS-111** samples already express a recognizable embodied control style. Even when the surface behaviors appear different, the underlying workflow is usually a compact reactive cycle rather than a one-shot animation or an extended scripted narrative. The

graded comparison ladder strengthens this claim by showing that the same recurring backbone does not merely repeat. It also admits ordered elaboration, so that increasingly complex routines can be compared as staged extensions of a common control base.

A second important result is that bodily maintenance appears within the recurring structure itself. The regular presence of **Sense Fall State** and **Recover** shows that the robot’s posture and stability are treated as part of behavior control rather than as external exceptions. In analytical terms, the corpus concerns not only the issuance of motion, but the maintenance of viable motion in the body.

A third result is that the corpus provides an explicit scale of rising behavioral sophistication rather than a flat inventory of scripts. **C-Tracking**, **Boot / Safe Pose**, **Move**, **Contact Response**, **Maze**, and **Football** do not only differ in theme. They expose successive increases in control organization: activation, initialization, monitored continuity, interaction branching, environmental decision structure, and persistent mode control. This graded structure makes the sample set more useful analytically because it gives the reader a principled way to compare behavior families by depth of organization rather than by task label alone.

A fourth result is that the more specialized behaviors remain legible because they are layered on top of that common base. Pursuit and kick states in the **Football** family, for example, do not replace the core reactive loop; they extend it. Complexity in the sample set tends to accumulate by adding narrower decision and action states to an already stable embodied architecture.

Taken together, these findings clarify the central purpose of this paper. The **R-CODE** sample set can be read as an early behavioral design vocabulary in which a limited number of state-types are repeatedly recombined to produce locomotion, orientation, contact response, recovery, and more specialized goal-directed action. The importance of the aggregate, therefore, lies not simply in documenting individual scripts, but in revealing the shared organizational logic that makes those scripts analytically comparable. What may initially appear to be a heterogeneous collection of sample behaviors instead emerges as a coherent control corpus whose recurring state structures offer a foundation for historical interpretation, comparative analysis, and broader discussion of embodied robot behavior. Just as important, the graded ladder shows that this shared logic has internal depth: the corpus supports a visible progression from simple activation to richer state-governed behavioral organization. That progression is a core contribution of the paper because it turns the corpus into a scale for reasoning about increasing control complexity rather than a mere catalog of examples.

This approach is also constructive rather than merely descriptive. Once the common structure of a behavior corpus has been made explicit, those states can be treated as reusable design units for new robotic systems. Instead of writing a new routine as a monolithic block of control code, one can begin from a small library of encapsulated behavioral forms: initialize posture, sense local conditions, branch by event, execute a bounded action, verify bodily state, and return to a monitoring loop. The diagrams therefore function not only as retrospective analysis, but as a practical intermediate representation for synthesis. They help make clear which elements should remain stable across platforms and which may be replaced to accommodate different sensors, actuators, timing models, or task domains [4].

That design value becomes especially important in native-hardware robotics developed in a polyForth style. In such environments, behavior is often assembled from compact words, explicit stacks, direct device access, and tightly bounded control loops rather than from large framework abstractions. A state-based representation is well matched to that discipline because each state can be implemented as a small, testable routine with clear entry conditions, side effects, and exit transitions. The transition structure then serves as the behavioral scheduler. This makes it easier to preserve determinism, reason about timing, and isolate hardware-specific code inside a limited

number of sensing and actuation words while leaving the higher-level behavioral organization intact.

For newer classes of robot systems, this means the method supports both portability and invention. A locomotion platform, a manipulator, or a socially interactive robot may differ greatly in embodiment, but each still benefits from an architecture that separates posture management, environmental interpretation, action execution, exception handling, and return-to-loop coordination. By treating those elements as explicit behavioral compartments, developers can introduce characteristic new routines without losing architectural clarity. In practical terms, one can retain the same behavioral skeleton while substituting new state contents for vision, force sensing, gait control, manipulation, dialogue, or safety recovery. The result is a disciplined path for building novel robot behavior on constrained native systems without collapsing all control logic into a single opaque procedure.

Conclusion

States and transitions are significant because they provide a robot with a means of organizing time, context, and response rather than reacting through a flat sequence of commands. A state indicates the mode in which the robot is currently operating, and a transition indicates the condition sufficient to move it into another mode. This structure becomes a foundation for more advanced robotics because sensing, motion, recovery, and task logic can remain coordinated rather than collapsing into an undifferentiated control stream.

The present paper has argued that the preserved **ERS-111 R-CODE** corpus already makes this principle visible in a practical historical setting. Its aggregate shows a recurring embodied control vocabulary, and its graded comparison ladder shows that this vocabulary scales from capability activation and startup regularization, through monitored movement and environmental decision loops, to more specialized mode-governed forms. On that basis, the corpus provides more than historical documentation. It offers a compact behavioral design language and a visible scale of control complexity that can support both interpretation of early robot software and construction of new native robotic routines. The strongest conclusion is therefore not only that the **ERS-111** sample set reuses a common behavioral grammar, but that it makes increasing behavioral sophistication analytically legible as a graded progression of control organization. That claim gives the corpus its broader value: it can be used not just to catalog legacy routines, but to compare, interpret, and eventually reconstruct increasingly rich embodied behaviors on a shared architectural basis.

References

- [1] Daniel Kahneman. *Thinking, Fast and Slow*. Farrar, Straus and Giroux, 2011.
- [2] Kento Kawaharazuka, Tatsuya Matsushima, Andrew Gambardella, Jiaxian Guo, Chris Paxton, and Andy Zeng. Real-world robot applications of foundation models: A review, 2024.
- [3] Zhiyuan Xu, Kun Wu, Junjie Wen, Jinming Li, Ning Liu, Zhengping Che, and Jian Tang. A survey on robotics with foundation models: toward embodied ai, 2024.
- [4] Ronald C. Arkin. *Behavior-Based Robotics*. MIT Press, 1998.
- [5] Rodney A. Brooks. Intelligence without representation. *Artificial Intelligence*, 47(1–3):139–159, 1991.