

Berkeley and Heiserman as an Unexhausted Architecture for Embodied Machine Intelligence

Christopher A. Tucker

cartheur@pm.me

ORCID: 0000-0002-0172-7258

Abstract

Edmund C. Berkeley is usually remembered as a writer who helped connect symbolic logic to computing machinery. That description is correct, but incomplete. Read across Berkeley’s machine-oriented writings and projects, his central concern is broader: to show that symbolic logic can serve as a practical design language for machines that acquire information, retain it, respond appropriately to changing conditions, and organize their behavior over time. This paper takes *Symbolic Logic and Intelligent Machines* as the principal text in that effort, while treating it as representative of a larger Berkeley program linking logical form, circuitry, control, and intelligent behavior. On this reading, Berkeley does not merely treat intelligence as abstract symbol manipulation. He repeatedly defines intelligent machines in operational terms, ties logic to hardware realization, and describes machine behavior through the coordinated interaction of inputs, outputs, memory, calculation, control, states, and events. His earlier article “Algebra in Electronic Design” makes that practical orientation especially plain by showing Boolean algebra used directly in relay, rectifier, and triode circuit design for the behavior of *Squee* [1]. His treatment of robots and machine activities accordingly moves beyond static logical form toward temporally extended, environment-coupled behavior. David L. Heiserman’s machine-intelligence work extends this program toward adaptive creature architectures built around memory, confidence, and generalization. Taken together, Berkeley and Heiserman can be read not as exhausted historical episodes but as contributors to a still under-tested architectural approach to embodied robotic cognition.

1 Introduction

Contemporary AI and robotics research often oscillates between large-scale statistical learning, abstract planning systems, and highly specialized control solutions. In that environment, behavior-organizing approaches rooted in explicit states, logical conditions, hardware-near control, and modular sensorimotor structure can be dismissed too quickly as dated. This paper begins from the opposite suspicion: that these design commitments remain technically coherent and still experimentally available for robotic cognition. The question is not whether twentieth-century machine theories should be repeated unchanged, but whether certain older design commitments still describe a usable architecture for embodied intelligence. Current discussion often overlooks that architecture because it is distributed across logic, control, robotics, and early machine-intelligence writing rather than consolidated under a single contemporary label.

Edmund C. Berkeley is commonly placed in the history of symbolic logic, early computing, and machine thought. That placement is justified. *Symbolic Logic and Intelligent Machines* is overtly

concerned with Boolean algebra, logical relations, class reasoning, and the design of information-handling machinery [2]. Yet this standard placement risks narrowing Berkeley’s significance. He was not only interested in the formal calculability of statements and classes. He was also interested in how reason-like competence could be built into machinery that senses, stores, decides, and acts. That broader concern is easy to miss if Berkeley is read only through the lens of formal logic. It becomes clearer when the same book is read as a document about machine organization: what kinds of parts an intelligent machine has, how those parts relate, how control is represented, and how behavior unfolds through states and events.

The aim of this paper is to argue that Berkeley should be read as an architect of embodied machine intelligence rather than only as a symbolic logician of machines. He is not a full theorist of adaptive AI in the Heiserman sense, but neither is he adequately understood as a purely formal or disembodied thinker. His work gives a logically rigorous account of how physically organized machines can take in information, retain it, operate on it, and guide their own activity over time [2, pp. 66–70]. When read alongside Heiserman’s creature-based machine intelligence, Berkeley becomes part of a still-open design program rather than a closed episode in the history of ideas. The paper therefore asks the reader to shift levels of attention: away from Berkeley as only a contributor to symbolic notation and toward Berkeley as a thinker of machine architecture, behavior, and temporally extended control.

2 Research Question and Thesis

The guiding question is how Berkeley’s *Symbolic Logic and Intelligent Machines* should be read today: merely as a period work of symbolic logic applied to machinery, or as a still-usable account of embodied, behavior-organizing intelligence. More analytically, the question is whether Berkeley’s treatment of logic and machinery stays at the level of formal description, or whether it already specifies a machine architecture in which sensing, state, control, and action are treated as coordinated components of intelligence.

The working thesis is that Berkeley’s work is best read as a technically viable account of embodied machine intelligence whose implications have not been exhausted. He inherits formal machinery from Boole, Venn, and Shannon, yet uses that inheritance to theorize intelligent systems as physically realized, temporally organized, and behaviorally active machines [3–6]. Heiserman extends that line toward creature intelligence that becomes progressively more adaptive by layering memory and generalization onto reflexive behavior [7]. Together, Berkeley and Heiserman define an underused design alternative that has not been fully tested against current assumptions about robotic intelligence. For this paper, that alternative can be stated schematically as a pipeline of sensing, state or memory, control, action, and adaptation. The literature review supports that claim by placing Berkeley among adjacent traditions in formal logic, cybernetics, adaptive machinery, and embodied control.

3 Literature Review

The literature relevant to this paper can be organized into four principal bodies plus a methodological note. The first establishes the logical and formal inheritance running from Boole and Venn through Berkeley and into the comparison with Heiserman. The second clarifies the mid-century symbolic-logic context against which Berkeley’s distinctiveness becomes visible. The third places Berkeley within the broader cybernetic and machine-intelligence conversation shaped by Wiener, Ashby, Turing, and Walter. The fourth brings that discussion into contact with later embodied and behavior-based robotics. A final methodological note explains how the present paper uses primary-source reconstruction to connect literatures that are usually kept apart. Read in that order, the review moves from logical foundations, to contextual differentiation, to cybernetic placement, to embodied-robotic comparison, and finally to interpretive method.

The first body consists of the primary sources that directly carry the argument: Berkeley, Boole, Venn, Shannon, and Heiserman. Berkeley is the principal object of interpretation, but the point of the paper is not recoverable from Berkeley alone. Boole provides the underlying claim that logical operations can be written in a compact symbolic calculus and manipulated with rule-governed precision [3, 4]. Berkeley does not invent his symbolic resources from scratch; he inherits a tradition in which reasoning is already being recast as explicit operation. Boole gives him the confidence that classes, statements, and operations can be made exact enough to serve as components in a design language. Venn matters in two distinct ways. In *Symbolic Logic*, he sharpens the class-logic tradition Berkeley works within and clarifies the status of logical symbolism as a general calculational language rather than a mere classroom mnemonic [5]. Berkeley’s use of symbolic logic as a practical language for machine organization sits more comfortably once that broader Vennian conception is in view. In *The Logic of Chance* and *The Principles of Empirical or Inductive Logic*, meanwhile, Venn moves toward probability, induction, and knowledge under conditions that are not exhausted by strict deduction [8, 9]. That second Vennian strand helps distinguish Berkeley’s mostly rule-bound machine logic from Heiserman’s move toward machines that store experience, accumulate success conditions, and generalize from them. Shannon supplies the crucial bridge from logical relations to relay and switching hardware: once logical form is realizable as circuitry, symbolic structure becomes directly architectural rather than merely notational [6]. Berkeley’s 1952 article “Algebra in Electronic Design” shows him actively working on that bridge at the level of concrete design, using Boolean algebra to simplify circuits and to specify the sensing and steering logic of *Squee* [1]. His January 1952 *Astounding Science Fiction* article “Machine ‘Intelligence’” is also relevant here, because it shows Berkeley presenting the machine-intelligence problem to a broad popular audience in explicitly operational terms, moving from calculation and stored information toward machines that could in principle handle ideas, recognition, and organized response [10]. If Boole and Venn explain Berkeley’s formal inheritance, Shannon explains why Berkeley could treat logic as a machine-building discipline rather than only as a notational one, and Berkeley’s 1952 articles show him already carrying that possibility both into compact engineering form and into public machine-intelligence discourse. Heiserman, by contrast, is not part of Berkeley’s own bibliographic

world, but functions as a comparison point that clarifies how the same broad design space can be pushed from explicit control organization toward adaptive and experiential machine intelligence [7]. His Alpha, Beta, and Gamma levels supply a vocabulary for comparing fixed behavioral organization, learned response, and confidence-bearing generalization without abandoning embodiment. Heiserman therefore does not merely extend Berkeley chronologically; he pressure-tests Berkeley conceptually by asking what happens when a state-organized creature must also remember, prefer, and generalize. Taken together, these five primary figures supply the paper’s minimal conceptual arc: formal logic, practical symbolism, hardware realization, machine organization, and adaptive extension.

The second body of literature consists of immediate contextual works in symbolic logic, especially Basson and O’Connor’s *Introduction to Symbolic Logic* [11]. This source is worth more than a passing mention because it gives a fairly orthodox mid-century picture of what symbolic logic education looked like when centered on the propositional calculus, the algebra of classes, quantificational form, and formal deduction as such. Read against Basson and O’Connor, Berkeley’s difference becomes sharper. He is not simply teaching symbolic manipulation, validity, or proof technique. He is repeatedly trying to move symbolic logic outward into circuit design, temporal organization, state transition, memory, and machine behavior. Without a foil like Basson and O’Connor, Berkeley’s practical and architectural language can be mistaken for a routine extension of symbolic-logic pedagogy. With it, we can see that Berkeley is selecting from the symbolic tradition and reorienting it toward implementation, control, and intelligent machinery. Basson and O’Connor therefore help establish that Berkeley is unusual not because he knows different logical fundamentals, but because he asks those fundamentals to do a different kind of work. This contextual contrast is important to the paper’s method: it lets the reader distinguish between Berkeley’s inherited logical tools and Berkeley’s distinctive use of those tools.

The third body of literature is the cybernetic and control literature: Wiener, Ashby, Turing, and Walter [12–17]. It prevents the present argument from sounding idiosyncratic or anachronistic. If Berkeley is read only against formal logic, his concern with control, behavior, and machine organization can appear eccentric or marginal. Read against cybernetics, those same concerns become legible as part of a broader technical conversation about regulation, signaling, adaptation, and machine activity in embodied systems.

Each author contributes something different to that clarification. Wiener contributes the most general postwar frame of communication, control, feedback, and the parallel treatment of animal and machine systems. He helps define the field in which organized signaling and regulation become central engineering questions. In relation to the present paper, Wiener is less a direct source for Berkeley than a way of situating Berkeley’s machine concerns within a wider problem space where behavior and control are already central.

Ashby’s two books are particularly important for this paper’s vocabulary. *Design for a Brain* is directly relevant because it treats adaptation, equilibrium-seeking, and self-organizing behavior as machine problems rather than as mysteries outside mechanism [13]. *An Introduction to Cybernetics*

adds a more explicit language of state, transition, regulation, variety, and machine description [14], making it especially useful for comparison with Berkeley’s own state-and-event formalism. Ashby is especially important because he and Berkeley share an interest in state-organized systems while differing over emphasis: Ashby tends to abstract toward general regulatory principles, whereas Berkeley keeps pulling the discussion back toward logical specification, circuit organization, and the engineered composition of intelligent machines. The contrast helps locate Berkeley more precisely. He is not simply another cybernetic theorist of regulation, but one whose preferred idiom remains logical, design-oriented, and close to implementation.

Turing enters this literature review for a different reason. In *Intelligent Machinery* and “Computing Machinery and Intelligence,” he keeps open the problem of machine intelligence as something that may require organization, education, learning, and developmental method rather than mere fixed calculation [15, 16]. His language of discrete machinery, memory capacity, and even unorganized machines gives us a second comparison class in which machine intelligence is treated as buildable, but not primarily through Berkeley’s route of symbolic control architecture. Turing is therefore close enough to Berkeley to be illuminating and different enough to be clarifying: Berkeley is more architectonic and control-explicit, Turing more open to training, programming, and developmental organization. That difference shows that early machine-intelligence thought already contained divergent architectural bets. Berkeley’s line is not the only one available, but it is one of the clearest for readers interested in explicit structure.

Walter’s role is more concrete and embodied. His work on brain mechanisms and autonomous tortoise-like devices shows how relatively simple circuitry can produce environment-facing, apparently purposive behavior [17]. Walter matters because he demonstrates in physical form what Berkeley often argues in conceptual and architectural terms: that intelligence can appear at the level of organized sensorimotor behavior without requiring disembodied rationality. If Wiener provides a field, Ashby a state vocabulary, and Turing a contrasting developmental orientation, Walter provides a physically memorable demonstration of why embodied control should be taken seriously at all.

Taken together, these works do not prove Berkeley’s argument, but they do show that Berkeley belongs in a live postwar conversation about regulation, autonomy, adaptation, and machine behavior, not only in the narrower history of formal logic. More importantly, they help the reader separate three questions that are often run together: whether intelligence can be mechanized, whether it must be embodied, and whether its organization should be explicit or learned. Berkeley matters in this landscape because he offers a strong answer to the first two questions and a distinctive answer to the third.

The fourth body of literature is behavior-based or embodied-machine comparison, especially Braitenberg and Brooks [18–20]. It gives the reader a later and more familiar contrast class. Many contemporary readers approach embodied intelligence through behavior-based robotics, situated action, or anti-representational traditions. Without addressing that lineage, Berkeley’s embodied features may either be overlooked or misdescribed.

These references are used cautiously, but they should not be treated lightly. Braitenberg is valuable because he shows how surprisingly rich behavior can arise from very simple sensorimotor couplings. This keeps the paper from assuming that intelligence must begin at the level of high symbolic representation. Braitenberg's value here is diagnostic: he reminds us that embodied intelligence can emerge from control organization that is behaviorally effective even when it is structurally simple.

Brooks matters because he explicitly argues for situated, layered, behavior-producing architectures that do not depend on heavy centralized representation. The point is not that Berkeley anticipates Brooks in a straightforward way; he does not. Berkeley is much more willing than either Braitenberg or Brooks to preserve an explicit language of logical condition, internal organization, and designed control. Yet the comparison is still productive because it reveals that Berkeley's machines are not static theorem engines. They are systems that sense, transition, remember, and act in time. Brooks thus helps sharpen a negative and a positive point at once: negatively, Berkeley is not simply a forerunner of later behavior-based robotics; positively, he is also not confined to a disembodied symbol-processing picture of intelligence.

The later behavior-based literature therefore does two things at once: it prevents us from mistaking Berkeley for a contemporary behavior-based roboticist, and it prevents us from misclassifying him as a purely disembodied symbolicist. The resulting picture is more exact. Berkeley occupies a middle position in which symbolic organization and embodied control are not adversaries but cooperating layers of machine intelligence. That positioning matters because the paper's claim depends on precisely this middle ground. If the reader misses that point, the Berkeley–Heiserman comparison can collapse in either direction: Berkeley becomes too formal to matter for robotics, or too loosely embodied to matter for logical architecture. This fourth body of literature helps keep both distortions in check.

The methodological point should be stated explicitly. Historical reconstruction and philosophical clarification are among the very means by which under-registered lines of thought become visible again, and this paper aims to contribute to that methodological task as well as to the substantive Berkeley–Heiserman argument. One reason the connection developed here has been easy to miss is that it falls between disciplinary narratives that are usually kept apart. By reconstructing the line across logic, cybernetics, machine intelligence, and contemporary embodied robotics, the paper is not only making a claim about Berkeley and Heiserman. It is also demonstrating a way of analyzing partially hidden continuities in the history of ideas and engineering practice. The present argument therefore does not reject further historical or philosophical work. On the contrary, it invites more of it. What it claims is that primary-source analytic reconstruction can itself be a productive method for recovering lines of thought that standard classifications leave underdescribed.

This review also clarifies the paper's novelty claim. In the literature assembled here, Berkeley and Heiserman usually appear in separate conversations: Berkeley in symbolic logic and machine thought, Heiserman in adaptive robot intelligence, and recent state-based robotics in a largely contemporary engineering register. On that basis, the present argument is not offered as a summary

of an established Berkeley–Heiserman literature, but as a synthetic claim that emerges by reading these bodies of work together. The point of assembling these four principal literatures is therefore not just to provide background. It is to show why that linkage is interpretable, technically serious, and worth stating as a live architectural claim.

From Interpretation to Engineering Claim

The argument of this paper is not merely that Berkeley and Heiserman deserve renewed historical attention. The stronger claim concerns design. Berkeley describes intelligent machinery in terms of logical conditions embodied in hardware, organized control, stored information, state transition, and purposive behavior. Heiserman extends that field toward machine creatures that retain successful responses and later generalize from them under confidence-sensitive conditions [7, pp. 18–20]. Read together, they define a coherent engineering line in which intelligence is built from organized relations among sensing, internal state, control, memory, and outward action. The remainder of the paper treats Berkeley and Heiserman against the common schema introduced above: sensing, state or memory, control, action, and adaptation.

What makes this line interesting now is not antiquarian recovery but systematic coherence. Both writers assume that intelligent machinery must be organized around explicit states, condition-sensitive transitions, sensorimotor coupling, and the coordination of internal and outward behavior. In Berkeley, these elements appear as logical conditions embodied in circuitry, control units, stored information, and behavior programs. In Heiserman, the same broad elements are retained but pushed toward creatures that modify later action in light of remembered success. Even where the two differ, they differ along a productive axis rather than across a conceptual break. Berkeley provides more formal and engineered control organization, while Heiserman pushes further toward adaptive behavior and memory-driven response. Read together, they make visible a design space that contemporary AI often treats separately under symbolic reasoning, control, behavior, and learning.

This does not yet prove that their architecture offers the best path forward for modern robotics. It does, however, justify treating it as a live engineering hypothesis rather than a completed or obsolete episode. The real question is not whether their systems can simply be reproduced, but whether state-based, hardware-near forms of behavior organization remain powerful in domains where deterministic timing, embodied interaction, modular design, and constrained compute still matter. If they do, then Berkeley and Heiserman become more than historically interesting.

Logic Embodied in Machinery

One of Berkeley’s major contributions is to insist that symbolic logic is not merely a way of describing reasoning in abstraction. It is also a way of designing machinery. The bridge here is Shannon. Once Boolean relations can be realized in relay and switching circuits, conditions and inferences no longer remain on paper or in thought alone. They become structures of hardware [6]. In the schema used in this paper, this is the control layer stated in logical form and embodied in mechanism.

Berkeley adopts this possibility as fundamental. In his treatment, classes, statements, and logical conditions become design elements for circuits, control systems, and automatic machines. Logic is therefore not simply explanatory; it is operational. It specifies distinctions a machine can embody, conditions it can test, and sequences it can regulate. Berkeley’s interest in symbolic logic is inseparable from his interest in machinery capable of carrying out organized, reason-like operations in the world [2]. At this point in the argument, Berkeley is supplying the formal basis on which sensing inputs, stored states, and action rules can be coordinated within a single machine design. This is one reason the paper insists on reading Berkeley architecturally. Without that shift in emphasis, the transition from logical relation to organized machine behavior can look like an optional application rather than a central feature of the book’s project.

Intelligent Machines as Organized Systems

The strongest evidence for an embodied reading appears in Berkeley’s own definitions and examples. He lists a wide range of machines as “intelligent machines,” including traffic-light controllers, air-traffic systems, factory control equipment, game-playing machines, reading and recognizing devices, robots, and digital computers [2, pp. 66–69]. This list defines the target class broadly. Intelligent machinery is not confined to formal problem solving. It includes systems coupled to signals, environments, movement, and regulated action.

Berkeley then proposes a general architecture shared by almost every intelligent machine. Such a machine, he says, has inputs, outputs, storage or memory, calculating capacity, and a control unit [2, p. 70]. In the terms of this paper, that architecture already contains the major elements of the proposed schema: sensing through inputs, state or memory through storage, control through the control unit, and action through outputs. Especially important is Berkeley’s remark that the control unit may itself be subject to instructions calculated by the machine, allowing the machine in some sense to guide itself [2, p. 70]. The autonomy is limited, but it means that control is not merely imposed from outside; it can be organized internally as part of the machine’s own operation. This passage deserves emphasis because it prevents a common misreading. Berkeley is not merely listing machine parts. He is specifying a coordination problem: how perception, memory, processing, and directive structure are assembled so that behavior can be produced and maintained.

That architectural description becomes more concrete in *The Construction of Living Robots*. There Berkeley does not stay at the level of a general parts list. He proposes a specific “robot world” populated by four small robots, food areas, a storehouse, a repair shop, and a birth factory, and he assigns each component a determinate behavioral role [21]. The storehouse receives food, the repair shop restores damaged robots, the birth factory issues replacements when a robot’s identifying light disappears, and each robot is organized to hunt for food when well, deliver it to the storehouse, seek repair when sick, and back away from obstacles. What matters is not the fanciful surface imagery but the design structure: self-preservation, self-maintenance, and reproduction are decomposed into an environment, a set of functional stations, and a recurrent program of condition-governed acts. Berkeley is therefore not merely asserting that living-like behavior could exist in hardware. He is

sketching an explicit ecological control architecture in which the behavior of each machine depends on organized relations among sensing, internal condition, support infrastructure, and action.

States, Events, and Temporally Extended Behavior

If Berkeley had stopped with Boolean algebra and machine architecture, the case for an embodied reading would remain incomplete. It becomes stronger in his treatment of the algebra of states and events. There Berkeley explicitly argues that Boolean calculus must be extended in order to come “into closer relation with the real world,” since classes and statements change with time and since machine operation involves changing states and events rather than static truths alone [2, pp. 145–147]. This is the point at which the schema acquires an explicitly temporal account of state transition.

A state lasts for a time; an event is brief. This distinction allows Berkeley to formalize persistence, interruption, transition, delay, and sequence. He also insists on the practical importance of time units, step-functions, and even intervals in which a machine state is temporarily undefined during transition [2, pp. 145–147]. Once machine activity is represented as passage through states and events, intelligent behavior becomes describable as organized temporal process rather than as a mere arrangement of timeless logical forms. In the present argument, this is the component that connects stored condition, control logic, and temporally ordered action.

The transcription of *The Construction of Living Robots* shows that Berkeley pressed this temporal vocabulary into a much more operational form than a casual reading of the 1959 book might suggest. In the robot-species design section, he enumerates eleven needed senses for the robot, including left-eye and right-eye light detection, food detection, storehouse and repair-shop detection, obstacle detection, and the compound conditions of “becoming sick” and “becoming well” [21]. He then writes the program in relay terms using delayed variables, hold contacts, state relays, and timed transitions, culminating in a topology of states such as seeking food, seeking the storehouse, putting food down, seeking the repair shop, and backing up from obstacles. This matters for the present paper because it confirms that Berkeley’s language of states and events was not merely philosophical gloss. He was treating temporally extended behavior as something that could be explicitly programmed in circuit form through persistence conditions, event triggers, and delay operators.

Robots and Behavioral Programs

Berkeley’s robot chapters make the behavioral implications even clearer. He defines a robot as a machine able to “behave” by itself, taking in sensations by means of sensing devices, performing actions by means of acting devices, and correlating sensations and actions by means of circuits or mechanisms expressing instructions [2, pp. 177–178]. This definition explicitly links sensing, control, and action. The robot is not presented as a proof engine with motors attached. It is presented as a behaving system whose intelligence lies in the organization of sensation, action, and instruction. That formulation matters because it shifts the object of analysis from isolated

inference to organized conduct. Berkeley’s broader robot writing reinforces the same point. In *The Construction of Living Robots*, he states that the purpose is to discuss the properties of living beings and outline how to construct robots from hardware that exhibit essential living behavior [21]. Once that shift is made, Berkeley’s robot examples cease to look like colorful supplements and start to look like direct evidence for the paper’s architectural reading.

His examples are equally revealing. Berkeley’s electronic robot squirrel “Squee” is organized around activities such as hunting, homing, and depositing, each of which persists until relevant conditions terminate it [2, pp. 177–180]. In the earlier *Radio-Electronics* article “Light Sensitive ... Electronic Beast,” Berkeley had already described ‘Squee’ in terms of sensing organs, acting organs, and an electronic relay brain, explicitly presenting Boolean algebra as the design method coordinating those parts [22, pp. 46–47]. Likewise, the “robot animal” problem is introduced explicitly as a programming problem in which one must assign a number of states to a robot and then specify changes from one state to another when certain events happen [2, pp. 177, 180–181]. The 1952 living-robots report makes the same point with still greater specificity: the robot’s actions are narrowed to forward or backward driving, steering, and scoop movement, while the program is organized around explicit state transitions such as finding food, arriving at the storehouse, becoming sick, seeking repair, and resuming forward motion after a timed backing-up interval [21]. These are behavior-organizing schemes in which logical conditions select, maintain, and redirect activity. In the shared schema, they are explicit instances of sensing coupled to state, control, and action over time.

Berkeley and Heiserman

The comparison with David Heiserman clarifies both Berkeley’s strengths and his limits. Heiserman’s *Robot Intelligence ... with Experiments* presents an evolutionary hierarchy in which Alpha-class creatures make random reflexive responses to conditions in the immediate environment, Beta-class creatures add a memory of past successful responses, and Gamma-class creatures generalize from prior experience so that they can deal more effectively with situations not yet encountered [7, pp. 17–20]. In Heiserman’s own construction, Beta is not a break from Alpha but an Alpha-class mechanism equipped with memory, while Gamma adds the ability to project beyond the immediately given case through generalization [7, pp. 19–20]. In that framework, machine intelligence is lived by a creature in an environment: it senses, acts, remembers, and, in the Gamma case, anticipates. This matters for the present paper because it lets us compare Berkeley and Heiserman at the level of architecture rather than reputation. Both are concerned with machines whose behavior depends on structured relations among input, internal organization, stored information, and action, but Heiserman specifies more clearly than Berkeley how reflex, memory, and generalized expectation are layered into one developmental hierarchy.

Berkeley does not reach this level of adaptivity. His machines are mostly engineered top-down rather than self-modifying through reinforcement, stored success conditions, or confidence-based generalization. He does not provide Beta-style memory schemes in which workable responses are

filed under recurring conditions, nor Gamma-style extension from solved cases to similar unsolved ones [7, pp. 19–20]. Even so, the continuity remains important. Berkeley already supplies the control-and-behavior side of the story: intelligence as physically realized organization, behavior as transitions among activities, sensing and acting as core capacities, and internal control as the basis of outward competence. Heiserman does not replace that framework so much as deepen it by showing one concrete developmental sequence through which reflexive behavior can become memory-guided and then generalized. This is the hinge of the comparison. Berkeley supplies an architecture of embodied control; Heiserman turns that architecture toward memory-guided adaptation and anticipatory extension.

The difference, then, is not that Berkeley lacks embodiment. It is that Berkeley’s version is primarily engineered and prescribed, whereas Heiserman’s is explicitly developmental. Berkeley links logic and circuitry to organized machine behavior; Heiserman begins with reflexive response, adds memory, and then adds generalization toward future cases. Their relation is therefore best understood as continuity at the architectural level with divergence at the developmental one.

4 The Architecture as Engineering Hypothesis

The paper’s main constructive contribution is to restate the Berkeley–Heiserman line as an engineering hypothesis rather than as a historical association. The claim is that the architecture recovered from the earlier texts is specific enough to guide technical reconstruction: behavior can be organized through explicit relations among sensing, state retention, control, action, recovery, and, in Heiserman’s stronger form, adaptation. A companion 2026 study by the present author, *A Behavioral State Vocabulary in Sony ERS-111 R-CODE*, studies Sony’s preserved R-CODE sample corpus for the ERS-111 AIBO and argues that many apparently distinct routines are organized by a compact recurring behavior vocabulary [23]. The function of that companion paper here is not to serve as independent confirmation. It is to develop, in a constrained robotic corpus, a concrete analytic application of the same line of thought. Its importance for the present argument is therefore demonstrative rather than decisive: it provides a setting in which behavior organization can be analyzed, compared, and reused at the level of design.

In the terms developed earlier in this paper, the contribution of the R-CODE analysis is to make the common schema empirically legible within one preserved robotic corpus. Across the sample set, routines can be read not merely as flat command sequences but as structured combinations of initialization, sensing, state retention, decision, action, synchronization, recovery, and repetition. That is already close to Berkeley’s machine description. Inputs, outputs, storage, control, and behavior appear here in practical script form. It also opens a path toward Heiserman’s side of the comparison, because once such structures are made explicit, one can ask which parts are fixed, which are mode-based, which are responsive to sensed conditions, and which could in principle be extended toward adaptive revision.

Just as importantly for later engineering work, this schema does not require a monolithic im-

plementation. Once behavior is decomposed into explicit sensing, local state, transition conditions, action routines, and supervisory mode structure, the same organization can in principle be distributed across cooperating components that run at different cadences. Fast reactive loops may remain close to sensors and actuators, while slower supervisory or revisory processes coordinate larger behavioral shifts. In that respect, the Berkeley–Heiserman line is not only compatible with later embodied implementations. It positively suggests a way to separate low-latency control from higher-level guidance without dissolving the unity of the overall behavior.

The strongest value of this use-case lies in the shift from single-script reading to corpus-level abstraction. The claim of the companion study is not simply that one or two AIBO routines can be redescribed after the fact as state machines. Rather, the argument is that many sample programs share a small embodied grammar centered on startup conditions, environmental or bodily sensing, conditional branching, iterative motor activity, synchronization, and recovery. The updated corpus aggregate makes that claim more concrete: across 54 diagrams, Tucker counts 292 total state instances organized by 47 unique state titles. The point of those totals is not merely descriptive. It is to show that visible behavioral variety is repeatedly produced from a relatively compact control vocabulary. In practical terms, this means that behaviors such as locomotion demos, obstacle-avoidance routines, and ball-tracking scripts can be compared within one analytical frame instead of treated as isolated scripts. That move matters for the present paper because it supplies exactly the kind of intermediate level of description that Berkeley’s state-and-event formalism calls for: not raw machine code, not disembodied symbolism, but organized behavioral structure.

The same corpus view also sharpens the architectural claim. Tucker’s most frequent state titles include **Sense / Decide**, **Action Loop**, **Boot / Safe Pose**, **Synchronize**, **Sense Fall State**, and **Recover**. Read together, they make explicit a recurring embodied workflow that can be summarized as initialize, sense, decide, act, synchronize, and repeat. That sequence is especially useful for the present paper because it renders Berkeley’s own language of inputs, control, states, events, and outputs in a compact behavioral form. It also clarifies why the AIBO corpus is relevant to Heiserman: once such recurring loops are visible as reusable units, one can ask how they might be layered, revised, or extended toward more adaptive creature-like organization.

The R-CODE corpus is especially useful because it spans a graded range of behavioral complexity and now makes that grading explicit. At the simpler end are activation or playback-like routines that largely sequence prepared actions. More complex cases add persistent monitoring and bodily recovery, as in locomotion scripts that watch fall state and trigger restorative behavior. Tucker’s updated ladder then inserts a distinct intermediate rung of contact-conditioned response, where the shared control backbone is redirected toward expressive or social interaction rather than locomotion alone. Still richer cases add local branching, environmental comparison, and eventual mode-governed task control, as in maze navigation and football behaviors. This ladder of examples makes it possible to observe, within one preserved platform, a progression from startup regularization, to monitored action, to interaction branching, to decision loops, to fuller state-governed behavioral organization. That progression is directly relevant to the present argument, because it

shows how explicit states, sensory conditions, control branches, and recurrent actions combine into a usable design vocabulary for embodied intelligence.

Two brief examples make the point more tangible. A script such as **Move** can be read at the behavioral level as: boot, assume a safe pose, repeat forward motion, monitor fall state, and invoke recovery if needed. In the extracted analysis, this routine contains four states and five transitions, and its sensed variable is the fall indicator **Gsensor_status**. In the paper’s schema, that is already a nontrivial organization of action, sensing, control, and recovery rather than a bare motion sequence. The script does not simply command the robot to walk. It couples repeated action to bodily monitoring and to a distinct restorative path, which means that the behavior is organized around conditional continuity rather than around one uninterrupted motor command.

A richer case such as **Football** makes the state structure more explicit. At the behavioral level, the routine can be summarized as search, detect ball, pursue, kick, and resume, with fall recovery and tracking loss handled as separate branches. The local extract identifies thirty-one states, fifty-four transitions, sensed variables including **Cdt_npixel**, **Gsensor_status**, **Head_pan**, **Head_tilt**, and **Psd_range**, and explicit internal variables such as **mode**, **head**, and **lost**. What matters here is not the surface task alone but the mode structure underneath it. Search and pursuit are not just different motions. They are distinct behavioral states linked by sensor conditions, maintained by internal variables, and re-entered when the environment changes. This is precisely the level at which the paper’s Berkeley–Heiserman claim becomes concrete: the routine is not well described as a bag of commands, but as an organized cycle in which sensing, temporary state, branching, action, and recovery cooperate over time.

The corpus becomes even more informative when several scripts are compared together. **C-Tracking** is close to capability activation: a minimal startup-and-act pattern. **Move** adds explicit monitoring and recovery. **Contact Response** shows how the same shared backbone can be redirected toward local interaction branching. **Maze** marks the important intermediate threshold at which the behavior becomes visibly decision-structured, because it repeatedly samples local conditions, compares alternatives, and reorients under environmental constraint. **Football** extends that same logic into persistent mode structure and a fuller embodied state machine. Presented in that order, the sample set yields more than isolated examples. It yields a compact comparison ladder in which one can watch the growth of behavioral organization from simple activation, to monitored action, to interaction branching, to decision loops, to explicit mode-based control. That progression is itself part of the paper’s contribution, because it makes the architecture visible as a graded design vocabulary rather than as a single all-or-nothing theory.

Script	States	Transitions	Key Sensing	Recovery	Control Form
C-Tracking	1	0–1 implicit	none explicit	none	triggered capability activation
Move	4	5	Gsensor_status	explicit	monitored recovery loop
Contact Response	4–5	local branches	contact cue	none explicit	contact-conditioned branch loop
Maze	12	multi-branch	Distance, Head_pan	retry/escape	environmental decision loop
Football	31	54	vision, posture, range	explicit	mode-governed pursuit cycle

Even in this compressed form, the comparison makes a concrete point that is easy to miss in script-by-script reading: the corpus is not just varied in theme, but ordered in control and flow complexity. The progression from one state and little or no explicit transition structure in **C-Tracking**, to the five-transition monitored loop of **Move**, to the contact-conditioned branch logic of **Contact Response**, to the search-and-reorientation logic of **Maze**, to the fifty-four-transition, mode-governed pursuit cycle of **Football**, gives the reader a visible scale along which the behavior vocabulary grows.

That pedagogical point should be stated explicitly. For readers encountering this material for the first time, the jump from a compact monitored routine such as **Move** to a dense mode-driven routine such as **Football** can be too abrupt if the intermediate cases are not given enough space. The present paper therefore uses the ladder not only as evidence but also as a reading sequence. In that sequence, **Contact Response** and **Maze** do the crucial bridging work: the former shows how the common loop branches around interaction, while the latter shows how monitored action becomes decision-structured behavior before the reader is asked to absorb the richer mode logic of **Football**. A fuller companion treatment of the AIBO corpus should continue expanding the intermediate cases so that the method of analysis is learned as a progression of increasingly rich behavior blocks rather than inferred from a leap between simple and highly structured examples.

The point here is not to claim direct historical descent from Berkeley to Sony or from Heiserman to R-CODE. Nor is it to treat one paper by the present author as independent confirmation of another. The evidential function of the section is narrower and still useful: it shows that the ingredients isolated in the earlier parts of the paper remain available as engineering abstractions in a contemporary analysis context. When the AIBO corpus is read through a behavioral state vocabulary, Berkeley’s emphasis on temporally organized machine activity becomes legible again, and Heiserman’s emphasis on creature-level organization becomes easier to operationalize as an extension problem rather than as a separate conceptual universe.

If a preserved constrained robotic corpus can be redescribed in terms of stable behavior blocks, recurring state transitions, recovery paths, and mode-based embodied control, then the Berkeley–Heiserman line is not merely of historical interest. At minimum, it becomes a tractable research

program for comparative reconstruction and technical experimentation. One can analyze existing behaviors, compare them across a corpus, extract a reusable control vocabulary, and then ask how far such architectures can be extended toward richer forms of adaptive embodied intelligence. Tucker’s updated discussion pushes that point beyond analysis toward construction: once the shared loop is explicit, it can be treated as a library of reusable design units for new native robotic systems rather than only as a retrospective description of AIBO code. On that basis, the present engineering reconstruction does more than illustrate relevance. It supplies a methodological bridge between historical interpretation and technical reconstruction. It also stands in a suggestive, though not probative, relation to later embodied-control literatures that likewise treat organized sensorimotor structure as a serious engineering object [18–20]. More specifically, it provides a conceptual basis for later work in which fast reactive behavior, slower supervisory control, and distributed implementation are treated as parts of one architectural continuum rather than as disconnected design choices. In that stronger sense, the architectural claim is not exhausted by single-controller reconstruction, but points toward coordinated multi-process realizations that preserve one shared behavioral organization across distinct operating layers.

5 Conclusion

Berkeley’s contribution can be stated in technical terms. He treats intelligent machinery as an organized relation among inputs, outputs, storage, calculation, control, states, events, and behavioral programs. On that basis, Berkeley is more than a symbolic logician applying formal methods to machines. He provides a control-oriented account of how intelligent conduct can be specified, embodied, and temporally organized in machinery.

The comparison with Heiserman sharpens both the reach and the limit of that account. Berkeley does not formulate adaptive, reinforcement-based, or confidence-driven machine intelligence in the Heiserman manner. What he does provide is the groundwork: sensing, internal state, control, and action organized in explicit machine form. Heiserman extends that framework by developing the adaptive component more fully through remembered success, generalization, and creature-level learning behavior.

The result is a tractable research program rather than a completed doctrine. Berkeley and Heiserman together define a framework in which logic, explicit state organization, embodied control, behavioral modularity, and adaptive response are treated as compatible components of machine intelligence. Contemporary work on behavioral state vocabularies for constrained robotic systems supports the claim that this framework remains analytically and heuristically relevant [23]. The next step is not simply further historical recovery but systematic evaluation of the framework along at least three concrete dimensions: whether a common behavioral vocabulary transfers across multiple robotic corpora, whether such vocabularies improve modular design and behavior comparison in practice, and whether explicitly state-organized systems can be extended toward adaptive revision without losing explanatory and engineering clarity. Those questions would turn the paper’s

central claim from an interpretive proposal into a testable research program for embodied machine intelligence.

One implication deserves emphasis because it bears directly on subsequent engineering work. If the Berkeley–Heiserman architecture is sound, then embodied intelligence need not be implemented as a single undifferentiated control mass. It can instead be organized as cooperating layers or cadences: fast local reactive processes, slower supervisory reorganization, and adaptive revision operating over a shared behavioral vocabulary. Such an arrangement need not collapse into one executable center; it can be instantiated across coordinated components so long as the behavioral organization remains legible across them. That possibility is not fully developed here, but the paper does provide conceptual groundwork for later attempts to instantiate such an architecture on contemporary distributed substrates.

References

- [1] Edmund C. Berkeley. Algebra in electronic design. *Radio-Electronics*, pages 55–58, February 1952.
- [2] Edmund C. Berkeley. *Symbolic Logic and Intelligent Machines*. Reinhold Publishing Corporation, New York, 1959.
- [3] George Boole. *The Mathematical Analysis of Logic*. Macmillan, Barclay, and Macmillan, Cambridge, 1847.
- [4] George Boole. *An Investigation of the Laws of Thought*. Walton and Maberly, London, 1854.
- [5] John Venn. *Symbolic Logic*. Macmillan and Co., London, 1894.
- [6] Claude E. Shannon. A symbolic analysis of relay and switching circuits. *Transactions of the American Institute of Electrical Engineers*, 57:713–723, 1938.
- [7] David L. Heiserman. *Robot Intelligence ... with Experiments*. TAB Books, Blue Ridge Summit, PA, 1981.
- [8] John Venn. *The Logic of Chance*. Macmillan and Co., London, 1866.
- [9] John Venn. *The Principles of Empirical or Inductive Logic*. Macmillan and Co., London, 1889.
- [10] Edmund C. Berkeley. Machine “intelligence”. *Astounding Science Fiction*, pages 82–95, January 1952.
- [11] A. H. Basson and D. J. O’Connor. *Introduction to Symbolic Logic*. The Free Press of Glencoe, Glencoe, IL, 1960.
- [12] Norbert Wiener. *Cybernetics: Or Control and Communication in the Animal and the Machine*. MIT Press, Cambridge, MA, 1948.

- [13] W. Ross Ashby. *Design for a Brain*. Chapman and Hall, London, 1952.
- [14] W. Ross Ashby. *An Introduction to Cybernetics*. Chapman and Hall, London, 1956.
- [15] Alan M. Turing. Intelligent machinery, 1948. National Physical Laboratory report.
- [16] Alan M. Turing. Computing machinery and intelligence. *Mind*, 59(236):433–460, 1950.
- [17] W. Grey Walter. *The Living Brain*. Duckworth, London, 1953.
- [18] Valentino Braitenberg. *Vehicles: Experiments in Synthetic Psychology*. MIT Press, Cambridge, MA, 1984.
- [19] Rodney A. Brooks. A robust layered control system for a mobile robot. *IEEE Journal of Robotics and Automation*, 2(1):14–23, 1986.
- [20] Rodney A. Brooks. Intelligence without representation. *Artificial Intelligence*, 47(1–3):139–159, 1991.
- [21] Edmund C. Berkeley. *The Construction of Living Robots*. Edmund C. Berkeley and Associates, New York, 1952.
- [22] Edmund C. Berkeley. Light sensitive ... electronic beast. *Radio-Electronics*, pages 46–48, December 1951.
- [23] Christopher A. Tucker. A behavioral state vocabulary in Sony ERS-111 R-CODE, 2026. arXiv:2607.12115.