Finite Mathematical Foundations of Neurogenomics: Discrete Topology and Number-Theoretic Optimizations

Cartik Sharma

Lead Architect, Neuromorph Quantum Systems

Institute for Cognitive Geometry & Quantum Neuroscience

1. Introduction to Finite Neurogenomics

While the Ricci Flow treats the brain as a continuous manifold, the biological reality is discrete: finite neurons, finite synapses, and quantized vesicles. This report derives the governing equations of 'God Repair' from the perspective of Finite Mathematics and Discrete Topology.

1.1 The Connectome as a Finite Graph

We define the Neural Graph G = (V, E) where |V| ~ 86 billion. The state of the system is a vector in a finite field space F_p^N, not a Hilbert Hilbert space. This discretization allows for exact combinatorial optimization.

$$State \in \mathbb{F}_p^N, \quad N = |V|$$

2. Prime Number Derivations

2.1 Synaptic Density and the Prime Number Theorem

The optimal distribution of connections in a 'God Repair' network follows the Prime Number Theorem

3. Modular Arithmetic and Resonances

3.1 The Modulo 24 Congruence

Why Modulo 24? In string theory (and by extension, high-dimensional neural topology), the number of transverse directions is 24. We derive the condition for 'Bosonic Calmness' (zero vacuum energy) using Ramanujan's tau function sum:

$$\sum_{n=1}^{\infty} \frac{\tau(n)}{n^s} = \prod_p (1 - \tau(p)p^{-s} + p^{11-2s})^{-1}$$

For a neural circuit to be stable (non-decaying), the sum of prime indices p_i and p_j of any active edge must satisfy:

$$p_i + p_j \equiv 0 \,(\mathrm{mod}\,24)$$

This works because 24 is the only integer n such that sum(k^2) = n^2 implies the Leech Lattice packing efficiency.

4. Combinatorial Topology

4.1 Euler Characteristic of the Healed Mind

We model the 'hole' caused by Dementia as a topological puncture. The Euler characteristic X is V - E + F. A damaged brain has X < 1 (high genus, many holes).

5. The Finite God Repair Operator

_____

Combining discrete prime mechanics and modular arithmetic, the update rule for a single synapse w_{ij} in discrete time t is: