PREPARED BY

CARTRACK INSURANCE

PREPARED FOR

CULES VAN DYK

POWERFLOW · MEETING 09:00

RM EYES ONLY
DO NOT HAND TO THE CLIENT

PI & DEFECTIVE WORKMANSHIP ADD-ON · RM FIELD EDITION

Powerflow Playbook

The add-on the client asked for, a **second policy nobody told us about**, and the one sentence you must say out loud before he signs.

💰 THE ASK	🚨 RETRO DATE	🔍 NEW FIND
R4,483/mo	**Inception**	**R2,336/mo**
R53,797/yr · 0.36% of turnover	nothing already built is covered	a 2nd Guardrisk policy

Powerflow Electrical Holdings · reg 2015/083526/07 · VAT 4370276398 · AC&E / New National quote PI/PL26/JH58942, 7 Aug 2026
DOSSIER · CIA-PFLOW-2026 · QUOTE EXPIRES 6 SEPTEMBER 2026

🎯 YOUR MISSION · READ BEFORE 09:00

The game plan

PLAY 01

This is not a comparison. Nobody is competing for it — it is **cover the client does not have**, on the exposure closest to what he actually does. Your job is not to sell it. Your job is to make sure he understands the one thing it will **not** do, so that if he buys it he buys it with his eyes open, and if he does not, he has chosen the risk deliberately.

RUN THE MEETING IN THIS ORDER

1. **Open with the second policy.** "Before we get to the quote — your Contractors All Risk policy came through last week and it wasn't in what I gave you in July. Your real spend is R9,745 a month, not R7,408." That earns you the room in one sentence.
2. **Then the gap you already flagged.** Remind him you told him in July that all three quotes excluded defective workmanship. You went and priced it. You did what you said you would.
3. **Then the retro date — before he asks.** Everything he has already built is outside this policy. Say it plainly, early, in your own words. If he finds it himself on page 3 of the quote you have lost the file.
4. **Then the turnover.** R15m declared, one contract at R22m. You need the real number, and you need it before anything is placed. Frame it as protecting him, because it is.
5. **Price last.** R4,483 a month, and paying monthly costs nothing extra. Only after he understands what he is buying.

THE NUMBER THAT FRAMES IT

0.36%

of a year's declared turnover buys R10m of design cover, R10m of liability and R10m of defective workmanship. Use the percentage, not the rand, when he flinches at R53,797.

⚠ BEFORE YOU PRESENT

Do not let him sign today without the turnover figure. PI is rated on turnover. If R15m is wrong — and the R22m contract says it is — the premium is wrong and the policy is arguable at the first claim. Getting that right is worth more to him than closing a day early is to you.

🔍 TEARDOWN · WHAT HE ACTUALLY CARRIES

PLAY 02

Two policies, one broker, and a hole

Both existing policies sit with **Pogir Bastion and Associates (Pty) Ltd** · the CAR policy renews 01/03/2027 · all figures monthly, VAT incl.

POLICY	TODAY	PROPOSED	WHAT IT IS
IN FORCE			
Guardrisk / Protocol **PTC0000-06970**	R7,408.35	–	Commercial + fleet. The July comparison. Recommendation was Natsure.
Guardrisk C&E **CAR167430**	R2,336.62	R2,336.62	**NEW TO US.** Contract works R15m + **PL R10m** + Sasria. Excess R5,000.
True current spend	**R9,744.97**	**–**	**July pack said R7,408.35. Correct it before he does.**
PROPOSED			
Natsure / Compass **COM191179**	–	R6,997.56	Broadform R20m ground-up. Still the right call.
AC&E / New National **PI/PL26/JH58942**	–	R4,483.08	PI R10m + GPL R10m + DW R10m aggregate.
All-in per month	**R9,744.97**	**R13,817.26**	**+R4,072.29/mo · ≈+R48,867/yr**

🚨 **THE R22M CONTRACT**

CAR declares **turnover R15,000,000** and a **maximum contract limit R6,000,000** — anything above is excluded unless noted. Then it notes **Linden Lane decommissioning at R22,000,000** (273.24 kWp solar PV, 1001 kWh battery storage, excess 10% min R35,000). **3.7× the contract limit and 1.5× the declared annual turnover.** Correctly endorsed — but ask what else is running unnoted, and get the real turnover.

💰 **WHERE THE MONEY GOES**

The re-market **saves R410.79**. The add-on **costs R4,483.08**. So the switch pays for about a tenth of the new cover. Say it that way round — he is not being re-priced, he is buying something he does not own. If he says no, he is choosing to carry design and workmanship risk himself, which is exactly what he does today.

Read-across. AC&E limits are excl. VAT; deductibles VAT neutral; premiums incl. VAT and a disclosed 20% broker commission plus 15% ancillary fee. Source-verified against quote PI/PL26/JH58942 and schedule CAR167430. E&OE.

The Naked Truth

DO NOT HAND TO THE CLIENT

Six weak spots in this quote. He is an electrician — he reads specifications for a living and he **will** read this one. Raise every point first.

1 ► Retroactive date is inception. Everything already built is outside.

Claims-made, retro at inception, and the CAR policy adds "run-on cover: not included, only new projects". Solar and battery defects surface years after handover — which is the entire point of buying this.

> SAY *"This starts the day it starts. Everything you've already handed over sits outside it. I'm asking them to price a retro date — but I'm not letting you sign without knowing that."*

2 ► The R7,420 public liability is cover he already has.

R10m PL on the CAR policy, plus R2m + R20m excess on the commercial (or R20m broadform ground-up at Natsure). AC&E note (4): defective workmanship is only available if their GPL is taken.

> SAY *"That liability line is the entry ticket to the workmanship section, not new cover. I've asked whether they'll write it over your existing liability. I'd rather tell you than dress it up."*

3 ► Defective workmanship excludes defective design.

And PI excludes workmanship. Take one and not the other and a failed installation becomes an argument he funds. This is the honest case for the package — use it as a reason, never as a close.

> SAY *"Design sits in one section, workmanship in the other, and each excludes the other. Held on one policy the handoff is internal. Split them and it becomes your problem."*

4 ► DW is an ANNUAL AGGREGATE. PI and GPL are each and every loss.

Two bad jobs in one year share a single R10m. He will not spot this unless you point at it, and it is the kind of thing that destroys trust later.

> SAY *"One difference worth knowing: the workmanship limit is for the year, not per claim. The other two are per claim."*

5 ► The deductibles are five times what he is used to.

PI R25,000 each and every; DW 10% min R25,000 — R50,000 on a R500,000 claim. His CAR policy runs R5,000 major and all other, PL R15,000.

> SAY *"The first amount payable is heavier than on your contract works policy. On a half-million rand workmanship claim your share is fifty thousand."*

6 ► The quote is half-completed and the activities are unconfirmed.

Address "Please Supply", e-mail and VAT "Please Provide" — all of it sits on the CAR schedule. Activities read "(PLEASE CONFIRM)" and do not mention **battery energy storage**, which is what Linden Lane is.

> DO *Fill it in yourself before he sees it. Then get battery storage named in writing — do not leave a 1001 kWh system to be argued at claims stage.*

The Battlecard

PLAY 04

💰 THE ASK

R4,483/mo

or R2,473 · or R2,010

🎯 THE FRAME

0.36%

of a year's turnover

⚠ THE DISCLOSURE

Retro = day one

say it before he finds it

📜 OPEN

"Two things before the quote. Your Contractors All Risk policy came through — it wasn't in what I gave you in July, so your real spend is R9,745, not R7,408. And I went and got you the one thing I told you was missing from all three quotes."

THE OBJECTIONS YOU'LL HIT — AND THE WORDS THAT ANSWER THEM

💬 **"Fifty-four thousand a year? That's a lot for something I've never had."**

✓ It's a third of a percent of your turnover. And "never had" is the point — every claim on your current programme is fire, theft, a bakkie or someone hurt on site. Nothing you carry today answers when the installation itself is what failed. On solar and battery work that's not a small corner of your risk, it's most of it.

💬 **"So if a job I did last year fails, this covers me?"**

✓ No — and I want to be the one who tells you that. It starts from day one and looks forward only. Everything already handed over sits outside it. I've asked them to price a retro date. If they won't, you'll have it from me in writing before you decide.

💬 **"I've already got ten million public liability. Why am I paying again?"**

✓ You're right, and you're not gaining much there. Their rule is that defective workmanship only comes with their own liability section, so that R618 a month is the price of admission. I've asked whether they'll write the workmanship over yours instead. If they will, that's seven and a half thousand a year back.

💬 **"Can I just take the professional indemnity?"**

✓ You can, and it's R2,473. But PI covers the design and specifically excludes the workmanship, and the workmanship section specifically excludes the design. Take one and a failed installation becomes an argument about which it was — and that argument is yours to fund.

🌙 NIGHT BEFORE · 60 SEC

- ☐ R9,744.97 true current spend
- ☐ retro = inception, say it first
- ☐ DW is annual aggregate
- ☐ R4,483.08/mo · 0.36% of turnover
- ☐ R15m turnover vs R22m contract
- ☐ quote dies 6 September

🤝 ***CLOSE LIKE THIS***

"Give me your actual annual turnover and I'll have this finalised this week. Two things I'm still chasing them on — a retroactive date so your completed work isn't left outside, and whether the workmanship can sit over the liability you already have. I'd rather bring you both answers than have you sign around them."

🔧 THE REFRAME THAT WINS THE ROOM

He has been sold insurance before. He has probably never had a broker walk in, tell him a policy he is being offered is partly duplicate, and point at the one year of exposure it will not reach. Do that in the first ten minutes and the rest of this account is yours.