



STRONG
PROFILES.
SMARTER
FABRICATION.

BUILD
BETTER
SPACES

ENGINEERED uPVC PROFILES

For Window & Door Fabrication



SUPERIOR
STRENGTH



PRECISE
ENGINEERING



LONG-LASTING
PERFORMANCE



RELIABLE PROFILES
FOR A BRIGHTER
TOMORROW



PRODUCT CATALOGUE

Authorised Distributor - Southern Region

KALPANA TRADERS

WINDOWS

DOORS

STRONGER SPACES

BRIGHTER TOMORROW

TECHNICAL TEST REPORT

In accordance with GB/T 8814-2017

REFERENCE VALUE vs STAR PROFILE RESULT



PREMIUM
uPVC PROFILES
FOR A BETTER
TOMORROW

COMPLETE TEST PARAMETERS

TEST	REFERENCE VALUE	RESULT
Surface appearance	Smooth, flat, consistent, clean	Pass
External dimensional deviation – thickness	±0.3 mm	+0.16 mm
External dimensional deviation – width	±0.5 mm	+0.22 mm
Linear deviation	≤1 mm	0.5 mm
Main profile quality	≥95%	1.01
Dimensional change after heating	≤2.0%	1.1%, 1.3%
Difference in dimensional change between surfaces	≤0.4%	0.002
Condition after heating	No bubbles/cracks/pitting	Pass

IMPORTANT PERFORMANCE PARAMETERS

 1. Wall thickness – visible Reference: Class B ≥2.5 mm Result: 2.73 mm	 2. Wall thickness – non-visible Reference: Class B ≥2.0 mm Result: 2.43 mm	 3. Falling hammer impact Reference: ≤1 damaged unit Result: 0
 4. Density Reference: ≤1530 kg/m³ Result: 1479 kg/m³	 5. Vicat softening temperature Reference: ≥78°C Result: 78.9°C	 6. Tensile yield stress Reference: ≥37 MPa Result: 37.8 MPa
 7. Tensile fracture strain Reference: ≥100% Result: 3.29	 8. Bending elastic modulus Reference: ≥2200 MPa Result: 2400 MPa	 9. Welded-joint bending stress – mean Reference: ≥35 MPa Result: 53.7 MPa
 10. Welded-joint bending stress – minimum Reference: ≥30 MPa Result: 42.2 MPa	 11. Short-term welding coefficient – non-decorative Reference: ≥0.8 Result: 0.86	

*Building a
Brighter Tomorrow*



Durable



Weather Resistant



Eco Friendly



Sound Insulation



Thermal Efficiency




Reliable Performance

QUALITY TESTED. PERFORMANCE VERIFIED.


SRI STAR PROFILES

Stronger Spaces. Brighter Tomorrow.


S.No. : 1
 Product Description : **60 Casement Frame**
 Product Code : SPHD60-11
 Series : Casement
 Thickness : **2.0 mm**
 Weight (Kgs/Mtr) : 1.0250
 Length/Mtr : 5.800
 Length Weight : 5.9450
 Pcs/Bag : 6




S.No. : 2
 Product Description : 60 Casement Outward Sash
 Product Code : SPHD60-21
 Series : CW
 Thickness : 2.5
 Weight (Kgs/Mtr) : 1.4330
 Length/Mtr : 5.800
 Length Weight : 8.3114
 Pcs/Bag : 6




S.No. : 3
 Product Description : **60 Casement Mullian**
 Product Code : SPHD60-31
 Series : CW
 Thickness : **2.0 mm**
 Weight (Kgs/Mtr) : 1.1600
 Length/Mtr : 5.800
 Length Weight : 6.7280
 Pcs/Bag : 6




S.No. : 4
 Product Description : **60 Casement Frame**
 Product Code : SPHD60-10
 Series : CW
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.1190
 Length/Mtr : 5.800
 Length Weight : 6.4902
 Pcs/Bag : 6




S.No. : 5
 Product Description : 60 Casement Outward Sash
 Product Code : SPHD60-21
 Series : CW
 Thickness : 2.5
 Weight (Kgs/Mtr) : 1.4330
 Length/Mtr : 5.800
 Length Weight : 8.3114
 Pcs/Bag : 6




S.No. : 6
 Product Description : **60 Casement Mullian**
 Product Code : SPHD60-30
 Series : CW
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.2480
 Length/Mtr : 5.800
 Length Weight : 7.2384
 Pcs/Bag : 6




S.No. : 1
 Product Description : **62 Sliding Frame H52**
 Product Code : STHD62-10
 Series : 62 SL
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.1940
 Length/Mtr : 5.800
 Length Weight : 6.9252
 Pcs/Bag : 4




S.No. : 2
 Product Description : **62 Sliding Sash H58**
 Product Code : STHD88-20
 Series : 62 SL
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 0.9990
 Length/Mtr : 5.800
 Length Weight : 5.7942
 Pcs/Bag : 8




S.No. : 3
 Product Description : **62 Sliding Sash H92**
 Product Code : STHD62-22
 Series : 62 SL
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.4120
 Length/Mtr : 5.800
 Length Weight : 8.1896
 Pcs/Bag : 8




S.No. : 4
 Product Description : **24 Glass Beading**
 Product Code : STHD88-46
 Series : 62 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.2360
 Length/Mtr : 5.800
 Length Weight : 1.3688
 Pcs/Bag : 30




S.No. : 5
 Product Description : **7.5 Glass Beading**
 Product Code : STHD80-40
 Series : 62 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.1540
 Length/Mtr : 5.800
 Length Weight : 0.8932
 Pcs/Bag : 50




S.No. : 6
 Product Description : **9 Glass Beading**
 Product Code : STHD88-47
 Series : 62 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.1540
 Length/Mtr : 5.800
 Length Weight : 0.8932
 Pcs/Bag : 50




S.No. : 1
 Product Description : **80 Sliding Frame H52**
 Product Code : STHD80-10
 Series : 80 SL
 Thickness : **2.2 mm**
 Weight (Kgs/Mtr) : 1.3000
 Length/Mtr : 5.800
 Length Weight : 7.5400
 Pcs/Bag : 4




S.No. : 2
 Product Description : **80 Sliding Sash H55**
 Product Code : STHD80-21
 Series : 80 SL
 Thickness : **2.2 mm**
 Weight (Kgs/Mtr) : 0.8480
 Length/Mtr : 5.800
 Length Weight : 4.9184
 Pcs/Bag : 8




S.No. : 3
 Product Description : **80 Sliding Frame H52**
 Product Code : STHD80-108
 Series : 80 SL
 Thickness : **2.0 mm**
 Weight (Kgs/Mtr) : 1.0530
 Length/Mtr : 5.800
 Length Weight : 6.1074
 Pcs/Bag : 4




S.No. : 4
 Product Description : **80 Sliding Sash H58**
 Product Code : STHD80-201
 Series : 80 SL
 Thickness : **2.0 mm**
 Weight (Kgs/Mtr) : 0.6670
 Length/Mtr : 5.800
 Length Weight : 3.8686
 Pcs/Bag : 6




S.No. : 5
 Product Description : **6 Glass Beading**
 Product Code : STHD88-40
 Series : 80 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.1490
 Length/Mtr : 5.800
 Length Weight : 0.8642
 Pcs/Bag : 50




S.No. : 6
 Product Description : **7.5 Glass Beading**
 Product Code : STHD80-40
 Series : 80 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.1540
 Length/Mtr : 5.800
 Length Weight : 0.8932
 Pcs/Bag : 50




S.No. : 7
 Product Description : 19.5 Glass Beading
 Product Code : STHD80-41
 Series : 80 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.2100
 Length/Mtr : 5.800
 Length Weight : 1.2180
 Pcs/Bag : 30




S.No. : 8
 Product Description : 80 Sliding Sash Cover
 Product Code : STHD80-51
 Series : 80 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.1880
 Length/Mtr : 5.800
 Length Weight : 1.0904
 Pcs/Bag : 30




S.No. : 9
 Product Description : 90° Bay Corner
 Product Code : STHD80-74
 Series : 80 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.9890
 Length/Mtr : 5.800
 Length Weight : 5.7362
 Pcs/Bag : 4




S.No. : 10
 Product Description : 80 Tube Adaptor
 Product Code : STHD80-80
 Series : 80 SL
 Thickness : -
 Weight (Kgs/Mtr) : 1.0000
 Length/Mtr : 5.800
 Length Weight : 5.8000
 Pcs/Bag : 4




S.No. : 11
 Product Description : 80 Screen Sash
 Product Code : STHD80-50
 Series : 80 SL
 Thickness : -
 Weight (Kgs/Mtr) : 0.4390
 Length/Mtr : 5.800
 Length Weight : 2.5462
 Pcs/Bag : 16




S.No. : 1
 Product Description : **88 Sliding Frame H52**
 Product Code : STHD88-10
 Series : 88 SL
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.4980
 Length/Mtr : 5.800
 Length Weight : 8.6884
 Pcs/Bag : 4




S.No. : 2
 Product Description : **88 Sliding Sash H58**
 Product Code : STHD88-20
 Series : 88 SL
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 0.9990
 Length/Mtr : 5.800
 Length Weight : 5.7942
 Pcs/Bag : 8




S.No. : 3
 Product Description : **88 Sliding Frame H52**
 Product Code : STHP88-10
 Series : 88 SL
 Thickness : **2.0 mm**
 Weight (Kgs/Mtr) : 1.2660
 Length/Mtr : 5.800
 Length Weight : 7.3428
 Pcs/Bag : 4




S.No. : 4
 Product Description : **88 Sliding Sash H58**
 Product Code : STHP88-20
 Series : 88 SL
 Thickness : **2.0 mm**
 Weight (Kgs/Mtr) : 0.7540
 Length/Mtr : 5.800
 Length Weight : 4.3732
 Pcs/Bag : 8




S.No. : 5
 Product Description : **6 Glass Beading**
 Product Code : STHD88-40
 Series : 88 SL
 Thickness : **1.4 mm**
 Weight (Kgs/Mtr) : 0.1490
 Length/Mtr : 5.800
 Length Weight : 0.8642
 Pcs/Bag : 50




S.No. : 6
 Product Description : **7.5 Glass Beading**
 Product Code : STHD80-40
 Series : 88 SL
 Thickness : **1.4 mm**
 Weight (Kgs/Mtr) : 0.1540
 Length/Mtr : 5.800
 Length Weight : 0.8932
 Pcs/Bag : 50




S.No. : 7
 Product Description : 9 Glass Beading
 Product Code : STHD88-47
 Series : 88 SL
 Thickness : 1.4 mm
 Weight (Kgs/Mtr) : 0.1540
 Length/Mtr : 5.800
 Length Weight : 0.8932
 Pcs/Bag : 30




S.No. : 8
 Product Description : 24 Glass Beading
 Product Code : STHD88-46
 Series : 88 SL
 Thickness : 1.4 mm
 Weight (Kgs/Mtr) : 0.236
 Length/Mtr : 5.8000
 Length Weight : 1.369
 Pcs/Bag : 30




S.No. : 7
 Product Description : **60 Casement Inward Sash**
 Product Code : SPHD60-24
 Series : CW
 Thickness : **2.0 mm**
 Weight (Kgs/Mtr) : 1.1790
 Length/Mtr : 5.800
 Length Weight : 6.8382
 Pcs/Bag : 6




S.No. : 8
 Product Description : **60 Casement Inward Sash**
 Product Code : SPHD60-20
 Series : CW
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.2630
 Length/Mtr : 5.800
 Length Weight : 7.3254
 Pcs/Bag : 6




S.No. : 9
 Product Description : **17 Glass Beading**
 Product Code : SPHD60-40
 Series : CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.2180
 Length/Mtr : 5.800
 Length Weight : 1.2644
 Pcs/Bag : 24




S.No. : 10
 Product Description : **19 Glass Beading**
 Product Code : SPHD60-41
 Series : CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.2170
 Length/Mtr : 5.800
 Length Weight : 1.2586
 Pcs/Bag : 30




S.No. : 11
 Product Description : **34 Glass Beading**
 Product Code : SPHD60-42
 Series : CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.2960
 Length/Mtr : 5.800
 Length Weight : 1.7168
 Pcs/Bag : 24




S.No. : 12
 Product Description : **15 Glass Beading**
 Product Code : SPHD60-43
 Series : CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.2100
 Length/Mtr : 5.800
 Length Weight : 1.2180
 Pcs/Bag : 30




S.No. : 13
 Product Description : **90° Bay Corner**
 Product Code : SPHD60-70
 Series : CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.7210
 Length/Mtr : 5.800
 Length Weight : 4.1818
 Pcs/Bag : 4




S.No. : 14
 Product Description : **80 Tube Adaptor**
 Product Code : SPHD60-76
 Series : CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.6650
 Length/Mtr : 5.800
 Length Weight : 3.8570
 Pcs/Bag : 10




S.No. : 15
 Product Description : **Cashment Screen Sash**
 Product Code : SPHD60-52
 Series : CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.4720
 Length/Mtr : 5.800
 Length Weight : 2.7376
 Pcs/Bag : 16




S.No. : 1
 Product Description : **65 Casement Frame**
 Product Code : SPHD65-10
 Series : 65 CW
 Thickness : **2.6 mm**
 Weight (Kgs/Mtr) : 1.3600
 Length/Mtr : 5.800
 Length Weight : 7.8880
 Pcs/Bag : 4




S.No. : 2
 Product Description : **65 Casement Mullian**
 Product Code : SPHD65-30
 Series : 65 CW
 Thickness : **2.6 mm**
 Weight (Kgs/Mtr) : 1.6210
 Length/Mtr : 5.800
 Length Weight : 9.4018
 Pcs/Bag : 4




S.No. : 3
 Product Description : **65 Casement Outward Door Sash**
 Product Code : SPHD65-21-1
 Series : 65 CW
 Thickness : **2.6 mm**
 Weight (Kgs/Mtr) : 1.8590
 Length/Mtr : 5.800
 Length Weight : 10.7822
 Pcs/Bag : 4




S.No. : 4
 Product Description : **65 Casement Inward Door Sash**
 Product Code : SPHD65-20
 Series : 65 CW
 Thickness : **2.6 mm**
 Weight (Kgs/Mtr) : 1.3880
 Length/Mtr : 5.800
 Length Weight : 8.0504
 Pcs/Bag : 4




S.No. : 5
 Product Description : **65 Casemnt Frame**
 Product Code : SPHD65-11
 Series : 65 CW
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.2370
 Length/Mtr : 5.800
 Length Weight : 7.1746
 Pcs/Bag : 4




S.No. : 6
 Product Description : **65 Casement Mullian**
 Product Code : SPHD65-31
 Series : 65 CW
 Thickness : **2.5 mm**
 Weight (Kgs/Mtr) : 1.4710
 Length/Mtr : 5.800
 Length Weight : 8.5318
 Pcs/Bag : 4




S.No. : 7
 Product Description : 65 Casement Outward Door Sash
 Product Code : SPHD65-21-1
 Series : 65 CW
 Thickness : 2.5 mm
 Weight (Kgs/Mtr) : 1.8590
 Length/Mtr : 5.800
 Length Weight : 10.7822
 Pcs/Bag : 4




S.No. : 8
 Product Description : 65 Casement Inward Door Sash
 Product Code : SPHD65-22
 Series : 65 CW
 Thickness : 2.5 mm
 Weight (Kgs/Mtr) : 1.3700
 Length/Mtr : 5.800
 Length Weight : 7.9460
 Pcs/Bag : 4




S.No. : 9
 Product Description : 21 Frame Glass Beading
 Product Code : SPHD60-41
 Series : 65 CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.2620
 Length/Mtr : 5.800
 Length Weight : 1.5196
 Pcs/Bag : 24




S.No. : 10
 Product Description : 22 Frame Glass Beading
 Product Code : SPHD65-41
 Series : 65 CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.3130
 Length/Mtr : 5.800
 Length Weight : 1.8154
 Pcs/Bag : 24



S.No. : 11
 Product Description : 24 Frame Glass Beading
 Product Code : SPHD65-40
 Series : 65 CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.3210
 Length/Mtr : 5.800
 Length Weight : 1.8618
 Pcs/Bag : 24



S.No. : 12
 Product Description : 24 Sash Glass Beading
 Product Code : SPHD65-42
 Series : 65 CW
 Thickness : -
 Weight (Kgs/Mtr) : 0.2800
 Length/Mtr : 5.800
 Length Weight : 1.6240
 Pcs/Bag : 24





MANUFACTURER DETAILS

HEBEI SHENGDA COMPANY

Manufacturer of SRI STAR uPVC Profiles

QUALITY
PROFILES
FOR A
BETTER TOMORROW



Hebei Shengda Company was established in 1999 and is headquartered in the National High-Tech Industrial Development Zone of Baoding, Hebei, China.



PRODUCTION CAPACITY



100,000 tons
of high-quality profiles



300,000 m²
of high-efficiency, energy-
saving doors and windows



INDUSTRY MEMBERSHIPS

- Governing member of the China Building Metal Structure Association
- Member of the China Passive Low-Energy Building Industry Technology Innovation Strategic Alliance
- Executive committee member of the China Passive Ultra-Low Energy Building Branch



MANAGEMENT SYSTEM CERTIFICATIONS

- ISO 9001 Quality Management System
- ISO 14001 Environmental Management System



PRODUCTS AND APPLICATIONS

- Professional supplier of energy-saving doors and windows, uPVC profiles, and ultra-low-energy passive-window systems.
- Products included in the Product Selection Catalogue of Passive Low-Energy Buildings issued by the Ministry of Housing and Urban-Rural Development.



TESTING AND RECOGNITION

- German PHI certification
- Ministry of Housing and Urban-Rural Development Kangju certification
- Passive 30-minute and 60-minute fire-resistance testing

SRI STAR PROFILES
Stronger Spaces. Brighter Tomorrow.



KALPANA TRADERS



Address:

Site No.5, SF No.593/3B1A/PART,
Pandiyam Nagar,
Eachanari to Chettipalayam Road,
Near Railway Gate, Podanur,
Coimbatore, Tamil Nadu – 641023



TAX ID: 33ARQPS0733F1ZR



Mobile: +91 9865599555 | +91 9944541604



E-mail: kalpanaupvctraders@gmail.com

PREMIUM uPVC PROFILES
FOR A BRIGHTER TOMORROW



SRI STAR PROFILES

Stronger Spaces. Brighter Tomorrow.

Authorised Distributor – Southern Region