

HAMMER FLOW AI

MSP Automation Catalog

34 deterministic, human-reviewed workflow prototypes for managed service providers

PORTFOLIO OVERVIEW

A practical automation library designed around recurring MSP operational, security, governance, and profitability workflows.

Read only first. Deterministic by default. Human reviewed.

34	19	0
workflow prototypes	MSP departments	production credentials in Git

HOW HAMMER FLOW IS POSITIONED

Automation for the work MSPs already do

The catalog focuses on repeatable operational decisions: gather the right evidence, apply transparent rules, surface exceptions, and hand the result to a human for action.

Deterministic first Calculations, thresholds, coverage rules, compliance logic, and severity decisions are explicit and repeatable before AI is considered.	Read-only safe mode The prototypes analyze and report. They do not make production changes, remediate endpoints, alter tickets, or contact clients.
Evidence attached Findings carry the source fields, calculations, rule path, and audit context needed for human review.	Client implementation model The prototypes use synthetic data. Production integrations, permissions, mappings, and approval boundaries are configured per MSP and client.

THE 34-WORKFLOW LIBRARY

Core MSP Operations	HF-001 - HF-015	Service desk, identity, security, governance, profitability, endpoint protection
Finance & Procurement	HF-016, HF-033	Collections risk, purchase orders and vendor-invoice exceptions
Growth, Marketing & Sales	HF-017 - HF-018, HF-022, HF-026 - HF-028	Lead readiness, attribution, deals, campaigns, email and SEO
People, Productivity & Scheduling	HF-019 - HF-020, HF-025	Capacity, recruiting follow-up, dispatch and on-call coverage
Research, Analytics & Intelligence	HF-021, HF-023 - HF-024	Vendor research, KPI anomalies and client prioritization
Data, Engineering, DevOps & Content	HF-029 - HF-032, HF-034	Data quality, extraction, CI/CD, compliance evidence and content briefs

Catalog note: These are completed local prototypes validated with synthetic data. They demonstrate the automation logic and delivery pattern; they should not be described as production client deployments unless separately implemented.

SERVICE DESK & OPERATIONS

Leadership visibility and service control

Turn routine PSA data into actionable management signals without changing tickets or client records.

HF-001 Weekly Executive Service Desk Digest

Problem: MSP leaders often have ticket data but no concise weekly view of service health, backlog, SLA performance, and emerging operational pressure.

Deterministic workflow: Reads structured service-desk data and applies fixed rules to summarize ticket volume, aging, backlog, SLA status, priority mix, reopen patterns, client concentration, and notable exceptions.

Primary output: A concise HTML/plain text executive digest with key metrics, exceptions, and evidence-backed areas for human follow-up.

Operational value: Turns noisy PSA data into a repeatable management briefing and reduces manual reporting time.

Safety boundary: Read-only reporting. No ticket edits, assignments, closures, client messages, or automated remediation.

HF-002 SLA Risk Alert

Problem: Tickets can drift toward response or resolution breaches before technicians or managers notice the risk.

Deterministic workflow: Calculates deterministic SLA exposure from ticket priority, elapsed time, target thresholds, current status, and remaining time, then ranks at-risk items.

Primary output: Prioritized SLA-risk alerts showing why each ticket is at risk and which threshold triggered the finding.

Operational value: Helps service managers intervene earlier and focus attention on the tickets most likely to breach.

Safety boundary: Advisory only. It does not change priority, ownership, due dates, SLA settings, or client communications.

SERVICE DESK & OPERATIONS

Faster intake and earlier root-cause visibility

Standardize what happens at the front door of the service desk and surface repeated issues that deserve problem review.

HF-003 New Ticket Triage & Routing Recommendation

Problem: New tickets arrive with inconsistent categorization, priority, and routing, increasing first-touch handling time.

Deterministic workflow: Applies deterministic mappings to structured ticket fields, client/site context, keywords, device type, issue category, and business rules to recommend queue, category, priority, and routing.

Primary output: A triage recommendation with the rule path and evidence used for each suggested decision.

Operational value: Improves consistency at intake and gives dispatchers a faster starting point without hiding the reasoning.

Safety boundary: Recommendation only. No automatic reassignment, reprioritization, ticket updates, or technician actions.

HF-004 Recurring Incident & Problem Candidates

Problem: Repeated incidents are easy to treat as isolated tickets, allowing chronic client or platform issues to remain hidden.

Deterministic workflow: Uses repeatable grouping rules across client, site, asset, category, symptom, and time window to identify clusters that meet defined recurrence thresholds.

Primary output: A ranked list of recurring-incident and problem-management candidates with supporting ticket evidence.

Operational value: Surfaces systemic issues that deserve root-cause review and can reduce repeat support demand.

Safety boundary: No problem records, tickets, or changes are created automatically; every candidate requires human review.

IDENTITY, PEOPLE & LICENSING

Lifecycle readiness and recurring-cost control

Check whether people, access, devices, and licensing are ready before work begins - and expose license leakage before it compounds.

HF-005 New Hire Onboarding Readiness

Problem: Onboarding requests often reach IT with missing identity, licensing, device, access, manager, or start-date information.

Deterministic workflow: Checks a structured onboarding request against deterministic readiness requirements and flags missing prerequisites, conflicting details, timing risks, and incomplete approvals.

Primary output: A readiness checklist showing complete, missing, blocked, and review-required items before onboarding begins.

Operational value: Reduces last-minute onboarding surprises and gives service teams a consistent pre-flight process.

Safety boundary: No accounts, licenses, devices, permissions, groups, or tickets are created or modified.

HF-006 Pax8 License Reconciliation & Billing Leakage Alert

Problem: Differences between purchased licenses, assigned seats, client billing, and actual need can quietly erode MSP margin.

Deterministic workflow: Reconciles synthetic distributor, assignment, client, and billing records using fixed matching and variance rules to find unassigned, duplicated, mismatched, or unbilled licenses.

Primary output: A client-by-client reconciliation report with leakage candidates, evidence, and estimated financial exposure.

Operational value: Helps operations and finance teams recover revenue and reduce unnecessary recurring software cost.

Safety boundary: Read-only. No licenses, subscriptions, quantities, invoices, or client records are changed.

Safer departures and focused security triage

Use explicit readiness and risk rules to reduce missed offboarding steps and help technicians focus on important endpoint alerts.

HF-007 Secure Employee Offboarding Readiness

Problem: Offboarding can leave access, licenses, devices, sessions, or ownership responsibilities unresolved.

Deterministic workflow: Cross-checks the offboarding request against deterministic identity, access, device, license, ownership, and timing requirements to identify gaps before execution.

Primary output: A human-review offboarding readiness report with blockers, missing evidence, and high-risk access items.

Operational value: Creates a repeatable control point for safer departures and reduces the chance of forgotten access or assets.

Safety boundary: No account disablement, session revocation, device action, license removal, mailbox change, or user notification.

HF-008 Endpoint Security Alert Triage

Problem: Security tools can generate more endpoint alerts than a small MSP team can consistently review and prioritize.

Deterministic workflow: Normalizes structured alert data and deterministically scores severity using alert type, asset criticality, exposure, privilege, recurrence, and available endpoint context.

Primary output: A prioritized triage queue with evidence, risk factors, and recommended human-review next steps.

Operational value: Helps technicians focus first on alerts with the greatest operational and security significance.

Safety boundary: No endpoint isolation, malware removal, quarantine, scan, process kill, policy change, or automated remediation.

Client signals and QBR preparation

Surface relationship risk from service evidence and automate the repetitive data-gathering work behind client business reviews.

HF-009 Client Sentiment & Churn-Risk Alert

Problem: Client dissatisfaction is often visible across ticket patterns and service interactions before it becomes a renewal or escalation problem.

Deterministic workflow: Applies transparent thresholds to structured service indicators such as escalations, reopen rates, aging, repeat issues, low satisfaction inputs, complaint markers, and service volatility.

Primary output: A client-risk watchlist with the contributing signals and supporting service history.

Operational value: Gives account and service leaders an earlier opportunity to investigate relationships that may need attention.

Safety boundary: No client is contacted automatically and no account status is changed; findings are indicators for human review, not predictions of intent.

HF-010 Automated QBR Data Harvester

Problem: Quarterly business reviews require data from multiple operational sources, creating repetitive manual collection work.

Deterministic workflow: Collects and normalizes synthetic PSA, asset, security, licensing, backup, and service metrics into a fixed QBR schema with validation and completeness checks.

Primary output: A structured QBR data pack with client metrics, trends, exceptions, and missing-data indicators ready for human presentation.

Operational value: Reduces preparation effort and improves consistency across client business reviews.

Safety boundary: Read-only data preparation. It does not publish reports, contact clients, modify systems, or invent missing metrics.

REPORTING, GOVERNANCE & PROFITABILITY

Security governance and recovery readiness

Apply documented control rules to identity/security configuration and backup evidence so review is consistent and auditable.

HF-011 Microsoft 365 Security Baseline & Privileged Access Review

Problem: Privileged access and baseline configuration gaps can accumulate across Microsoft 365 tenants without a repeatable review process.

Deterministic workflow: Evaluates synthetic tenant, account, MFA, role, legacy-auth, policy, and privileged-access data against documented deterministic baseline controls.

Primary output: A prioritized security baseline and privileged-access findings report with control evidence and review recommendations.

Operational value: Provides MSPs with a repeatable governance review that highlights high-impact identity and configuration gaps.

Safety boundary: No Microsoft 365 settings, accounts, MFA methods, roles, sessions, policies, licenses, or authentication controls are changed.

HF-012 Backup Failure & Recovery Readiness Escalation

Problem: A green backup dashboard can still hide repeated job failures, stale recovery points, missing restore tests, and weak recovery readiness.

Deterministic workflow: Applies fixed thresholds to backup jobs, recovery-point age, repeated failures, restore-test evidence, workload criticality, and ownership/escalation data.

Primary output: A prioritized backup and recovery-readiness report highlighting failures, stale protection, missing evidence, and escalation candidates.

Operational value: Moves the conversation from 'backup job status' to whether important systems are actually ready for recovery.

Safety boundary: No backup jobs, retention policies, restores, snapshots, repositories, tickets, or client notifications are modified.

Margin protection and compliance exceptions

Find where service delivery leaks margin and where patch/vulnerability exceptions create unmanaged technical risk.

HF-013 Time Entry & Agreement Profitability Leakage

Problem: Unbilled labor, excessive support consumption, incorrect agreement mapping, and weak time-entry discipline can erode service margins.

Deterministic workflow: Reconciles synthetic time entries, agreements, labor cost assumptions, billable status, included hours, overages, client mapping, and service categories using consistent financial rules.

Primary output: A leakage report showing clients, agreements, and time patterns that warrant billing or profitability review.

Operational value: Makes hidden operational margin leakage visible so MSP leaders can investigate pricing, process, and agreement issues.

Safety boundary: No invoices, agreements, time entries, rates, payroll records, or client billing are changed.

HF-014 Patch & Vulnerability Compliance Exception Report

Problem: Patch status, vulnerability exposure, and approved exceptions are often reviewed separately, making it hard to see what is truly overdue or unjustified.

Deterministic workflow: Combines synthetic asset, patch, vulnerability, compliance, exception, ownership, and remediation data using deterministic age, severity, exposure, and exception-expiry rules.

Primary output: A prioritized compliance and exception report covering overdue patches, vulnerable assets, unsupported systems, expiring exceptions, and missing remediation evidence.

Operational value: Gives technical and governance teams a single evidence-backed view of patch and vulnerability exceptions requiring attention.

Safety boundary: No patches, reboots, scans, vulnerability changes, exceptions, tickets, or endpoint actions are executed.

ENDPOINT COMPLIANCE & PROTECTION

Coverage that can be proven

The final workflow closes the loop by checking whether managed endpoints actually have the expected protection, health, policy, telemetry, licensing, and exception controls.

HF-015 Endpoint Protection & Security Tool Coverage Gap Report

Problem: Managed endpoints can appear present in inventory while protection agents, EDR capability, security policies, licenses, telemetry, or exclusions are incomplete or unhealthy.

Deterministic workflow: Reconciles synthetic endpoint inventory, protection agents, EDR/AV status, policy assignment, telemetry, definitions, versions, licenses, exclusions, exceptions, maintenance windows, and asset criticality using fixed coverage and risk thresholds.

Primary output: A prioritized coverage-gap report for missing agents, stale or unhealthy protection, disabled controls, policy and license mismatches, conflicts, orphaned records, broad exclusions, and high-risk unprotected assets.

Operational value: Provides a clear control-plane view of whether managed endpoints actually have the protection the MSP expects them to have.

Safety boundary: Read-only and human-reviewed. No agent install/remove/upgrade, isolation, scan, quarantine, policy change, exclusion change, license action, endpoint modification, ticket change, or client notification.

FINANCE & LEAD GENERATION

Cash-flow visibility and better-qualified opportunities

Surface collection exposure and create explainable sales-readiness queues without contacting clients or prospects.

HF-016 Accounts Receivable & Collections Risk Escalation

Problem: MSP teams need a repeatable way to reconcile invoices, payments, credits, disputes, and payment promises to surface overdue balances and collection risk.

Deterministic workflow: Invoice and payment reconciliation; Broken-promise and dispute detection; Risk-based review ordering.

Primary output: Collections review queue.

Operational value: Creates a consistent, evidence-backed collections review queue and reduces repetitive manual review.

Safety boundary: No client contact, fund application, or invoice changes.

HF-017 MSP Lead Qualification & Sales Readiness Escalation

Problem: MSP teams need a repeatable way to apply exclusions, consent controls, ICP-fit rules, and buying-intent evidence to create an explainable sales-review queue.

Deterministic workflow: Consent and exclusion controls; ICP-fit and intent evidence; Explainable readiness classification.

Primary output: Sales-readiness review queue.

Operational value: Creates a consistent, evidence-backed sales-readiness review queue and reduces repetitive manual review.

Safety boundary: No prospect contact or automatic qualification.

MARKETING & PRODUCTIVITY

Pipeline evidence and service-team capacity

Connect marketing activity to support pipeline outcomes and reveal workload pressure without ranking employees.

HF-018 MSP Marketing Attribution & Pipeline Performance Report

Problem: MSP teams need a repeatable way to connect campaigns, leads, touchpoints, and opportunities to report qualified pipeline and supported closed-won revenue.

Deterministic workflow: Cross-source identity linking; Qualified-pipeline calculation; Attribution evidence and limitation checks.

Primary output: Marketing pipeline report.

Operational value: Creates a consistent, evidence-backed marketing pipeline report and reduces repetitive manual review.

Safety boundary: No causation claims, source rewrites, or budget changes.

HF-019 MSP Technician Capacity, Workload & Service Flow Review

Problem: MSP teams need a repeatable way to identify workload pressure, capacity, aging work, schedule variance, stale ownership, and team bottlenecks without ranking employees.

Deterministic workflow: Capacity and workload calculation; Aging and ownership checks; Service-flow exception classification.

Primary output: Capacity and workload review.

Operational value: Creates a consistent, evidence-backed capacity and workload review and reduces repetitive manual review.

Safety boundary: No employee ranking, work reassignment, or personnel decisions.

RECRUITING & RESEARCH

Timely follow-up and verified vendor intelligence

Find stalled recruiting work and turn verified vendor notices into evidence-backed client-impact briefs.

HF-020 MSP Recruiting Pipeline & Candidate Follow-Up Escalation

Problem: MSP teams need a repeatable way to find stalled applications, missing ownership, overdue feedback, delayed updates, failed communications, and recruiting-data problems.

Deterministic workflow: Stage-age and follow-up checks; Ownership and feedback validation; Communication and data-quality exceptions.

Primary output: Recruiting follow-up queue.

Operational value: Creates a consistent, evidence-backed recruiting follow-up queue and reduces repetitive manual review.

Safety boundary: No candidate ranking, rejection, scheduling, or messaging.

HF-021 MSP Vendor Lifecycle & Service Change Research Brief

Problem: MSP teams need a repeatable way to convert verified vendor lifecycle and service-change notices into an evidence-backed brief showing products and client exposure.

Deterministic workflow: Source verification and capture; Product and client exposure matching; Evidence-backed review classification.

Primary output: Vendor change research brief.

Operational value: Creates a consistent, evidence-backed vendor change research brief and reduces repetitive manual review.

Safety boundary: No service changes, client notices, or unverified instructions.

SALES & ANALYTICS

Deal momentum and service-performance trends

Prioritize stalled opportunities and highlight meaningful deterioration in service KPIs for human review.

HF-022 MSP Sales Pipeline, Proposal Follow-Up & Deal Risk Escalation

Problem: MSP teams need a repeatable way to review opportunities for stalled stages, missing engagement, overdue follow-up, proposal risk, ownership gaps, and decision dates.

Deterministic workflow: Stage-stagnation checks; Engagement and follow-up validation; Proposal, ownership, and date-risk rules.

Primary output: Deal-risk review queue.

Operational value: Creates a consistent, evidence-backed deal-risk review queue and reduces repetitive manual review.

Safety boundary: No outreach, opportunity changes, discounts, or commitments.

HF-023 MSP Service Delivery KPI Trend & Anomaly Review

Problem: MSP teams need a repeatable way to compare current and previous service metrics to identify meaningful deterioration in SLA, backlog, response, reopen, and satisfaction measures.

Deterministic workflow: Current-to-prior comparison; Material-change thresholds; Trend and anomaly classification.

Primary output: Service trend and anomaly report.

Operational value: Creates a consistent, evidence-backed service trend and anomaly report and reduces repetitive manual review.

Safety boundary: No target, ticket, or staff-assignment changes.

BUSINESS INTELLIGENCE & CALENDAR

Strategic account focus and reliable dispatch coverage

Combine client-health evidence and scheduling controls to expose account priorities, conflicts, and coverage gaps.

HF-024 MSP Client Portfolio Health & Strategic Account Prioritization

Problem: MSP teams need a repeatable way to combine financial, service, agreement, satisfaction, and risk evidence to prioritize accounts for human review.

Deterministic workflow: Cross-domain client normalization; Transparent health classification; Retention, remediation, and renewal priorities.

Primary output: Strategic account review.

Operational value: Creates a consistent, evidence-backed strategic account review and reduces repetitive manual review.

Safety boundary: No definitive labels, commercial changes, or client contact.

HF-025 MSP Dispatch Calendar, On-Call Coverage & Appointment Conflict Review

Problem: MSP teams need a repeatable way to detect appointment conflicts, missing coverage, unassigned visits, skill mismatches, availability problems, and scheduling gaps.

Deterministic workflow: Calendar conflict detection; Coverage and availability validation; Skill and priority matching.

Primary output: Dispatch conflict review.

Operational value: Creates a consistent, evidence-backed dispatch conflict review and reduces repetitive manual review.

Safety boundary: No calendar changes, assignment, or coverage modification.

MARKETING OPERATIONS & EMAIL MARKETING

Attribution integrity and deliverability control

Expose lead-source leakage, handoff problems, deliverability exceptions, and unsupported performance claims.

HF-026 Campaign Performance & Lead Source Leakage

Problem: MSP teams need a repeatable way to find missing or conflicting lead sources, broken campaign references, and overdue handoffs while reporting supported performance metrics.

Deterministic workflow: Lead-source integrity checks; Campaign and handoff validation; Evidence-gated ROAS and ROI calculation.

Primary output: Campaign leakage report.

Operational value: Creates a consistent, evidence-backed campaign leakage report and reduces repetitive manual review.

Safety boundary: No attribution overwrite, campaign changes, or unsupported claims.

HF-027 Email Marketing Deliverability & Engagement Exception Report

Problem: MSP teams need a repeatable way to identify complaint, bounce, authentication, suppression, unsubscribe, engagement, and abnormal-sending exceptions.

Deterministic workflow: Bounce and complaint thresholds; Authentication and suppression checks; Engagement and sending-pattern review.

Primary output: Deliverability exception report.

Operational value: Creates a consistent, evidence-backed deliverability exception report and reduces repetitive manual review.

Safety boundary: No sending, suppression removal, authentication, or campaign changes.

SEO & DATA MANAGEMENT

Search opportunity and trustworthy operational data

Correlate technical SEO evidence and identify duplicate, stale, orphaned, or invalid records without changing source systems.

HF-028 Technical SEO & Content Opportunity Audit

Problem: MSP teams need a repeatable way to correlate crawl, CMS, linking, search, analytics, and performance evidence to identify technical problems and content opportunities.

Deterministic workflow: Cross-source URL normalization; Technical SEO exception rules; Evidence-backed content opportunity checks.

Primary output: SEO and content review.

Operational value: Creates a consistent, evidence-backed seo and content review and reduces repetitive manual review.

Safety boundary: No publishing, website changes, or ranking promises.

HF-029 Duplicate, Stale & Orphaned Data Quality Report

Problem: MSP teams need a repeatable way to find duplicate candidates, stale records, broken relationships, invalid ownership, and incomplete evidence without modifying data.

Deterministic workflow: Duplicate-candidate signatures; Freshness and ownership validation; Parent-relationship integrity checks.

Primary output: Data-quality review report.

Operational value: Creates a consistent, evidence-backed data-quality review report and reduces repetitive manual review.

Safety boundary: No record merge, deletion, or rewrite.

DATA EXTRACTION & DEVOPS

Structured evidence and deployment readiness

Create source-backed structured previews and surface CI/CD failures, blocked releases, and missing readiness evidence.

HF-030 Document & Message Structured-Data Extraction

Problem: MSP teams need a repeatable way to convert supported document and message templates into structured previews while retaining source evidence for every field.

Deterministic workflow: Supported-template detection; Field extraction with source retention; Missing and conflicting evidence checks.

Primary output: Evidence-backed structured preview.

Operational value: Creates a consistent, evidence-backed evidence-backed structured preview and reduces repetitive manual review.

Safety boundary: No system overwrite or treatment of uncertain text as fact.

HF-031 CI/CD Failure & Deployment Readiness Escalation

Problem: MSP teams need a repeatable way to review pipelines, required checks, deployments, and release risks to identify failures, blocked releases, and insufficient readiness evidence.

Deterministic workflow: Pipeline failure detection; Required-check and deployment validation; Release-readiness risk classification.

Primary output: Deployment-readiness escalation.

Operational value: Creates a consistent, evidence-backed deployment-readiness escalation and reduces repetitive manual review.

Safety boundary: No deployment, rerun, bypass, approval, or repository change.

Control evidence and financial exceptions

Identify security-evidence gaps and reconcile purchase orders, receipts, invoices, and approvals before human review.

HF-032 Security & Compliance Evidence Gap Review

Problem: MSP teams need a repeatable way to identify missing, stale, conflicting, or incomplete control evidence without declaring an organization compliant or secure.

Deterministic workflow: Evidence freshness and completeness checks; Conflict and ownership validation; Control-gap review classification.

Primary output: Security evidence-gap review.

Operational value: Creates a consistent, evidence-backed security evidence-gap review and reduces repetitive manual review.

Safety boundary: No certification, control change, or automatic remediation.

HF-033 MSP Procurement, Purchase Order & Vendor Invoice Exception Review

Problem: MSP teams need a repeatable way to reconcile purchase orders, receipts, vendor invoices, and approval evidence to identify exceptions before payment review.

Deterministic workflow: PO, receipt, and invoice matching; Duplicate and mismatch detection; Approval-evidence validation.

Primary output: Vendor invoice exception review.

Operational value: Creates a consistent, evidence-backed vendor invoice exception review and reduces repetitive manual review.

Safety boundary: No purchase approval, accounting change, or payment release.

CONTENT CREATION

Source-grounded briefs and safer repurposing

Turn approved source material into review-ready content while flagging unsupported claims, rights issues, and accessibility gaps.

HF-034 Source-Grounded Content Brief & Safe Repurposing Review

Problem: MSP teams need a repeatable way to transform approved source material into briefs, outlines, and channel drafts while flagging unsupported claims and rights issues.

Deterministic workflow: Approved-source grounding; Claim and statistic consistency checks; Rights and accessibility review flags.

Primary output: Content brief and repurposing review.

Operational value: Creates a consistent, evidence-backed content brief and repurposing review and reduces repetitive manual review.

Safety boundary: No publishing, claim approval, or rights determination.

IMPLEMENTATION MODEL

From prototype to MSP workflow

1. Map Define the MSP's source systems, client scope, data fields, policies, thresholds, and approval boundaries.	2. Connect Add least-privilege integrations in the client's or MSP's environment; keep credentials out of source control.	3. Validate Run against controlled data, compare findings with known cases, and confirm false-positive/false-negative behavior.	4. Operate Schedule reporting or alerts with human review, logging, failure handling, and documented ownership.
---	---	---	---

A practical automation layer for MSP operations

The Hammer Flow library is designed to make recurring MSP decisions more consistent, visible, and reviewable - without hiding the rules or automating high-risk actions by default.

34 workflow prototypes | 19 MSP departments | Human-reviewed by design

WHAT THIS CATALOG IS FOR

- MSP owners evaluating where automation can remove repetitive operational work.
- Service, security, finance, and account leaders looking for clearer exception reporting.
- Client discovery conversations where a prototype can be adapted to the MSP's stack and policies.
- Internal planning for production integrations with PSA, RMM, identity, security, backup, licensing, and reporting systems.

HammerFlowAI is a specialized workflow and AI automation agency that helps modern businesses eliminate manual drag, stop revenue leakage, and scale operations without increasing headcount. We design, deploy, and maintain custom API integrations, automated triggers, and intelligent systems directly within your existing software stack—turning complex, repetitive processes into seamless background operations. Ready to uncover where your team is losing time and money? Claim your Free 15-Minute Automation Audit by visiting hammerflowai.com or emailing us at cary@hammerflowai.com. On the call, our automation engineers will review your tech stack, pinpoint your top operational bottlenecks, and provide a tailored ROI scorecard showing exact hours and dollars you can reclaim—zero commitment required.
