

HAMMER FLOW AI

MSP Automation Catalog

15 deterministic, human-reviewed workflow prototypes for managed service providers

PORTFOLIO OVERVIEW

A practical automation library designed around recurring MSP operational, security, governance, and profitability workflows.

Read-only first. Deterministic by default. Human reviewed.

15 workflow prototypes	5 capability groups	0 production credentials in Git
---------------------------	------------------------	------------------------------------

Draft catalog for review and refinement

Automation for the work MSPs already do

The catalog focuses on repeatable operational decisions: gather the right evidence, apply transparent rules, surface exceptions, and hand the result to a human for action.

Deterministic first Calculations, thresholds, coverage rules, compliance logic, and severity decisions are explicit and repeatable before AI is considered.	Read-only safe mode The prototypes analyze and report. They do not make production changes, remediate endpoints, alter tickets, or contact clients.
Evidence attached Findings carry the source fields, calculations, rule path, and audit context needed for human review.	Client implementation model The prototypes use synthetic data. Production integrations, permissions, mappings, and approval boundaries are configured per MSP and client.

THE 15-WORKFLOW LIBRARY

Service Desk & Operations	HF-001 - HF-004	Executive reporting, SLA risk, ticket triage, recurring incidents
Identity, People & Licensing	HF-005 - HF-007	Onboarding, license reconciliation, secure offboarding
Security & Client Risk	HF-008 - HF-009	Endpoint alert triage, service sentiment and churn-risk signals
Reporting, Governance & Profitability	HF-010 - HF-013	QBR data, M365 security, backup readiness, margin leakage
Endpoint Compliance & Protection	HF-014 - HF-015	Patch/vulnerability exceptions, endpoint security coverage

Catalog note: These are completed local prototypes validated with synthetic data. They demonstrate the automation logic and delivery pattern; they should not be described as production client deployments unless separately implemented.

Leadership visibility and service control

Turn routine PSA data into actionable management signals without changing tickets or client records.

HF-001 Weekly Executive Service Desk Digest

- Problem:** MSP leaders often have ticket data but no concise weekly view of service health, backlog, SLA performance, and emerging operational pressure.
- Deterministic workflow:** Reads structured service-desk data and applies fixed rules to summarize ticket volume, aging, backlog, SLA status, priority mix, reopen patterns, client concentration, and notable exceptions.
- Primary output:** A concise HTML/plain-text executive digest with key metrics, exceptions, and evidence-backed areas for human follow-up.
- Operational value:** Turns noisy PSA data into a repeatable management briefing and reduces manual reporting time.
- Safety boundary:** Read-only reporting. No ticket edits, assignments, closures, client messages, or automated remediation.

HF-002 SLA Risk Alert

- Problem:** Tickets can drift toward response or resolution breaches before technicians or managers notice the risk.
- Deterministic workflow:** Calculates deterministic SLA exposure from ticket priority, elapsed time, target thresholds, current status, and remaining time, then ranks at-risk items.
- Primary output:** Prioritized SLA-risk alerts showing why each ticket is at risk and which threshold triggered the finding.
- Operational value:** Helps service managers intervene earlier and focus attention on the tickets most likely to breach.
- Safety boundary:** Advisory only. It does not change priority, ownership, due dates, SLA settings, or client communications.

Faster intake and earlier root-cause visibility

Standardize what happens at the front door of the service desk and surface repeated issues that deserve problem review.

HF-003 New Ticket Triage & Routing Recommendation

Problem: New tickets arrive with inconsistent categorization, priority, and routing, increasing first-touch handling time.

Deterministic workflow: Applies deterministic mappings to structured ticket fields, client/site context, keywords, device type, issue category, and business rules to recommend queue, category, priority, and routing.

Primary output: A triage recommendation with the rule path and evidence used for each suggested decision.

Operational value: Improves consistency at intake and gives dispatchers a faster starting point without hiding the reasoning.

Safety boundary: Recommendation only. No automatic reassignment, reprioritization, ticket updates, or technician actions.

HF-004 Recurring Incident & Problem Candidates

Problem: Repeated incidents are easy to treat as isolated tickets, allowing chronic client or platform issues to remain hidden.

Deterministic workflow: Uses repeatable grouping rules across client, site, asset, category, symptom, and time window to identify clusters that meet defined recurrence thresholds.


Primary output: A ranked list of recurring-incident and problem-management candidates with supporting ticket evidence.

Operational value: Surfaces systemic issues that deserve root-cause review and can reduce repeat support demand.

Safety boundary: No problem records, tickets, or changes are created automatically; every candidate requires human review.

Lifecycle readiness and recurring-cost control

Check whether people, access, devices, and licensing are ready before work begins - and expose license leakage before it compounds.



HF-005 New Hire Onboarding Readiness


- Problem:** Onboarding requests often reach IT with missing identity, licensing, device, access, manager, or start-date information.
- Deterministic workflow:** Checks a structured onboarding request against deterministic readiness requirements and flags missing prerequisites, conflicting details, timing risks, and incomplete approvals.
- Primary output:** A readiness checklist showing complete, missing, blocked, and review-required items before onboarding begins.
- Operational value:** Reduces last-minute onboarding surprises and gives service teams a consistent pre-flight process.
- Safety boundary:** No accounts, licenses, devices, permissions, groups, or tickets are created or modified.

HF-006 Pax8 License Reconciliation & Billing Leakage Alert

- Problem:** Differences between purchased licenses, assigned seats, client billing, and actual need can quietly erode MSP margin.
- Deterministic workflow:** Reconciles synthetic distributor, assignment, client, and billing records using fixed matching and variance rules to find unassigned, duplicated, mismatched, or unbilled licenses.
- Primary output:** A client-by-client reconciliation report with leakage candidates, evidence, and estimated financial exposure.
- Operational value:** Helps operations and finance teams recover revenue and reduce unnecessary recurring software cost.
- Safety boundary:** Read-only. No licenses, subscriptions, quantities, invoices, or client records are changed.

Safer departures and focused security triage

Use explicit readiness and risk rules to reduce missed offboarding steps and help technicians focus on important endpoint alerts.



HF-007 Secure Employee Offboarding Readiness


- Problem:** Offboarding can leave access, licenses, devices, sessions, or ownership responsibilities unresolved.
- Deterministic workflow:** Cross-checks the offboarding request against deterministic identity, access, device, license, ownership, and timing requirements to identify gaps before execution.
- Primary output:** A human-review offboarding readiness report with blockers, missing evidence, and high-risk access items.
- Operational value:** Creates a repeatable control point for safer departures and reduces the chance of forgotten access or assets.
- Safety boundary:** No account disablement, session revocation, device action, license removal, mailbox change, or user notification.

HF-008 Endpoint Security Alert Triage

- Problem:** Security tools can generate more endpoint alerts than a small MSP team can consistently review and prioritize.
- Deterministic workflow:** Normalizes structured alert data and deterministically scores severity using alert type, asset criticality, exposure, privilege, recurrence, and available endpoint context.
- Primary output:** A prioritized triage queue with evidence, risk factors, and recommended human-review next steps.
- Operational value:** Helps technicians focus first on alerts with the greatest operational and security significance.
- Safety boundary:** No endpoint isolation, malware removal, quarantine, scan, process kill, policy change, or automated remediation.

Client signals and QBR preparation

Surface relationship risk from service evidence and automate the repetitive data-gathering work behind client business reviews.



HF-009 Client Sentiment & Churn-Risk Alert

- Problem:** Client dissatisfaction is often visible across ticket patterns and service interactions before it becomes a renewal or escalation problem.
- Deterministic workflow:** Applies transparent thresholds to structured service indicators such as escalations, reopen rates, aging, repeat issues, low satisfaction inputs, complaint markers, and service volatility.
- Primary output:** A client-risk watchlist with the contributing signals and supporting service history.
- Operational value:** Gives account and service leaders an earlier opportunity to investigate relationships that may need attention.
- Safety boundary:** No client is contacted automatically and no account status is changed; findings are indicators for human review, not predictions of intent.

HF-010 Automated QBR Data Harvester

- Problem:** Quarterly business reviews require data from multiple operational sources, creating repetitive manual collection work.
- Deterministic workflow:** Collects and normalizes synthetic PSA, asset, security, licensing, backup, and service metrics into a fixed QBR schema with validation and completeness checks.
- Primary output:** A structured QBR data pack with client metrics, trends, exceptions, and missing-data indicators ready for human presentation.
- Operational value:** Reduces preparation effort and improves consistency across client business reviews.
- Safety boundary:** Read-only data preparation. It does not publish reports, contact clients, modify systems, or invent missing metrics.

Security governance and recovery readiness

Apply documented control rules to identity/security configuration and backup evidence so review is consistent and auditable.

HF-011 Microsoft 365 Security Baseline & Privileged Access Review

Problem: Privileged access and baseline configuration gaps can accumulate across Microsoft 365 tenants without a repeatable review process.

Deterministic workflow: Evaluates synthetic tenant, account, MFA, role, legacy-auth, policy, and privileged-access data against documented deterministic baseline controls.

Primary output: A prioritized security baseline and privileged-access findings report with control evidence and review recommendations.

Operational value: Provides MSPs with a repeatable governance review that highlights high-impact identity and configuration gaps.

Safety boundary: No Microsoft 365 settings, accounts, MFA methods, roles, sessions, policies, licenses, or authentication controls are changed.

HF-012 Backup Failure & Recovery Readiness Escalation

Problem: A green backup dashboard can still hide repeated job failures, stale recovery points, missing restore tests, and weak recovery readiness.

Deterministic workflow: Applies fixed thresholds to backup jobs, recovery-point age, repeated failures, restore-test evidence, workload criticality, and ownership/escalation data.

Primary output: A prioritized backup and recovery-readiness report highlighting failures, stale protection, missing evidence, and escalation candidates.

Operational value: Moves the conversation from 'backup job status' to whether important systems are actually ready for recovery.

Safety boundary: No backup jobs, retention policies, restores, snapshots, repositories, tickets, or client notifications are modified.

Margin protection and compliance exceptions

Find where service delivery leaks margin and where patch/vulnerability exceptions create unmanaged technical risk.

HF-013 Time Entry & Agreement Profitability Leakage

Problem: Unbilled labor, excessive support consumption, incorrect agreement mapping, and weak time-entry discipline can erode service margins.

Deterministic workflow: Reconciles synthetic time entries, agreements, labor cost assumptions, billable status, included hours, overages, client mapping, and service categories using consistent financial rules.

Primary output: A leakage report showing clients, agreements, and time patterns that warrant billing or profitability review.

Operational value: Makes hidden operational margin leakage visible so MSP leaders can investigate pricing, process, and agreement issues.

Safety boundary: No invoices, agreements, time entries, rates, payroll records, or client billing are changed.

HF-014 Patch & Vulnerability Compliance Exception Report

Problem: Patch status, vulnerability exposure, and approved exceptions are often reviewed separately, making it hard to see what is truly overdue or unjustified.

Deterministic workflow: Combines synthetic asset, patch, vulnerability, compliance, exception, ownership, and remediation data using deterministic age, severity, exposure, and exception-expiry rules.


Primary output: A prioritized compliance and exception report covering overdue patches, vulnerable assets, unsupported systems, expiring exceptions, and missing remediation evidence.

Operational value: Gives technical and governance teams a single evidence-backed view of patch and vulnerability exceptions requiring attention.

Safety boundary: No patches, reboots, scans, vulnerability changes, exceptions, tickets, or endpoint actions are executed.

Coverage that can be proven

The final workflow closes the loop by checking whether managed endpoints actually have the expected protection, health, policy, telemetry, licensing, and exception controls.



HF-015 Endpoint Protection & Security Tool Coverage Gap Report

- Problem:** Managed endpoints can appear present in inventory while protection agents, EDR capability, security policies, licenses, telemetry, or exclusions are incomplete or unhealthy.
- Deterministic workflow:** Reconciles synthetic endpoint inventory, protection agents, EDR/AV status, policy assignment, telemetry, definitions, versions, licenses, exclusions, exceptions, maintenance windows, and asset criticality using fixed coverage and risk thresholds.
- Primary output:** A prioritized coverage-gap report for missing agents, stale or unhealthy protection, disabled controls, policy and license mismatches, conflicts, orphaned records, broad exclusions, and high-risk unprotected assets.
- Operational value:** Provides a clear control-plane view of whether managed endpoints actually have the protection the MSP expects them to have.
- Safety boundary:** Read-only and human-reviewed. No agent install/remove/upgrade, isolation, scan, quarantine, policy change, exclusion change, license action, endpoint modification, ticket change, or client notification.

IMPLEMENTATION MODEL

From prototype to MSP workflow

1. Map Define the MSP's source systems, client scope, data fields, policies, thresholds, and approval boundaries.	2. Connect Add least-privilege integrations in the client's or MSP's environment; keep credentials out of source control.	3. Validate Run against controlled data, compare findings with known cases, and confirm false-positive/false-negative behavior.	4. Operate Schedule reporting or alerts with human review, logging, failure handling, and documented ownership.
---	---	---	---

A practical automation layer for MSP operations

The Hammer Flow library is designed to make recurring MSP decisions more consistent, visible, and reviewable - without hiding the rules or automating high-risk actions by default.

15 workflow prototypes | 5 capability groups | Human-reviewed by design

WHAT THIS CATALOG IS FOR

- MSP owners evaluating where automation can remove repetitive operational work.
- Service, security, finance, and account leaders looking for clearer exception reporting.
- Client discovery conversations where a prototype can be adapted to the MSP's stack and policies.
- Internal planning for production integrations with PSA, RMM, identity, security, backup, licensing, and reporting systems.

hammerflowai.com

Draft catalog - prepared for review, editing, and brand refinement