



AREA 1

FINAL

COACHING



ENGR. JOHN HENRY L. TENORIO

ABELE 2023 | 4TH PLACER



tenorio.johnhenry@clsu2.edu.ph



www.facebook.com/_10norio



www.instagram.com/_10norio



www.tiktok.com/_10norio

AGRICULTURAL AND BIOSYSTEMS MACHINERY SPECIFICATIONS, TESTING AND EVALUATION

Percentage Weight = 4 % of 32%

Number of Items And Distribution = *12 items out of 100 items*

1. Evaluate designs, technical specifications and cost estimates of agricultural and biosystems machinery;
2. Determine power requirements, capacity and efficiency of agricultural and biosystems machinery
3. Conduct testing and evaluation of locally manufactured/ distributed agricultural and biosystems machinery and equipment.

What is the minimum product recovery required for a corn mill?

- a. 50%
- b. 55%
- c. 60%
- d. 65%

What is the minimum product recovery required for a corn mill?

- a. 50%
- b. 55%**
- c. 60%
- d. 65%

What is the maximum allowable noise level for a corn mill?

- a. 80 dB(A)
- b. 90 dB(A)
- c. 100 dB(A)
- d. 110 dB(A)

What is the maximum allowable noise level for a corn mill?

- a. 80 dB(A)
- b. 90 dB(A)
- c. 100 dB(A)**
- d. 110 dB(A)

What is the minimum dehulling or degerminator efficiency for a corn mill?

- a. 70%
- b. 80%
- c. 85%
- d. 90%

What is the minimum dehulling or degerminator efficiency for a corn mill?

- a. 70%
- b. 80%
- c. 85%**
- d. 90%

What is the required moisture content (MC) for the corn kernels used in testing?

- a. 12%
- b. 14%
- c. 15%
- d. 18%

What is the required moisture content (MC) for the corn kernels used in testing?

- a. 12%
- b. 14%
- c. 15%**
- d. 18%

How many test trials are required, and what is the minimum duration per trial for corn mill?

- a. 3 trials, 15 minutes
- b. 2 trials, 15 minutes
- c. 3 trials, 30 minutes
- d. 3 trials, 30 minutes

How many test trials are required, and what is the minimum duration per trial for corn mill?

- a. **3 trials, 15 minutes**
- b. 2 trials, 15 minutes
- c. 3 trials, 30 minutes
- d. 3 trials, 30 minutes

For purity determination, how much sample weight should be used to evaluate impurities?

- a. 500 grams
- b. 250 grams
- c. 1000 grams
- d. 300 grams

For purity determination, how much sample weight should be used to evaluate impurities?

- a. **500 grams**
- b. 250 grams
- c. 1000 grams
- d. 300 grams

What is the maximum allowable by-product percentage in corn milling?

- a. 31%
- b. 21%
- c. 64%
- d. 28%

What is the maximum allowable by-product percentage in corn milling?

- a. 31%
- b. 21%
- c. 64%
- d. 28%



What is the maximum loss allowed for corn milling operations?

- a. 0%
- b. 5%
- c. 7%
- d. 2%



What is the maximum loss allowed for corn milling operations?

- a. 0%
- b. 5%**
- c. 7%
- d. 2%

What is the minimum threshing recovery required for a mechanical peanut thresher?

- a. 85%
- b. 90%
- c. 95%
- d. 80%

What is the minimum threshing recovery required for a mechanical peanut thresher?

- a. 85%
- b. 90%**
- c. 95%
- d. 80%

What is the minimum threshing efficiency required for a mechanical peanut thresher?

- a. 85%
- b. 90%
- c. 95%
- d. 80%

What is the minimum threshing efficiency required for a mechanical peanut thresher?

- a. 85%
- b. 90%**
- c. 95%
- d. 80%

What is the maximum allowable noise level for a mechanical peanut thresher?

- a. 95 dB(A)
- b. 110 dB(A)
- c. 100 dB(A)
- d. 85 dB(A)

What is the maximum allowable noise level for a mechanical peanut thresher?

- a. 95 dB(A)
- b. 110 dB(A)
- c. **100 dB(A)**
- d. 85 dB(A)

How many days prior to
threshing should the
peanut plants be
harvested?

- a. 1 day
- b. 3 days
- c. 5 days
- d. 7 days

How many days prior to
threshing should the
peanut plants be
harvested?

- a. 1 day
- b. 3 days**
- c. 5 days
- d. 7 days



How long should the input pods be dried in an oven during the moisture content test of peanut thresher?

- a. 48 hours at 80 °C
- b. 36 hours at 90 °C
- c. 72 hours at 100 °C
- d. 24 hours at 110 °C

How long should the input pods be dried in an oven during the moisture content test of peanut thresher?

- a. 48 hours at 80 °C
- b. 36 hours at 90 °C
- c. 72 hours at 100 °C**
- d. 24 hours at 110 °C

What is the maximum cable linear speed allowed for an Agricultural Tramline System (ATS)?

- a. 120 m/min
- b. 130 m/min
- c. 150 m/min
- d. 180 m/min

What is the maximum cable linear speed allowed for an Agricultural Tramline System (ATS)?

- a. 120 m/min
- b. 130 m/min
- c. 150 m/min**
- d. 180 m/min



What is the acceptable range for cable sag in ATS operations?

- a. 2-10%
- b. 10-20%
- c. 1-8%
- d. 5-15%

What is the acceptable range for cable sag in ATS operations?

- a. 2-10%
- b. 10-20%
- c. 1-8%
- d. 5-15%**

How many test trials are required for ATS performance testing?

- a. 2 trials
- b. 3 trials
- c. 4 trials
- d. 5 trials

How many test trials are required for ATS performance testing?

- a. 2 trials
- b. 3 trials**
- c. 4 trials
- d. 5 trials



What is the minimum grinding recovery required for a coffee grinder?

- a. 90%
- b. 96%
- c. 98%
- d. 95%

What is the minimum grinding recovery required for a coffee grinder?

- a. 90%
- b. 96%**
- c. 98%
- d. 95%

What is the maximum average particle size allowed for ground coffee?

- a. 1.0 mm
- b. 2.0 mm
- c. 1.5 mm
- d. 3.0 mm

What is the maximum average particle size allowed for ground coffee?

- a. 1.0 mm
- b. 2.0 mm
- c. 1.5 mm**
- d. 3.0 mm

What is the acceptable moisture content range for coffee beans used in grinding?

- a. 2-4%
- b. 5-7%
- c. 8-10%
- d. 6-8%

What is the acceptable moisture content range for coffee beans used in grinding?

- a. 2-4%
- b. 5-7%**
- c. 8-10%
- d. 6-8%

What is the required purity level for the coffee beans to be used for coffee grinder?

- a. 95%
- b. 98%
- c. 99%
- d. 100%

What is the required purity level for the coffee beans to be used for coffee grinder?

- a. 95%
- b. 98%
- c. 99%
- d. 100%

How many trials are required for testing the coffee grinder, and what is the minimum trial duration?

- a. 2 trials, 15 minutes each
- b. 3 trials, 15 minutes each
- c. 2 trials, 30 minutes each
- d. 3 trials, 30 minutes each

How many trials are required for testing the coffee grinder, and what is the minimum trial duration?

- a. 2 trials, 15 minutes each
- b. 3 trials, 15 minutes each**
- c. 2 trials, 30 minutes each
- d. 3 trials, 30 minutes each



What is the minimum grinding recovery required for a cacao grinder?

- a. 90%
- b. 95%
- c. 96%
- d. 98%

What is the minimum grinding recovery required for a cacao grinder?

- a. 90%
- b. 95%**
- c. 96%
- d. 98%

What is the minimum purity required for cacao nibs used in the grinding process?

- a. 95%
- b. 97%
- c. 99%
- d. 100%

What is the minimum purity required for cacao nibs used in the grinding process?

- a. 95%
- b. 97%
- c. 99%**
- d. 100%



How long should the cacao grinder operate continuously during testing?

- a. 30 minutes
- b. 1 hour
- c. 90 minutes
- d. 2 hours

What is the maximum moisture gradient for a batch type heated-air mechanical grain dryer for rice and corn?

- a. 2%
- b. 4%
- c. 3%
- d. 1%

What is the maximum moisture gradient for a batch type heated-air mechanical grain dryer for rice and corn?

- a. 2%
- b. 4%**
- c. 3%
- d. 1%

What is the drying rate of rice in a continuous flow type heated-air mechanical grain dryer?

- a. 0.8%/hr
- b. 1.0%/hr
- c. 2.0%/hr
- d. 0.4%/hr

What is the drying rate of rice in a continuous flow type heated-air mechanical grain dryer?

- a. 0.8%/hr
- b. 1.0%/hr**
- c. 2.0%/hr
- d. 0.4%/hr

What is the maximum allowable increase in cracked grain for shelled corn in a heated-air mechanical grain dryer?

- a. 5%
- b. 7%
- c. 10%
- d. 2%

What is the maximum allowable increase in cracked grain for shelled corn in a heated-air mechanical grain dryer?

- a. 5%
- b. 7%
- c. 10%**
- d. 2%

What is the minimum drying efficiency of a heated-air mechanical grain dryer for rice and corn?

- a. 50%
- b. 75%
- c. 90%
- d. 100%

What is the minimum drying efficiency of a heated-air mechanical grain dryer for rice and corn?

- a. 50%
- b. 75%**
- c. 90%
- d. 100%

What is the minimum heating system efficiency for a direct-fired biomass fuel heated-air mechanical grain dryer?

- a. 65%
- b. 75%
- c. 50%
- d. 90%

What is the minimum heating system efficiency for a direct-fired biomass fuel heated-air mechanical grain dryer?

- a. 65%
- b. 75%
- c. 50%**
- d. 90%

What is the blow flow rate of a heated-air mechanical grain dryer for rice and corn?

- a. 0.1 cmm/kg
- b. 0.05 cmm/kg
- c. 0.15 cmm/kg
- d. 0.2 cmm/kg

What is the blow flow rate of a heated-air mechanical grain dryer for rice and corn?

- a. 0.1 cmm/kg
- b. 0.05 cmm/kg**
- c. 0.15 cmm/kg
- d. 0.2 cmm/kg



How long is the warranty
for a heated-air
mechanical grain dryer?

- a. 6 months
- b. 1 year
- c. 2 years
- d. 3 years

How long is the warranty
for a heated-air
mechanical grain dryer?

- a. 6 months
- b. 1 year**
- c. 2 years
- d. 3 years

How long shall test trials for a heated-air mechanical grain dryer be conducted to ensure that one full capacity of grain has been dried?

- a. 2 hours
- b. 4 hours
- c. 6 hours
- d. 8 hours

How long shall test trials for a heated-air mechanical grain dryer be conducted to ensure that one full capacity of grain has been dried?

- a. 2 hours
- b. 4 hours**
- c. 6 hours
- d. 8 hours

In case of a continuous flow type dryer, how long should the grains undergo tempering before being reloaded for another pass?

- a. 15 minutes
- b. 30 minutes
- c. 1 hour
- d. 2 hours

In case of a continuous flow type dryer, how long should the grains undergo tempering before being reloaded for another pass?

- a. 15 minutes
- b. 30 minutes**
- c. 1 hour
- d. 2 hours

How many samples for moisture determination shall be taken from each layer in batch type dryers?

- a. Two (2)
- b. Four (4)
- c. Six (6)
- d. Eight (8)

How many samples for moisture determination shall be taken from each layer in batch type dryers?

- a. Two (2)
- b. Four (4)
- c. Six (6)**
- d. Eight (8)

How many samples for moisture determination shall be taken from each layer in batch type dryers?

- a. Two (2)
- b. Four (4)
- c. Six (6)
- d. Eight (8)

How many samples for moisture determination shall be taken from each layer in batch type dryers?

- a. Two (2)
- b. Four (4)
- c. Six (6)**
- d. Eight (8)

The moisture meter used for rice and corn shall be calibrated every _____ months.

- a. Two (2)
- b. Four (4)
- c. Six (6)
- d. Eight (8)

The moisture meter used for rice and corn shall be calibrated every _____ months.

- a. Two (2)
- b. Four (4)
- c. Six (6)**
- d. Eight (8)

The moisture meter used for rice and corn shall be calibrated every _____ months.

- a. Two (2)
- b. Four (4)
- c. Six (6)
- d. Eight (8)

The moisture meter used for rice and corn shall be calibrated every _____ months.

- a. Two (2)
- b. Four (4)
- c. **Six (6)**
- d. Eight (8)



What is the minimum shelling recovery percentage for a corn sheller?

- a. 95%
- b. 99.5%
- c. 98%
- d. 100%

What is the minimum shelling recovery percentage for a corn sheller?

- a. 95%
- b. 99.5%**
- c. 98%
- d. 100%

What is the minimum shelling efficiency required for a corn sheller?

- a. 10%
- b. 1%
- c. 5%
- d. 3%



What is the minimum shelling efficiency required for a corn sheller?

- a. 10%
- b. 1%**
- c. 5%
- d. 3%

What is the maximum allowable noise level of a corn sheller for two hours of continuous exposure?

- a. 90 dB (A)
- b. 95 dB (A)
- c. 100 dB (A)
- d. 105 dB (A)

What is the maximum allowable noise level of a corn sheller for two hours of continuous exposure?

- a. 90 dB (A)
- b. 95 dB (A)**
- c. 100 dB (A)
- d. 105 dB (A)

What is the maximum separation loss percentage for a corn sheller?

- a. 1%
- b. 0.5%
- c. 3%
- d. 2%

What is the maximum separation loss percentage for a corn sheller?

- a. 1%
- b. 0.5%**
- c. 3%
- d. 2%

What is the maximum unshelled loss percentage allowed for a corn sheller?

- a. 1%
- b. 3%
- c. 0.5%
- d. 2%

What is the maximum unshelled loss percentage allowed for a corn sheller?

- a. 1%
- b. 3%
- c. 0.5%
- d. 2%



What is the warranty period for a corn sheller?

- a. 1 month
- b. 6 months
- c. 1 year
- d. 2 years



What is the warranty period for a corn sheller?

- a. 1 month
- b. 6 months**
- c. 1 year
- d. 2 years

What is the maximum percentage of mechanically damaged kernels allowed for a corn sheller?

- a. 2%
- b. 3%
- c. 5%
- d. 1%

What is the maximum percentage of mechanically damaged kernels allowed for a corn sheller?

- a. 2%
- b. 3%
- c. 5%
- d. 1%

What is the minimum number of test trials required for the corn sheller?

- a. 1
- b. 2
- c. 3
- d. 4



What is the minimum number of test trials required for the corn sheller?

- a. 1
- b. 2**
- c. 3
- d. 4



What is the duration required for each test trial of the corn sheller?

- a. 10 minutes
- b. 15 minutes
- c. 30 minutes
- d. 60 minutes

What is the duration required for each test trial of the corn sheller?

- a. 10 minutes
- b. 15 minutes**
- c. 30 minutes
- d. 60 minutes



What is the kernel moisture content range for the output capacity correction of the corn sheller?

- a. 12% - 16%
- b. 18% - 24%
- c. 20% - 30%
- d. 15% - 20%

What is the kernel moisture content range for the output capacity correction of the corn sheller?

- a. 12% - 16%
- b. 18% - 24%**
- c. 20% - 30%
- d. 15% - 20%

What is the minimum hulling recovery percentage for dried parchment coffee using a coffee huller?

- a. 75%
- b. 80%
- c. 85%
- d. 90%

What is the minimum hulling recovery percentage for dried parchment coffee using a coffee huller?

- a. 75%
- b. 80%**
- c. 85%
- d. 90%



What is the minimum hulling efficiency required for a coffee huller?

- a. 90%
- b. 95%
- c. 97%
- d. 85%

What is the minimum hulling efficiency required for a coffee huller?

- a. 90%
- b. 95%
- c. 97%**
- d. 85%

What is the maximum percentage of mechanically damaged beans allowed for a coffee huller?

- a. 5%
- b. 7%
- c. 10%
- d. 12%

What is the maximum percentage of mechanically damaged beans allowed for a coffee huller?

- a. 5%
- b. 7%
- c. 10%**
- d. 12%

What is the peak transmission efficiency of a pull-type walking-type agricultural tractor?

- a. 80%
- b. 90%
- c. 85%
- d. 92%

What is the peak transmission efficiency of a pull-type walking-type agricultural tractor?

- a. 80%
- b. 90%
- c. 85%**
- d. 92%

What is the maximum noise level emitted by the rotary tilling-type walking-type agricultural tractor, measured 50 mm away from the operator's ear level?

- a. 90 dB (A)
- b. 92 dB (A)
- c. 95 dB (A)
- d. 88 dB (A)

What is the maximum noise level emitted by the rotary tilling-type walking-type agricultural tractor, measured 50 mm away from the operator's ear level?

- a. 90 dB (A)
- b. 92 dB (A)**
- c. 95 dB (A)
- d. 88 dB (A)



What peak transmission efficiency of the axle-driven rotary tiller?

- a. 80%
- b. 90%
- c. 85%
- d. 92%

What peak transmission efficiency of the axle-driven rotary tiller?

- a. 80%
- b. 90%
- c. 85%
- d. 92%



For the plowing operation of walking type agricultural tractor, the fields shall not be less than what size?

- a. 10 m²
- b. 20 m²
- c. 50 m²
- d. 100 m²



For the plowing operation of walking type agricultural tractor, the fields shall not be less than what size?

- a. 10 m²
- b. 20 m²
- c. 50 m²
- d. 100 m²



What should be the sides ratio of the rectangular field for plowing as far as possible?

- a. 1:1
- b. 1:2
- c. 1:3
- d. 2:3



What should be the sides ratio of the rectangular field for plowing as far as possible?

- a. 1:1
- b. 1:2**
- c. 1:3
- d. 2:3

What is the duration of the continuous running test for pull-type and tilling-type tractors?

- A) 2 hours
- B) 5 hours
- C) 6 hours
- D) 4 hours

What is the duration of the continuous running test for pull-type and tilling-type tractors?

- A) 2 hours
- B) 5 hours**
- C) 6 hours
- D) 4 hours



What is the duration of continuous running for dual-purpose type tractors?

- A) 1 hour
- B) 2.5 hours
- C) 3 hours
- D) 4 hours

What is the duration of continuous running for dual-purpose type tractors?

- A) 1 hour
- B) 2.5 hours**
- C) 3 hours
- D) 4 hours

At what intervals should load, speed of engine, fuel consumption, and other parameters be measured during the test of walking type agricultural tractor?

- A) Every 10 minutes
- B) Every 30 minutes
- C) Every 5 minutes
- D) Every 15 minutes

At what intervals should load, speed of engine, fuel consumption, and other parameters be measured during the test of walking type agricultural tractor?

- A) Every 10 minutes
- B) Every 30 minutes**
- C) Every 5 minutes
- D) Every 15 minutes



What is the minimum volumetric efficiency required for a lever-operated knapsack sprayer?

- A) 70%
- B) 75%
- C) 80%
- D) 85%

What is the minimum volumetric efficiency required for a lever-operated knapsack sprayer?

- A) 70%
- B) 75%
- C) 80%**
- D) 85%

What is the maximum allowable pressure drop during the leak test for the sprayer?

- A) 5 kPa
- B) 10 kPa
- C) 15 kPa
- D) 20 kPa

What is the maximum allowable pressure drop during the leak test for the sprayer?

- A) 5 kPa
- B) 10 kPa**
- C) 15 kPa
- D) 20 kPa

What is the minimum tank capacity of the lever-operated knapsack sprayer?

- A) 5 liters
- B) 10 liters
- C) 15 liters
- D) 10 liters

What is the minimum tank capacity of the lever-operated knapsack sprayer?

- A) 5 liters
- B) 10 liters**
- C) 15 liters
- D) 10 liters

What is the maximum overall weight of the fully loaded sprayer with water?

- A) 15 kgs
- B) 20 kgs
- C) 22 kgs
- D) 25 kgs

What is the maximum overall weight of the fully loaded sprayer with water?

- A) 15 kgs
- B) 20 kgs
- C) 22 kgs**
- D) 25 kgs

What is the acceptable flow rate range from the nozzle of the knapsack sprayer?

- A) 0.1 to 0.5 L/min
- B) 0.3 to 1.4 L/min
- C) 1.0 to 2.0 L/min
- D) 0.5 to 2.5 L/min



What is the acceptable flow rate range from the nozzle of the knapsack sprayer?

- A) 0.1 to 0.5 L/min
- B) 0.3 to 1.4 L/min**
- C) 1.0 to 2.0 L/min
- D) 0.5 to 2.5 L/min



What should be the maximum pumping rate of the knapsack sprayer?

- A) 20 strokes/min
- B) 30 strokes/min
- C) 40 strokes/min
- D) 50 strokes/min

What should be the maximum pumping rate of the knapsack sprayer?

- A) 20 strokes/min
- B) 30 strokes/min
- C) 40 strokes/min**
- D) 50 strokes/min

What is the minimum length of the lance for the lever-operated knapsack sprayer?

- A) 50 cm
- B) 75 cm
- C) 100 cm**
- D) 120 cm



What is the minimum length of the lance for the lever-operated knapsack sprayer?

- A) 50 cm
- B) 75 cm
- C) 100 cm
- D) 120 cm

What is the warranty period for the lever-operated knapsack sprayer?

- A) 3 months
- B) 6 months**
- C) 1 year
- D) 2 years



How long shall the sprayer run continuously during testing?

- A) 100 hours
- B) 200 hours
- C) 300 hours
- D) 400 hours



How long shall the sprayer run continuously during testing?

- A) 100 hours
- B) 200 hours**
- C) 300 hours
- D) 400 hours



What is the temperature range for the water to be used during the test of Centrifugal, Mixed Flow and Axial Flow Water Pumps?

- A) 0 – 20 °C
- B) 10 – 40 °C
- C) 20 – 60 °C
- D) 25 – 50 °C



What is the temperature range for the water to be used during the test of Centrifugal, Mixed Flow and Axial Flow Water Pumps?

A) 0 – 20 °C

B) 10 – 40 °C

C) 20 – 60 °C

D) 25 – 50 °C



What is the minimum percentage of the rated maximum output power that should be attained during the varying load test of the small engine?

- A) 50%
- B) 70%
- C) 80%
- D) 90%



What is the minimum percentage of the rated maximum output power that should be attained during the varying load test of the small engine?

- A) 50%
- B) 70%
- C) 80%**
- D) 90%



What is the maximum allowable noise level emitted by the small engine, measured 50 mm away from the operator's ear level?

- A) 85 db (A)
- B) 90 db (A)
- C) 92 db (A)
- D) 95 db (A)



What is the maximum allowable noise level emitted by the small engine, measured 50 mm away from the operator's ear level?

- A) 85 db (A)
- B) 90 db (A)
- C) 92 db (A)**
- D) 95 db (A)



What percentage of the observed peak brake power should the small engine operate at if the continuous rated speed and power are not specified by the manufacturer?

- A) 70%
- B) 75%
- C) 80%
- D) 85%



What percentage of the observed peak brake power should the small engine operate at if the continuous rated speed and power are not specified by the manufacturer?

- A) 70%
- B) 75%
- C) 80%**
- D) 85%



How long should the small engine be run continuously on the bench if the continuous rated speed and power is not specified?

- A) 3 hours
- B) 4 hours
- C) 5 hours**
- D) 6 hours



How long should the small engine be run continuously on the bench if the continuous rated speed and power is not specified?

- A) 3 hours
- B) 4 hours
- C) 5 hours
- D) 6 hours

During the cold start test, the small engine should start within how many attempts to avoid being classified as hard to start?

- A) 3
- B) 4
- C) 5**
- D) 6

In the hot start test, how many attempts should the engine start within after stalling upon application of load?

- A) 2
- B) 3
- C) 4
- D) 5

In the hot start test, how many attempts should the engine start within after stalling upon application of load?

- A) 2
- B) 3
- C) 4
- D) 5**



What are the reference atmospheric conditions specified for the testing of small engine?

- A) 20°C; 1013 mb
- B) 25°C; 1013 mb
- C) 20°C; 1000 mb
- D) 10°C; 1010 mb



What are the reference atmospheric conditions specified for the testing of small engine?

A) 20°C; 1013 mb

B) 25°C; 1013 mb

C) 20°C; 1000 mb

D) 10°C; 1010 mb



What is the tilt angle setting for measuring the width of cut for disc plow?

- A) 10 to 15 degrees
- B) 15 to 25 degrees
- C) 25 to 35 degrees
- D) 30 to 40 degrees



What is the tilt angle setting for measuring the width of cut for disc plow?

- A) 10 to 15 degrees**
- B) 15 to 25 degrees
- C) 25 to 35 degrees
- D) 30 to 40 degrees



What is the tilt angle setting for nonadjustable plow disc blades?

- A) 15 to 20 degrees
- B) 18 to 20 degrees
- C) 20 to 25 degrees
- D) 25 to 30 degrees



What is the tilt angle setting for nonadjustable plow disc blades?

- A) 15 to 20 degrees
- B) 18 to 20 degrees**
- C) 20 to 25 degrees
- D) 25 to 30 degrees



What is the tilt angle setting for nonadjustable plow disc blades?

- A) 15 to 20 degrees
- B) 18 to 20 degrees
- C) 20 to 25 degrees
- D) 25 to 30 degrees



What is the tilt angle setting for nonadjustable plow disc blades?

- A) 15 to 20 degrees
- B) 18 to 20 degrees**
- C) 20 to 25 degrees
- D) 25 to 30 degrees



What is the required minimum efficiency for a tractor power-driven seeder (row-crop planter without fertilizer applicator)?

- A) 55%
- B) 60%
- C) 65%
- D) 70%

What is the required minimum efficiency for a tractor power-driven seeder (row-crop planter without fertilizer applicator)?

- A) 55%
- B) 60%**
- C) 65%
- D) 70%



For a tractor power-driven seeder (row-crop planter with fertilizer applicator), what is the required minimum efficiency?

- A) 55%
- B) 60%
- C) 65%
- D) 70%



For a tractor power-driven seeder (row-crop planter with fertilizer applicator), what is the required minimum efficiency?

- A) 55%**
- B) 60%
- C) 65%
- D) 70%



What is the required minimum efficiency for a tractor power-driven seeder classified as a seed drill?

- A) 55%
- B) 60%
- C) 65%
- D) 70%



What is the required minimum efficiency for a tractor power-driven seeder classified as a seed drill?

- A) 55%
- B) 60%
- C) 65%**
- D) 70%



What is the minimum area required for each test trial conducted with a manual seeding implement for seeder and planter?

- A) 250 m²
- B) 500 m²
- C) 750 m²
- D) 1,000 m²



What is the minimum area required for each test trial conducted with a manual seeding implement for seeder and planter?

- A) 250 m²
- B) 500 m²**
- C) 750 m²
- D) 1,000 m²



For power-operated seeders, what is the minimum area required for each test trial?

- A) 250 m²
- B) 500 m²
- C) 750 m²
- D) 1,000 m²



For power-operated seeders, what is the minimum area required for each test trial?

- A) 250 m²
- B) 500 m²
- C) 750 m²
- D) 1,000 m²**



What is the ISO chain number used for the chain and sprocket transmission system for tractors powered by gasoline engines ranging from 3.73 kW to 5.22 kW?

- A) 8A-1
- B) 10A-1
- C) 12A-1
- D) 14A-1



What is the ISO chain number used for the chain and sprocket transmission system for tractors powered by gasoline engines ranging from 3.73 kW to 5.22 kW?

- A) 8A-1
- B) 10A-1**
- C) 12A-1
- D) 14A-1



What is the minimum peak transmission efficiency required for the walking type tractor?

- A) 70%
- B) 75%
- C) 80%
- D) 85%



What is the minimum peak transmission efficiency required for the walking type tractor?

- A) 70%
- B) 75%
- C) 80%**
- D) 85%



What is the specified field capacity forward speed range for quality tillage of walking type tractor?

- A) 1 km/h to 2 km/h
- B) 2.5 km/h to 4 km/h
- C) 4 km/h to 6 km/h
- D) 5 km/h to 7 km/h



What is the specified field capacity forward speed range for quality tillage of walking type tractor?

- A) 1 km/h to 2 km/h
- B) 2.5 km/h to 4 km/h**
- C) 4 km/h to 6 km/h
- D) 5 km/h to 7 km/h



What is the maximum height of vegetative growth allowed for the area where the sprinkler is located?

- A) 5 mm
- B) 8 mm
- C) 10 mm
- D) 15 mm



What is the maximum height of vegetative growth allowed for the area where the sprinkler is located?

- A) 5 mm
- B) 8 mm**
- C) 10 mm
- D) 15 mm



What is the maximum slope allowed for the land where the sprinkler will be used?

- A) 1%
- B) 2%
- C) 3%
- D) 4%



What is the maximum slope allowed for the land where the sprinkler will be used?

A) 1%

B) 2%

C) 3%

D) 4%



What is the range of base pressures tested for the sprinkler system?

- A) 100 kPa to 400 kPa
- B) 150 kPa to 500 kPa
- C) 170 kPa to 485 kPa
- D) 200 kPa to 450 kPa



What is the range of base pressures tested for the sprinkler system?

- A) 100 kPa to 400 kPa
- B) 150 kPa to 500 kPa
- C) 170 kPa to 485 kPa**
- D) 200 kPa to 450 kPa



What is the increment of pressure used during the testing of the sprinkler system?

- A) 5 kPa
- B) 10 kPa
- C) 20 kPa
- D) 35 kPa



What is the increment of pressure used during the testing of the sprinkler system?

- A) 5 kPa
- B) 10 kPa
- C) 20 kPa
- D) 35 kPa**



How many trials are conducted to determine the radius of throw of the sprinkler?

- A) 1 trial
- B) 2 trials
- C) 3 trials
- D) 5 trials



How many trials are conducted to determine the radius of throw of the sprinkler?

- A) 1 trial
- B) 2 trials
- C) 3 trials**
- D) 5 trials



What is the minimum depth the drilling rig shall be capable of drilling?

- A) 20 m
- B) 25 m
- C) 30 m
- D) 35 m



What is the minimum depth the drilling rig shall be capable of drilling?

- A) 20 m
- B) 25 m
- C) 30 m**
- D) 35 m



What is the minimum borehole diameter required for the drilling rig?

- A) 50 mm
- B) 75 mm
- C) 100 mm
- D) 125 mm



What is the minimum borehole diameter required for the drilling rig?

- A) 50 mm
- B) 75 mm
- C) 100 mm**
- D) 125 mm



How many trials are required for the drilling rig performance test?

- A) 1 trial
- B) 2 trials
- C) 3 trials
- D) 4 trials



How many trials are required for the drilling rig performance test?

- A) 1 trial
- B) 2 trials**
- C) 3 trials
- D) 4 trials



What is the minimum borehole diameter that the drilling rig must achieve?

- A) 50 mm
- B) 75 mm
- C) 100 mm
- D) 125 mm



What is the minimum borehole diameter that the drilling rig must achieve?

- A) 50 mm
- B) 75 mm
- C) 100 mm**
- D) 125 mm



What is the maximum percentage of the rated full load for the electric motor during the performance test?

- A) 100%
- B) 110%
- C) 120%
- D) 130%



What is the maximum percentage of the rated full load for the electric motor during the performance test?

- A) 100%
- B) 110%**
- C) 120%
- D) 130%



What should be the minimum plowing area for animal-drawn moldboard/disc plows?

- A) 250 m²
- B) 500 m²
- C) 1,000 m²
- D) 2,000 m²



What should be the minimum plowing area for animal-drawn moldboard/disc plows?

- A) 250 m²**
- B) 500 m²
- C) 1,000 m²
- D) 2,000 m²



What should be the minimum plowing area for two-wheel tractor-drawn moldboard/ disc plows?

- A) 250 m²
- B) 500 m²
- C) 1,000 m²
- D) 2,000 m²



What should be the minimum plowing area for two-wheel tractor-drawn moldboard/ disc plows?

- A) 250 m²
- B) 500 m²**
- C) 1,000 m²
- D) 2,000 m²



For four-wheel tractor-drawn plows, what is the required traveling speed during operation?

- A) 4 kph to 5 kph
- B) 5 kph to 6 kph
- C) 3 kph to 4 kph
- D) 2 kph to 4 kph



For four-wheel tractor-drawn plows, what is the required traveling speed during operation?

- A) 4 kph to 5 kph
- B) 5 kph to 6 kph**
- C) 3 kph to 4 kph
- D) 2 kph to 4 kph



The depth of cut for a disc plow should be set at what fraction of the disc diameter for moldboard/disc plow?

A) $\frac{1}{2}$

B) $\frac{1}{4}$

C) $\frac{1}{3}$

D) $\frac{1}{5}$

The depth of cut for a disc plow should be set at what fraction of the disc diameter for moldboard/disc plow?

- A) $\frac{1}{2}$
- B) $\frac{1}{4}$
- C) $\frac{1}{3}$
- D) $\frac{1}{5}$



How many test trials must be conducted for the disc/moldboard plow?

- A) Two
- B) Three
- C) Four
- D) Five



How many test trials must be conducted for the disc/moldboard plow?

- A) Two
- B) Three**
- C) Four
- D) Five

How many dynamometer readings should be obtained for every 20 meters traveled by the plow for performance evaluation of moldboard/disc plow?

- A) Two
- B) Three
- C) Four
- D) Five

How many dynamometer readings should be obtained for every 20 meters traveled by the plow for performance evaluation of moldboard/disc plow?

- A) Two
- B) Three
- C) Four
- D) Five**



How long must the soil samples be dried in a convection oven during the disc/moldboard plow test?

- A) 2 hours
- B) 4 hours
- C) 6 hours
- D) 8 hours



How long must the soil samples be dried in a convection oven during the disc/moldboard plow test?

- A) 2 hours
- B) 4 hours
- C) 6 hours
- D) 8 hours**



How long must the soil samples be dried in a convection oven during the disc/moldboard plow test?

- A) 2 hours
- B) 4 hours
- C) 6 hours
- D) 8 hours



How long must the soil samples be dried in a convection oven during the disc/moldboard plow test?

- A) 2 hours
- B) 4 hours
- C) 6 hours
- D) 8 hours**



What is the minimum area required for harrowing operations?

- A) 500 m²
- B) 750 m²
- C) 1,000 m²
- D) 1,500 m²

What is the minimum area required for harrowing operations?

- A) 500 m²
- B) 750 m²
- C) 1,000 m²**
- D) 1,500 m²



What should be the traveling speed maintained during the operation of the disc harrow?

- A) 5 kph to 6 kph
- B) 6 kph to 7 kph
- C) 7 kph to 8 kph
- D) 8 kph to 9 kph



What should be the traveling speed maintained during the operation of the disc harrow?

- A) 5 kph to 6 kph
- B) 6 kph to 7 kph
- C) 7 kph to 8 kph**
- D) 8 kph to 9 kph



How many test trials are required for the disc harrow test?

- A) One
- B) Two
- C) Three
- D) Four



How many test trials are required for the disc harrow test?

- A) One
- B) Two
- C) Three**
- D) Four



What is the minimum length of the headland required for the disc harrow test?

- A) 1 meter
- B) 2 meters
- C) 3 meters
- D) 4 meters



What is the minimum length of the headland required for the disc harrow test?

- A) 1 meter
- B) 2 meters
- C) 3 meters**
- D) 4 meters



What is the type of soil moisture computation specified for the disc harrow?

- A) Moist weight basis
- B) Volumetric basis
- C) Dry weight basis
- D) Gravimetric basis



What is the type of soil moisture computation specified for the disc harrow?

- A) Moist weight basis
- B) Volumetric basis
- C) Dry weight basis**
- D) Gravimetric basis



How many times must the field be plowed before the furrowing test?

- A) Once
- B) Twice
- C) Three times
- D) Four times



How many times must the field be plowed before the furrowing test?

- A) Once
- B) Twice**
- C) Three times
- D) Four times



How many times must the field be plowed before the furrowing test?

- A) 500 m²
- B) 750 m²
- C) 1,000 m²
- D) 1,500 m²



How many times must the field be plowed before the furrowing test?

- A) 500 m²
- B) 750 m²
- C) 1,000 m²**
- D) 1,500 m²



What should be the traveling speed maintained during the operation of the furrower for field test?

- A) 5 kph to 6 kph
- B) 6 kph to 7 kph
- C) 7 kph to 8 kph
- D) 8 kph to 9 kph



What should be the traveling speed maintained during the operation of the furrower for field test?

- A) 5 kph to 6 kph
- B) 6 kph to 7 kph
- C) 7 kph to 8 kph**
- D) 8 kph to 9 kph



How many test trials are required for the furrower test?

- A) One
- B) Two
- C) Three
- D) Four



How many test trials are required for the furrower test?

- A) One
- B) Two
- C) Three**
- D) Four



How many test trials are required for the furrower test?

- A) One
- B) Two
- C) Three
- D) Four



How many test trials are required for the furrower test?

- A) One
- B) Two
- C) Three**
- D) Four



What is the maximum overall width of a trailer measured between the extreme points when attached to a four-wheel tractor?

- A) 2.0 meters
- B) 2.5 meters
- C) 3.0 meters
- D) 3.5 meters



What is the maximum overall width of a trailer measured between the extreme points when attached to a four-wheel tractor?

- A) 2.0 meters
- B) 2.5 meters**
- C) 3.0 meters
- D) 3.5 meters



What is the maximum overall length of the platform for a trailer attached to a four-wheel tractor?

- A) 4 meters
- B) 5 meters
- C) 6 meters
- D) 7 meters

What is the maximum overall length of the platform for a trailer attached to a four-wheel tractor?

- A) 4 meters
- B) 5 meters
- C) 6 meters**
- D) 7 meters

What is the maximum height of the trailer when measured from the ground to the top of the sideboard?

- A) 1.0 meters
- B) 1.2 meters
- C) 1.5 meters
- D) 2.0 meters

What is the maximum height of the trailer when measured from the ground to the top of the sideboard?

- A) 1.0 meters
- B) 1.2 meters**
- C) 1.5 meters
- D) 2.0 meters



What is the maximum overall width of a trailer when attached to a two-wheel tractor?

- A) 1.5 meters
- B) 1.7 meters
- C) 2.0 meters
- D) 2.5 meters



What is the maximum overall width of a trailer when attached to a two-wheel tractor?

- A) 1.5 meters
- B) 1.7 meters**
- C) 2.0 meters
- D) 2.5 meters

What is the total height of the trailer when attached to a two-wheel tractor, measured from the ground to the top of the sideboard?

- A) 1.0 meters
- B) 1.2 meters
- C) 1.5 meters
- D) 2.0 meters



What is the total height of the trailer when attached to a two-wheel tractor, measured from the ground to the top of the sideboard?

- A) 1.0 meters
- B) 1.2 meters
- C) 1.5 meters
- D) 2.0 meters**

What type of brake should be fitted to a trailer attached to a four-wheel tractor designed for more than 6 metric tons gross load?

- A) Manual brake
- B) Hydraulic brake
- C) Over-run brake
- D) Air brake



What type of brake should be fitted to a trailer attached to a four-wheel tractor designed for more than 6 metric tons gross load?

- A) Manual brake
- B) Hydraulic brake
- C) Over-run brake**
- D) Air brake



What percentage of its payload can a trailer be loaded to without showing any sign of breakage or deformation when operated for a minimum of three hours at a maximum speed of 30 kph?

- A) 100%
- B) 110%
- C) 125%
- D) 150%



What percentage of its payload can a trailer be loaded to without showing any sign of breakage or deformation when operated for a minimum of three hours at a maximum speed of 30 kph?

- A) 100%
- B) 110%
- C) 125%**
- D) 150%



What type of brake should be fitted to a trailer attached to a four-wheel tractor designed for more than 6 metric tons gross load?

- A) Manual brake
- B) Hydraulic brake
- C) Over-run brake
- D) Air brake

What type of brake should be fitted to a trailer attached to a four-wheel tractor designed for more than 6 metric tons gross load?

- A) Manual brake
- B) Hydraulic brake
- C) Over-run brake**
- D) Air brake

What is the minimum number of test trials that shall be conducted for the agricultural trailer?

- A) One trial
- B) Two trials
- C) Three trials
- D) Four trials

What is the minimum number of test trials that shall be conducted for the agricultural trailer?

- A) One trial
- B) Two trials
- C) Three trials**
- D) Four trials



What is the speed limit for a two-wheel tractor on a paved road?

- A) 4-6 kph
- B) 8-10 kph
- C) 10-12 kph
- D) 15-20 kph



What is the speed limit for a two-wheel tractor on a paved road?

- A) 4-6 kph
- B) 8-10 kph**
- C) 10-12 kph
- D) 15-20 kph



What is the maximum speed for a four-wheel tractor on a bare dirt road?

- A) 4-6 kph
- B) 6-8 kph
- C) 8-10 kph
- D) 15-20 kph



What is the maximum speed for a four-wheel tractor on a bare dirt road?

- A) 4-6 kph
- B) 6-8 kph
- C) 8-10 kph**
- D) 15-20 kph



During the over-run or service brake test, what is the maximum speed for a four-wheel tractor?

- A) 10 kph
- B) 15 kph
- C) 20 kph
- D) 25 kph



During the over-run or service brake test, what is the maximum speed for a four-wheel tractor?

- A) 10 kph
- B) 15 kph
- C) 20 kph**
- D) 25 kph



What should be the tolerance for the measured tractor mass for ROPS?

- A) +10 kg
- B) +20 kg
- C) +30 kg
- D) +40 kg



What should be the tolerance for the measured tractor mass for ROPS?

- A) +10 kg
- B) +20 kg**
- C) +30 kg
- D) +40 kg



During the over-run or service brake test, what is the maximum speed for a four-wheel tractor?

- A) 10 kph
- B) 15 kph
- C) 20 kph
- D) 25 kph



During the over-run or service brake test, what is the maximum speed for a four-wheel tractor?

- A) 10 kph
- B) 15 kph
- C) 20 kph**
- D) 25 kph



What is the weeding efficiency of a weeder?

- A) 60%
- B) 70%
- C) 80%
- D) 90%



What is the weeding efficiency of a weeder?

- A) 60%
- B) 70%
- C) 80%**
- D) 90%



What is the maximum allowable percentage of plant damage for a weeder?

- A) 4%
- B) 5%
- C) 6%
- D) 7%



What is the maximum allowable percentage of plant damage for a weeder?

A) 4%

B) 5%

C) 6%

D) 7%



What is the maximum draft of the weeder as a percentage of the animal's body weight?

- A) 10%
- B) 12%
- C) 15%
- D) 20%



What is the maximum draft of the weeder as a percentage of the animal's body weight?

A) 10%

B) 12%

C) 15%

D) 20%



What is the maximum weight of the rice drum seeder?

- A) 10 kg
- B) 11 kg
- C) 12 kg
- D) 13 kg



What is the maximum weight of the rice drum seeder?

- A) 10 kg
- B) 11 kg**
- C) 12 kg
- D) 13 kg



What is the minimum field efficiency of a field cultivator?

- A) 75%
- B) 78%
- C) 80%
- D) 85%



What is the minimum field efficiency of a field cultivator?

- A) 75%
- B) 78%
- C) 80%
- D) 85%



What is the warranty period for a subsoiler and field cultivator?

- A) 1 year
- B) 2 years
- C) 3 years
- D) 4 years



What is the warranty period for a subsoiler and field cultivator?

- A) 1 year
- B) 2 years
- C) 3 years**
- D) 4 years



What is the maximum allowable percentage for damaged or missing hills in mechanical rice transplanting?

- A) 8%
- B) 9%
- C) 10%
- D) 12%



What is the maximum allowable percentage for damaged or missing hills in mechanical rice transplanting?

- A) 8%
- B) 9%
- C) 10%**
- D) 12%

What is the required distance between test poles for an operating speed test for a mechanical rice transplanter?

- A) 15 meters
- B) 18 meters
- C) 20 meters
- D) 25 meters

What is the required distance between test poles for an operating speed test for a mechanical rice transplanter?

- A) 15 meters
- B) 18 meters
- C) 20 meters**
- D) 25 meters



What is the minimum height a lift-type hand pump should lift water from a cistern or well?

- A) 5 meters
- B) 6 meters
- C) 10 meters
- D) 15 meters



What is the minimum height a lift-type hand pump should lift water from a cistern or well?

- A) 5 meters
- B) 6 meters**
- C) 10 meters
- D) 15 meters



What is the maximum height a force-type hand pump should lift water from the ground level?

- A) 10 meters
- B) 12 meters
- C) 15 meters
- D) 18 meters

What is the maximum height a force-type hand pump should lift water from the ground level?

- A) 10 meters
- B) 12 meters
- C) 15 meters**
- D) 18 meters



How many trials are required to conduct the test for hand pumps?

- A) 2
- B) 3
- C) 4
- D) 5



How many trials are required to conduct the test for hand pumps?

- A) 2
- B) 3**
- C) 4
- D) 5



What is the maximum net weight of a mist blower?

- A) 12 kg
- B) 13 kg
- C) 15 kg
- D) 18 kg



What is the maximum net weight of a mist blower?

- A) 12 kg
- B) 13 kg
- C) 15 kg**
- D) 18 kg



How many trials are required to conduct the test for a power sprayer for mango?

- A) 2
- B) 3
- C) 4
- D) 5



How many trials are required to conduct the test for a power sprayer for mango?

- A) 2
- B) 3**
- C) 4
- D) 5



What is the minimum field efficiency of a sugarcane planter?

- A) 75%
- B) 78%
- C) 80%
- D) 85%



What is the minimum field efficiency of a sugarcane planter?

- A) 75%
- B) 78%
- C) 80%
- D) 85%



What is the minimum screw length of a soil auger?

- A) 150 mm
- B) 180 mm
- C) 200 mm
- D) 250 mm



What is the minimum screw length of a soil auger?

- A) 150 mm
- B) 180 mm
- C) 200 mm**
- D) 250 mm



What is the minimum efficiency of a soil auger?

- A) 75%
- B) 80%
- C) 85%
- D) 90%



What is the minimum efficiency of a soil auger?

- A) 75%
- B) 80%**
- C) 85%
- D) 90%



How many different soil
conditions should a soil
auger be tested under?

- A) 2
- B) 3
- C) 4
- D) 5

How many different soil
conditions should a soil
auger be tested under?

- A) 2
- B) 3**
- C) 4
- D) 5



What is the minimum field efficiency for a spring-tooth harrow?

- A) 75%
- B) 80%
- C) 85%
- D) 90%



What is the minimum field efficiency for a spring-tooth harrow?

- A) 75%
- B) 80%**
- C) 85%
- D) 90%



How many trials are required to conduct the test for a spring harrow?

- A) 2
- B) 3
- C) 4
- D) 5



How many trials are required to conduct the test for a spring harrow?

A) 2

B) 3

C) 4

D) 5



What is the maximum net weight allowed for the knapsack-type granule applicator?

- A) 10 kg
- B) 12 kg
- C) 15 kg
- D) 20 kg



What is the maximum net weight allowed for the knapsack-type granule applicator?

- A) 10 kg
- B) 12 kg
- C) 15 kg**
- D) 20 kg



What is the minimum field efficiency required for the granule applicator?

- A) 60%
- B) 70%
- C) 80%
- D) 85%



What is the minimum field efficiency required for the granule applicator?

- A) 60%
- B) 70%
- C) 80%
- D) 85%



What is the minimum distance required to test the width of application for the granule applicator?

- A) 5 meters
- B) 8 meters
- C) 10 meters
- D) 12 meters



What is the minimum distance required to test the width of application for the granule applicator?

- A) 5 meters
- B) 8 meters
- C) 10 meters**
- D) 12 meters



What is the minimum traveling speed for the walking-type agricultural tractor?

- A) 2 kph
- B) 3 kph
- C) 4 kph
- D) 5 kph



What is the minimum traveling speed for the walking-type agricultural tractor?

- A) 2 kph
- B) 3 kph**
- C) 4 kph
- D) 5 kph



What is the minimum field efficiency required for the rice precision seeder?

- A) 50%
- B) 60%
- C) 70%
- D) 80%



What is the minimum field efficiency required for the rice precision seeder?

- A) 50%
- B) 60%**
- C) 70%
- D) 80%



What is the minimum seeding rate for the rice precision seeder?

- A) 10 kg/ha
- B) 12 kg/ha
- C) 15 kg/ha
- D) 20 kg/ha



What is the minimum seeding rate for the rice precision seeder?

- A) 10 kg/ha
- B) 12 kg/ha
- C) 15 kg/ha**
- D) 20 kg/ha



What is the minimum seeding efficiency required for the rice precision seeder?

- A) 75%
- B) 80%
- C) 85%
- D) 90%



What is the minimum seeding efficiency required for the rice precision seeder?

- A) 75%
- B) 80%
- C) 85%**
- D) 90%



What is the minimum threshing recovery required for the mechanical rice thresher?

- A) 90%
- B) 95%
- C) 97%
- D) 99%



What is the minimum threshing recovery required for the mechanical rice thresher?

- A) 90%
- B) 95%
- C) 97%**
- D) 99%



What is the maximum threshing efficiency required for the mechanical rice thresher?

- A) 97.5%
- B) 98%
- C) 99%
- D) 99.8%



What is the maximum threshing efficiency required for the mechanical rice thresher?

A) 97.5%

B) 98%

C) 99%

D) 99.8%



What is the maximum allowable percentage of mechanically damaged grain for the mechanical rice thresher?

- A) 1%
- B) 2%
- C) 3%
- D) 5%



What is the maximum allowable percentage of mechanically damaged grain for the mechanical rice thresher?

A) 1%

B) 2%

C) 3%

D) 5%



What is the maximum net cracked grain allowed for the mechanical rice thresher?

- A) 2%
- B) 3%
- C) 4%
- D) 5%



What is the maximum net cracked grain allowed for the mechanical rice thresher?

- A) 2%
- B) 3%
- C) 4%
- D) 5%**

How many test trials are required for the mechanical rice thresher, and what is the minimum duration for each trial?

- A) 3 trial; 15 minutes
- B) 2 trials; 15 minutes
- C) 3 trials; 30 minutes
- D) 2 trials; 30 minutes



How many test trials are required for the mechanical rice thresher, and what is the minimum duration for each trial?

- A) 3 trial; 15 minutes
- B) 2 trials; 15 minutes**
- C) 3 trials; 30 minutes
- D) 2 trials; 30 minutes



What is the minimum field efficiency required for the rice reaper?

- A) 60%
- B) 65%
- C) 70%
- D) 75%



What is the minimum field efficiency required for the rice reaper?

- A) 60%
- B) 65%**
- C) 70%
- D) 75%



What is the maximum allowable header loss for the rice reaper?

- A) 0.5%
- B) 1%
- C) 2%
- D) 5%



What is the maximum allowable header loss for the rice reaper?

- A) 0.5%
- B) 1%
- C) 2%
- D) 5%



What is the maximum allowable header loss for the rice combine harvester?

- A) 0.5%
- B) 1%
- C) 2%
- D) 5%



What is the maximum allowable header loss for the rice combine harvester?

- A) 0.5%
- B) 1%
- C) 2%
- D) 5%



What is the maximum conveying loss for a rice reaper?

- A) 0.5%
- B) 1%
- C) 2%
- D) 5%



What is the maximum conveying loss for a rice reaper?

- A) 0.5%
- B) 1%**
- C) 2%
- D) 5%



How many samples are required for moisture content (MC) determination for the rice reaper?

- A) 3 samples
- B) 4 samples
- C) 5 samples
- D) 6 samples



How many samples are required for moisture content (MC) determination for the rice reaper?

- A) 3 samples
- B) 4 samples
- C) 5 samples**
- D) 6 samples



What is the minimum field efficiency for a rice combine harvester?

- A) 60%
- B) 65%
- C) 70%
- D) 75%



What is the minimum field efficiency for a rice combine harvester?

- A) 60%
- B) 65%
- C) 70%
- D) 75%**



What is the recommended range for reel speed compared to ground speed in a rice combine harvester?

- A) 15% to 30%
- B) 25% to 50%
- C) 35% to 60%
- D) 45% to 70%



What is the recommended range for reel speed compared to ground speed in a rice combine harvester?

- A) 15% to 30%
- B) 25% to 50%**
- C) 35% to 60%
- D) 45% to 70%

What is the recommended peripheral speed of the threshing drum for a rice combine harvester?

- A) 10 m/s to 20 m/s
- B) 20 m/s to 30 m/s
- C) 25 m/s to 35 m/s
- D) 30 m/s to 40 m/s



What is the recommended peripheral speed of the threshing drum for a rice combine harvester?

- A) 10 m/s to 20 m/s
- B) 20 m/s to 30 m/s**
- C) 25 m/s to 35 m/s
- D) 30 m/s to 40 m/s



What is the minimum purity required for a multipurpose thresher tested as a seller-husker?

- A) 90%
- B) 95%
- C) 97%
- D) 98%



What is the minimum purity required for a multipurpose thresher tested as a seller-husker?

- A) 90%
- B) 95%
- C) 97%
- D) 98%**



What is the maximum allowable noise level for a multipurpose thresher when tested as a thresher and seller-husker?

- A) 85 dB
- B) 90 dB
- C) 95 dB
- D) 100 dB

What is the maximum allowable noise level for a multipurpose thresher when tested as a thresher and seller-husker?

- A) 85 dB
- B) 90 dB
- C) 95 dB**
- D) 100 dB



How many trials are required for testing a multipurpose thresher?

- a. 1
- b. 2
- c. 3
- d. 4



How many trials are required for testing a multipurpose thresher?

- a. 1
- b. 2**
- c. 3
- d. 4



How many minutes per trial are required for testing a multipurpose thresher?

- a. 10 minutes
- b. 15 minutes
- c. 20 minutes
- d. 30 minutes



How many minutes per trial are required for testing a multipurpose thresher?

- a. 10 minutes
- b. 15 minutes**
- c. 20 minutes
- d. 30 minutes



What is the recommended straw length of paddy samples for a multipurpose thresher?

- A) 35-40 cm
- B) 40-45 cm
- C) 45-50 cm
- D) 50-55 cm



What is the recommended straw length of paddy samples for a multipurpose thresher?

- A) 35-40 cm
- B) 40-45 cm
- C) 45-50 cm**
- D) 50-55 cm



What is the recommended grain-straw ratio for paddy samples in a multipurpose thresher?

- A) 0.30-0.50
- B) 0.50-0.65
- C) 0.60-0.75
- D) 0.70-0.85



What is the recommended grain-straw ratio for paddy samples in a multipurpose thresher?

A) 0.30-0.50

B) 0.50-0.65

C) 0.60-0.75

D) 0.70-0.85



What is the minimum PTO power for a four-wheel tractor?

- A) 75%
- B) 80%
- C) 85%
- D) 90%



What is the minimum PTO power for a four-wheel tractor?

- A) 75%
- B) 80%
- C) 85%**
- D) 90%



What is the maximum specific fuel consumption of a four-wheel tractor?

- A) 300 g/kW-h
- B) 320 g/kW-h
- C) 350 g/kW-h
- D) 400 g/kW-h



What is the maximum specific fuel consumption of a four-wheel tractor?

- A) 300 g/kW-h
- B) 320 g/kW-h
- C) 350 g/kW-h**
- D) 400 g/kW-h



What is the minimum warranty period required for a four-wheel tractor?

- A) 6 months
- B) 1 year
- C) 2 years
- D) 3 years



What is the minimum warranty period required for a four-wheel tractor?

- A) 6 months
- B) 1 year**
- C) 2 years
- D) 3 years



How many hours will a ballasted four-wheel tractor be tested in the gear and speed designated by the test applicant?

- A) 3 hours
- B) 4 hours
- C) 5 hours
- D) 6 hours

How many hours will a ballasted four-wheel tractor be tested in the gear and speed designated by the test applicant?

- A) 3 hours
- B) 4 hours
- C) 5 hours**
- D) 6 hours



What is the speed requirement for an unballasted four-wheel tractor?

- A) 2 kph
- B) 3 kph
- C) 4 kph
- D) 5 kph



What is the speed requirement for an unballasted four-wheel tractor?

- A) 2 kph
- B) 3 kph
- C) 4 kph
- D) 5 kph



What is the minimum capacity of the spray tank for a knapsack sprayer?

- A) 5 Liters
- B) 8 Liters
- C) 10 Liters
- D) 12 Liters



What is the minimum capacity of the spray tank for a knapsack sprayer?

- A) 5 Liters
- B) 8 Liters
- C) 10 Liters**
- D) 12 Liters

How many filters must a knapsack sprayer have, and how many holes per square centimeter should the inlet strainer contain?

- A) 1 filter; 10 holes
- B) 2 filters; 12 holes
- C) 2 filters; 16 holes
- D) 3 filters; 20 holes

How many filters must a knapsack sprayer have, and how many holes per square centimeter should the inlet strainer contain?

- A) 1 filter; 10 holes
- B) 2 filters; 12 holes
- C) 2 filters; 16 holes**
- D) 3 filters; 20 holes



What is the maximum liquid remaining in the tank after operation of an engine-driven knapsack sprayer?

- A) 30 mL
- B) 40 mL
- C) 50 mL
- D) 60 mL

What is the maximum liquid remaining in the tank after operation of an engine-driven knapsack sprayer?

- A) 30 mL
- B) 40 mL
- C) 50 mL**
- D) 60 mL



What is the minimum continuous operating time for an electric-driven motor knapsack sprayer?

- A) 1 hour
- B) 2 hours
- C) 3 hours
- D) 4 hours



What is the minimum continuous operating time for an electric-driven motor knapsack sprayer?

- A) 1 hour
- B) 2 hours**
- C) 3 hours
- D) 4 hours

How long must the lever-operated and engine-driven knapsack sprayer continuously operate during the test?

- A) 2 hours
- B) 3 hours
- C) 4 hours
- D) 5 hours

How long must the lever-operated and engine-driven knapsack sprayer continuously operate during the test?

- A) 2 hours
- B) 3 hours
- C) 4 hours
- D) 5 hours**



How many test trials are required for a rotary tiller?

- A) 1 trial
- B) 2 trials
- C) 3 trials
- D) 4 trials



How many test trials are required for a rotary tiller?

- A) 1 trial
- B) 2 trials**
- C) 3 trials
- D) 4 trials



What is the minimum field efficiency required for a rotary tiller in both wet and dry preparation?

- A) 70%
- B) 75%
- C) 80%
- D) 85%



What is the minimum field efficiency required for a rotary tiller in both wet and dry preparation?

- A) 70%
- B) 75%
- C) 80%
- D) 85%



What is the maximum power requirement for the pull-type WTAT's prime mover?

- A) 10.5 kW
- B) 12.5 kW
- C) 13.5 kW
- D) 15 kW



What is the maximum power requirement for the pull-type WTAT's prime mover?

- A) 10.5 kW
- B) 12.5 kW
- C) 13.5 kW**
- D) 15 kW



AREA 1

FINAL

COACHING



ENGR. JOHN HENRY L. TENORIO

ABELE 2023 | 4TH PLACER



tenorio.johnhenry@clsu2.edu.ph



www.facebook.com/_10norio



www.instagram.com/_10norio



www.tiktok.com/_10norio



FINAL COACHING FOR ABELE 2024:

PABEGSIKAN

OCTOBER 29, 2024 | 10 AM

ENGR. JOHN HENRY L. TENORIO



tenorio.johnhenry@clsu2.edu.ph



www.facebook.com/_10norio



www.instagram.com/_10norio



www.tiktok.com/_10norio