Table 1: Constructing the BUNMD from NARA Numident Records

Thurgood Marshall

	ssn	fname	lname	birth d	ate						sex	race
Application Entry 1	131074264	THURGOOD	MARSHALL	7/2/190	08						1	2
	ssn	fname	lname	birth d	ate		death d	late			sex	
Death Entry	131074264	THURGOOD	MARSHALL	7/2/19	08		1/24/1	993			1	
	ssn	fname	lname	byear	bmonth	bday	dyear	dmonth	dday	death_age	sex	race_first
BUNMD Entry	131074264	THURGOOD	MARSHALL	1908	7	2	1993	1	24	84*	1	-
Lana Turner												
	ssn	fname	lname	birth d	ate				race		sex	
Application Entry 1	567183907	LANA	TURNER	2/8/192	21				1		2	
Application Entry 2	567183907	LANA	TOPPING	2/8/192	21				1		2	
Application Entry 3	567183907	LANA	BARKER	2/8/192	21				1		2	
Application Entry 4	567183907	LANA	DANTE	2/8/192	21				_		2	
	ssn	fname	lname	birth d	ate		death d	leath			sex	
Death Entry	567183907	LANA	TURNER	2/8/192	21		6/29/1	995			2	
	ssn	fname	lname	byear	bmonth	bday	dyear	dmonth	dday	death_age	sex	race_first
BUNMD Entry									29	74*		

Note: Bolded values were selected for in the BUNMD. Starred values were represent contructed variables.

	bpl		
	MD		
		zip_residence	
		220411335	
race_last	bpl	zip_residence	number_apps
2	2400	220411335	1*
	bpl		
	bpl ID		
	ID		
	ID		
	ID	zip_residence	
	ID	zip_residence 900255240	
race last	ID ID - -		number_apps