

Formatted tables

Thurgood Marshall

Numident Record

entry	ssn	cycle_date	dob	sex	race	pob	fname	mname	lname	mother_fname	mother_lname	father_fname	father_lname
application 1	131074264	12/1937	07/02/1908	1	2	MD	THURGOOD		MARSHALL	NORMA	WILLIAMS	WILLIAM	MARSHALL

entry	ssn	sex	zip_residence	lname	mname	fname	byear	dyear	socstate	bmonth	dmonth	bday	dday
death	131074264	1	220411335	MARSHALL		THURGOOD	1908	1993	36	7	1	2	24

Berkeley Unified Numident Mortality Database (BUNMD) Record

ssn	zip_residence	lname	fname	byear	dyear	socstate	bmonth	dmonth	bday	dday	race	race_change	sex	bpl	death_age
131074264	220411335	MARSHALL	THURGOOD	1908	1993	36	7	1	2	24	2	0	1	2400	84

Lana Turner

Numident Record

entry	ssn	cycle_date	dob	sex	race	pob	fname	mname	lname	mother_fname	mother_lname	father_fname	father_lname
application 1	567183907	03/1937	02/08/1921	2	1	ID	LANA		TURNER	MILDRED	COWAN	JOHN	TURNER
application 2	567183907	07/1949	02/08/1921	2	1	ID	LANA	TURNER	TOPPING	MILDRED	TURNER	JOHN	TURNER
application 3	567183907	11/1956	02/08/1921	2	1		LANA	TURNER	BARKER				
application 4	567183907	09/1970	02/08/1921	2	0	NA	LANA	TURNER	DANTE				

entry	ssn	sex	zip_residence	lname	mname	fname	byear	dyear	socstate	bmonth	dmonth	bday	dday
death	567183907	2	900255240	TURNER		LANA	1921	1995	6	2	6	8	29

Berkeley Unified Numident Mortality Database (BUNMD) Record

ssn	zip_residence	lname	fname	byear	dyear	socstate	bmonth	dmonth	bday	dday	race	race_change	sex	bpl	death_age
567183907	900255240	TURNER	LANA	1921	1995	6	2	6	8	29	1	0	2	1600	74

Table 1: A stylized example of how the NARA Numident records were combined to create the BUNMD. For this specific example, several variables

were excluded (e.g. person's middle names, parent's names, etc.).