DIGITAL MEDIA

GLENDALE COMMUNITY COLLEGE | ASSOCIATE IN APPLIED SCIENCE

ART 202

Digital Media Survey

DESIGN+
TIME+
EXPERIENCE



QUARTZ COMPOSER

A graphic real-time programming environment

USEALLYOURTOOLS



DATATYPES

Port	Objective-C 2.0 property type	Custom port type	Objective-C class
Boolean	BOOL	QCPortTypeBoolean	NSNumber
Index	NSUInteger	QCPortTypeIndex	NSNumber
Number	double	QCPortTypeNumber	NSNumber
String	NSString *	QCPortTypeString	NSString
Color	CGColorRef	QCPortTypeColor	CGColorRef
Structure	NSDictionary *	QCPortTypeStructure	NSDictionary
Image (input)	id <qcplugininputimagesource></qcplugininputimagesource>	QCPortTypeImage	(id) <qcplugininputimagesource></qcplugininputimagesource>
Image (output)	id <qcpluginoutputimageprovider></qcpluginoutputimageprovider>	QCPortTypeImage	(id) < QCPlugInOutputImageProvider>

DATA = INFORMATION

input Data transform Data output Data



INDEX

A a positive whole number 0, 1, 2, 3, 4, 5, etc.

NUMBER

A positive or negative number with decimal values (floating point)

STRING

A string is used to send text from one patch to another



Send an image from one location to another. This image can be a picture or a movie.

STRUCTURE

A structure is a group of numbers. Think of it like a table or an outline.

Also called an "array."

COLOR

A type of structure. { R G B A }



In Quartz Composer screen space can be measured in "units" or "pixels"