



The first Yard Network System

One operating layer across every yard in a network.

Your TMS plans the freight. Your WMS runs the buildings. YardFlow runs the seam between them, the same way at all of your yards.



The problem

The yard is the unsolved seam in your network.

Every load you ship crosses one. Most still run on what a clipboard can hold.

- × Paper BOLs, signed at a window, filed in a drawer.
- × Radio dispatch. The spotter hears it or he does not.
- × Drivers hunting for doors, trailers, and a human to ask.
- × Detention invoices you cannot dispute, because nothing was timestamped.

We eliminate the clipboard. Every event becomes a timestamp. Every yard runs the same protocol.

Why a YMS is not enough

A YMS alone only helps your biggest sites, in two categories.

A traditional YMS earns its keep on spotter efficiency and detention. That is the whole list. And the per-site cost means only your highest-volume yards ever justify one.

2

VALUE CATEGORIES

25/50

YARDS IT EVER REACHES

Representative 50-site network · v2 Archetype Network ROI model · the other
25 yards get nothing

What YardFlow adds

YardFlow + flowDRIVER. Four categories. Every yard.

flowDRIVER checks every driver in before they reach the gate. The protocol does the rest.

01 · LABOR

Labor

Gate, clerk, and spotter hours come back. Self-service check-in replaces the window line.

02 · DETENTION

Detention

Timestamped chain of custody on every move. Disputes end before they start.

03 · THROUGHPUT

Throughput

Faster turns mean more loads through the same doors, with the same people.

04 · STANDARDIZATION


Standardization

One protocol at all of your yards. Every site reads the same, audits the same, improves the same.



Primo pilot · Drop & hook

Non-drop yards become drop yards. Turn time: ~~48:00~~ 24:00



Same yard. Same swap. The only difference is what the driver has to figure out alone. · Watch it run live: yardflow.ai



Always on

9-to-5 yards run 24/7.

When the protocol runs the yard, the yard does not close with the office.

- ✓ Drivers self-serve at the kiosk or on their phones. No gate staff on shift required.
- ✓ The kiosk prints two BOL copies and a yard pass. The facility copy files itself, digitally.
- ✓ Every after-hours move carries the same timestamped chain of custody as the day shift.

24/7

RECEIVING WINDOW



Network compounding

The whole network flows like water. Laminar.

Standardize the protocol and variance stops
compounding across yards. Value compounds instead.

A YMS at your 25 biggest yards



\$7.6M/yr

11.5× the value · v2 Archetype Network ROI model · representative 50-site
network · \$1,000 margin per shipment · live at yardflow.ai/roi



Next step

Book a yard audit.

1 Network audit

30 MIN

Map your facilities to archetypes. Surface the variance drivers.

2 Rollout plan

Deployment sequence, timeline, and which yards go first.

3 Board-ready ROI

Exportable model with your assumptions, for finance review.

Book a yard audit →