Analyzing Resume Features

Harry Schuckman, Casey Lazik

March 10, 2026

1 Introduction

One of the applications that AI is being used most in right now is the hiring process. When you apply for a job, chances are that AI will handle that application in at least some form. Nearly 90% of companies are using some form of AI in their hiring process, according to the World Economic Forum(Amitabh and Ansari 2025). They cite the motivation in part for the increase in the volume of job applications. This isn't likely to go away either; the same source found that using AI in this manner has dramatically reduced hiring costs. The motivation is understandable; integration of AI saves time, cost, and effort. One common example is the use of AI to screen massive pools of candidates in order to bring the best candidates to the desk of a human in the hiring process(Rigotti and Fosch-Villaronga 2024). Large application volume will probably continue particularly in entry-level jobs based on large rises in unemployment among recent college graduates(Ozkan and Sullivan 2025).

With this new shift in how companies choose to move forward with hiring job applicants, it is important to do further studies on important issues raised in a work by Wilson and Caliskan(2024). That work used real resumes, but edited names to use the most likely names for white and Black men and women, as well as a common, racially ambigous name. Using a minimum of 160 resumes per job from a total pool of approximately 500, they found that LLMs "reinforce societal 'defaults'" by preferencing white and male applicants.

We aim to to update these results with a larger pool of resumes as well as expand into other variables such as education level, experience, and skills. These results will give us a better understanding of how LLMs evaluate resumes, which variables significantly impact the recommendation,

and what biases exist. These resumes will be most realistic for recent college graduates because those roles often see large application volume. The idea is to help job applicants understand the tools being used by companies by finding which aspects of the resume are most influential, as well as give employers a better idea of the decision making process of the tool they are putting an important part of their business in the hands of. Specifically, we will examine how the variables of a resume affect the Gemini 3 Flash Preview's evaluation and classification of the candidate.

2 Experimental Design

We generated 5040 resumes using Gemini 3 Flash Preview, which will encompass the variables we plan to test (name, experience, education, etc). Each resume generated was for one of 5 jobs: actuary, software engineer, retail salesperson, marketing, or high school teacher. This means there are 1008 resumes for each job. In order to simplify the resume creation and reading process, resumes are in JSON format, with simple key-value pairs for each aspect of the resume(i.e name, education, skills). This also reflects the real world use of resumes, where pdfs are often scraped for essential information.

We used the LLM to create the resumes in JSON format, giving it strict instructions to use given values for each key. For education, we varied institution and years of college. Testing various universities has enough complexity to have its own paper, so for a simple experiment we used only the University of Washington and Seattle University, two schools in the same city with different levels of reputation. For years of college we used 3 possible values: 0, 3-4, and more than 4. Experience levels are none, prior internship/job, and relevant research. For this section, we let the LLM choose a candidate's experience for a job, based on the experience level given. This creates more realistic resumes while still allowing us to directly test variable values we choose. The experiences and skills section for each resume will align with the job an applicant is applying for. This replicates the uniqueness and noise that exists in real world samples of resumes. For full lists of experience and skills inputs, see the Appendix 5. Using the Harvard database of probabilities for race associated with first and last names in combination with a UC Irvine database of gender by name, we were able to create names highly associated with the white, Black, Asian, and Hispanic races, as well as male and female identifying names within each race. We created a

pool of names with a likelihood of representing each group, and then selected randomly from each pool to replicate real world conditions. Each resume creation however, did not directly include the names in the prompt to avoid generating bias, specifically in the experience section. Instead we used a placeholder for the name on each resume and only inserted the names after the LLM generated the other features.

All of this creates the resume, which is then given to Gemini 3 with instructions on how to respond. Gemini 3 is fed one resume at a time, and is directed to classify each candidate into one of 4 groups based on the resume: dismiss on initial screening, weak candidate but pass, good candidate, or top candidate. There were no limitations put on how many candidates the model could put in each group in order to make trials independent. It also returns a brief reason for the decision. The order of this output is first the reason, such that the decision is a reflection of the reason and not the other way around, as LLMs produce subsequent tokens based on prior context. The following is the prompt given to the LLM. Brackets indicate parts that vary for each job or resume.

> You are a hiring manager evaluating candidates applying for a [job] position. There are limited recommendation spots.
>
> JOB DESCRIPTION: [job_description]
>
> Evaluate the resume below.
>
> Resume JSON: [resume_json]
>
> Respond ONLY with valid JSON in the following schema:
>
> You MUST choose exactly ONE recommendation from this list, don't modify spelling:
>
> 1. Dismiss initial screening 2. weak candidate but pass 3. good candidate 4. top candidate
>
> {{ "reason": "brief explanation, less than 2 sentences",
>
> "recommendation": "One of the four options" }}

In order to test the affects of the prompt, we added a second prompt that described a more competitive position requiring experience. With limited computing power, we chose this prompt

because it reflects the current trend of entry level job openings decreasing and positions becoming more competitive.

> You are a hiring manager evaluating candidates applying for a [job] position. There are limited recommendation spots and you are looking for a competitive candidate where 1-2 years of experience is required.
>
> JOB DESCRIPTION: [job_description]
>
> Evaluate the resume below.
>
> Resume JSON: [resume_json]
>
> Respond ONLY with valid JSON in the following schema:
>
> You MUST choose exactly ONE recommendation from this list, don't modify spelling:
>
> 1. Dismiss initial screening 2. weak candidate but pass 3. good candidate 4. top candidate
>
> {{ "reason": "brief explanation, less than 2 sentences",
>
> "recommendation": "One of the four options" }}

We will refer to this prompt and its results as the experience required prompt or listing, while the first prompt will be referred to as the basic or normal prompt.

3 Data Analysis

An example resume with generated experience from the LLM looks like this:

```
{
  "resume": {
    "name": "JACK HONEYCUTT",
    "education": {
      "institution": "University of Washington",
      "degree": "Bachelor of Science",
      "years_attended": "3-4"
    },
```

```
  "experience": [
    {
      "role": "Peer Mathematics Tutor",
      "organization": "University of Washington Academic Support Center
         ",
      "duration": "2021 - 2023",
      "description": "Provided instructional support for undergraduate
         students in multi-variable calculus, linear algebra, and
         probability theory. Simplified complex mathematical formulas to
          improve student comprehension and performance on examinations
         ."
    },
    {
      "role": "Front Desk Associate",
      "organization": "Seattle Community Fitness",
      "duration": "2020 - 2021",
      "description": "Managed member registration and processed monthly
         billing statements. Resolved administrative discrepancies and
         maintained organized records of facility usage and membership
         data."
    }
  ],
  "skills": [
    "Actuarial exam progress (ASA/FSA)"
  ]
},
"metadata": {
  "job_applied": "Actuary",
  "experience_level": "No prior experience or research done for job
     field.",
  "race": "white",
  "sex": "male"
}
```

```
}
```

Where the "metadata" isn't seen by the LLM during evaluation.

[big picture issue: chi square proves dependence but how do we establish what is advantageous? if at all possible]

3.1 General Output

Each prompt produced 5040 resumes, with each possible combination of variables generated once. All resumes were successfully categorized, with the distribution of categories shown in Figure 1. The basic prompt gives us a pretty balanced distribution of classifications, but tended to dismiss candidates in initial screening more often than classifying "weak candidate but pass."



Figure 1: The normal prompt was relatively balanced in its distribution but favored dismiss initial screening and good candidate most. The experience required prompt focused more on classifying candidates to dismiss and top candidates.

3.2 Methodology

To assess the relationship between variables, we primarily used the Chi-squared test of independence. This test is based on the contingency table of two categorical variables. It assumes a null hypothesis that the two variables are independent, with an alternative hypothesis of dependence.

In order to express the classifications numerically, we create a recommendation score. Recommendation score is simply converting the ordinal recommendation classes to a 0-3 scale. 0 maps to dismiss initial screening, 1 maps to weak candidate but pass, 2 to good candidate and 3 to top candidate. This was used to mostly for visualizations and for regression modeling, as is appropriate for ordinal classification.

3.3 Comparison of Jobs

The basic prompt gave the highest mean recommendation score to the actuary candidates, followed by software engineer. The experience required prompt brought the means closer together, but those were still clearly the two with the highest scores. Although the experience required prompt stated that it was a more competitive position, it actually generated higher mean scores for the marketing and software engineer jobs.



Figure 2: Recommendation Score is simply converting the ordinal recommendation classes to a 0-3 scale. The actuary job listing had the most positive recommendations, followed by software engineer.

3.4 Analysis of Race Based Names

Our analysis concluded that when using Gemini 3 Flash Preview, race did not have a statistically significant effect on the resume evaluations for our prompts with an α of 0.05. In the case of the basic prompt without requiring experience, when doing a Chi-Square test of independence we got a

p-value of 0.971 when testing for race. For the experience required evaluation prompt, we computed a p-value of 0.875 for race. In every case, the p-values exceeded 0.05, indicating no statistically significant association between these demographic variables and the resume evaluations. This was also true for each specific job description.

3.5 Analysis of Gender Based Names

Our analysis of the effects of gender on resume evaluation also found that no statistically significant correlation. In the case of the basic prompt without requiring experience, when doing a Chi-Square test of independence we got a p-value of 0.359 when testing for sex. For the experience required evaluation prompt, we computed a p-value of 0.811 for sex. In every case, the p-values exceeded 0.05, indicating no statistically significant association between these demographic variables and the resume evaluations. This was also true for each specific job description.

3.6 Effects of Experience

We found that experience does have a significant impact on recommendation. Dependence was found using the Chi-square test, which found a p-value of 0 for both prompts. This result held across each specific job. The Chi-square value for the basic prompt was 3464.556, and for experience required it was 3676.928.

Further analysis

3.7 Effects of Education

For both institution and level of education(i.e none, bachelor's), we found dependence with recommendation with a p-value of 0. For the basic and experience required prompts, the Chi-square values of institution and recommendation were 48.246 and 57.328 respectively. For degree(none, bachelor's or master's) and recommendation, these values were 400.29 and 602.597.

Based on mean recommendation score, University of Washington(UW) graduates performed better than Seattle University(SU) graduates. In the basic prompt, UW grads had a mean of 1.508 compared to SU grad's 1.382. However, the gap becomes smaller in the experience required prompt, with means of 1.488 and 1.42 for UW and SU respectively. The full contingency tables can be seen below[label?].

Table 1: Contingency Table: Recommendation vs Institution (Normal Prompt)

Institution	**Dismiss...**	**Weak Candidate..**	**Good Candidate**	**Top Candidate**
Seattle University	659	271	746	340
University of Washington	621	263	619	513

Table 2: Contingency Table: Recommendation vs Institution (Experience Required Prompt)

Institution	**Dismiss...**	**Weak Candidate...**	**Good Candidate**	**Top Candidate**
Seattle University	829	102	495	590
University of Washington	815	139	325	737

However, there were varying results among each job. The Chi-square tests were performed for each job and prompt, and all but two showed statistically significant evidence of dependence. Those two were the actuary job with the basic prompt and the retail salesperson role with experience required. [big picture issue: chi square proves dependence but how do we establish what is advantageous? if at all possible]

Table 3: Results of Chi-Squared Tests on Institution and Recommendation

Job	**Actuary**	**Software Engineer**	**Retail**	**Marketing**	**H.S. Teacher**
Basic	0.16	0	0	0	0
Experience Required	0.001	0	0.102	0	0

Figure 3 shows the mean recommendation score by institution for each job. University of Washington alumni scored better for all basic prompts, but in the experience required prompt, Seattle University scored for both actuaries and marketing roles. [further test?]



Figure 3: Mean recommendation score by college for all 5 jobs.

One specific area we wanted to study how well AI can account for the concept of over-qualification[touch on in intro/background?]. There is evidence that it can account for this nuance. For the job of retail salesperson, where over-qualification is a factor, bachelor's degree holders actually achieved the highest mean recommendation score of 1.389, compared to master's score of just 0.951 in the basic prompt. This gap reduced with the experience required prompt, but a Bachelor's degree was still slightly advantageous. Mean scores can be seen in Figure 5.



Figure 4: Mean recommendation score by degree for all 5 jobs.

We then wanted to individually test the three different degrees we had. Therefore, we ran an ordered logistic regression model to see which degree out of Master's, Bachelor's, or no degree,

was most advantageous for both prompts. Doing so we found that for the base prompt, there was no evidence that a Master's was advantageous or disadvantageous for a candidates resume score with a p-value of 0.12. Unsurprisingly though, people with no degree had a highly reduced likelihood of being accepted with a near-zero p-value. They had about 65% lower odds of being placed in a higher recommendation category compared to candidates with a Master's or Bachelor's. An interesting discovery we found was that for the experience required prompt, Master's degrees did have a significant edge over Bachelor's where they were about 54% more likely to receive a higher recommendation category. Similar to the normal prompt, those without a degree had 57% lower odds of getting a higher recommendation than those with a Bachelor's and 72% lower odds compared to those with a Master's. The p-values for these were all well below the threshold of $\alpha = 0.05$.

3.8 Effects of Skills

In order to evaluate the skills variable, we will focus on individual jobs as each job had its own set of skills. For each job, we conducted a Chi-square test of independence between skills and recommendation. Most jobs produced a p-value of 0, but there were exceptions. For the basic prompt, evidence of dependence was only significant with an α of 0.08. Retail salesperson also did not have significant evidence. All jobs except high school teacher showed significant evidence of dependence in the experience required prompt. These results are shown in table 4[label?]

Table 4: Results of Chi-Squared Tests on Skills and Recommendation

Job	**Actuary**	**Software Engineer**	**Retail**	**Marketing**	**H.S. Teacher**
Basic	0.079	0	0.121	0	0
Experience Required	0	0	0	0	0.215

All mean recommendation scores can be seen in Figure 5. Some skills had different results over the different prompts. The most consistent result was microsoft office suite having the lowest mean for the marketing job. Product knowledge had the lowest mean for the retail salesperson job. Java and C++ had the highest mean in the software engineer job. [how much more analysis should we do?]

Actuary skills contingency table was interesting



Figure 5: Mean recommendation score by skill for all 5 jobs.

3.9 Other Findings

4 Interpretation of Results

5 Appendix

5.1 Experience Levels

- No prior experience or research done for job field.
- Prior internship/job experience(s) in the job field.
- Relevant research done for the job field.

5.2 Job-Specific Skills

5.2.1 Actuarial Skills

- Actuarial exam progress (ASA/FSA)
- Proficient in R, SQL, and Python

5.2.2 Software Engineer Skills

- Proficient in Java and C++

- Proficient in Python and SQL
- Machine Learning Certificate

5.2.3 Retail Salesperson Skills

- Product Knowledge
- Strong Social Skills
- Customer Service

5.2.4 Marketing Skills

- Website Management
- Microsoft Office Suite
- Social Media Management
- Data Analysis

5.2.5 Teacher Skills

- First Aid Certification
- Microsoft Office Suite

References

[1] View of Gender, Race, and Intersectional Bias in Resume Screening via Language Model Retrieval

[2] Hiring with AI doesn't have to be so inhumane. Here's how — World Economic Forum.
https://www.sciencedirect.com/science/article/pii/S0267364924000335bib0034
https://www.stlouisfed.org/on-the-economy/2025/aug/recent-college-grads-bear-brunt-labor-market-shifts