

DON HIGGINS

DEER HUNTING METHODOLOGY

Mindset · Property Design · Routes · Wind · Weather · Target Bucks

A detailed compilation of how Illinois hunter, land manager, author, and Chasing Giants host Don Higgins thinks about mature whitetails — sanctuary doctrine, hidden access, playing the wind the way the buck plays it, temperature as the primary movement trigger, same-time / same-place annual patterns, and the discipline to stay home.

THE SIX-STEP OPERATING SYSTEM

1. Make the buck live on you — a true zero-intrusion sanctuary.
2. Build one clean walk to a wind-specific tree on the sanctuary edge.
3. Do not hunt that tree until temperature, front, wind, and history agree.
4. Know the buck as an individual: annual calendar, personality, range.
5. Put him at 15–20 yards with habitat architecture, not hope.
6. If any piece is wrong — don't go. The stand is a finite resource.

Prepared for Casey Summerlin · Anson County, North Carolina
September 9, 2026

*Drawn from Higgins' public writing, podcasts, seminars, and consulting interviews.
Not a substitute for his books, Whitetail Master Academy, or a paid consultation.*

Contents

1. Who Don Higgins Is — and Why His System Matters
2. The Core Mindset
3. Property Design Philosophy
4. Sanctuary Doctrine
5. Routes, Paths, and Access
6. Playing the Wind the Way the Buck Plays It
7. Weather, Temperature, Fronts, and Barometer
8. Hunting a Specific Buck — Same Time, Same Place
9. Stand Architecture and Shot Distance
10. The Seasonal Calendar
11. Habitat Tools: Screens, Bedding, Plots, Funnels
12. Herd Management and Culling
13. Discipline — When He Stays Home
14. The Six-Step Operating System
15. Applying This Thinking on Other Ground
16. Sources and How to Go Deeper

This document is a field study, not a how-to for illegal activity and not a substitute for Higgins' own books or paid consulting. Tactics are compiled from material he has published or spoken about publicly through 2026.

1. Who Don Higgins Is — and Why His System Matters

Don Higgins (born August 16, 1963) is an Illinois bowhunter, habitat manager, writer, consultant, and host of the *Chasing Giants* podcast. He killed his first buck in 1979 at age 16 with his grandfather's Remington 12-gauge. In the early 1990s he and his wife Robin acquired his grandparents' small central-Illinois farm and spent the next three decades turning a former cattle place into one of the better-known privately managed whitetail properties in the Midwest.

He is not famous because he invented a gadget. He is famous because he grew and killed multiple wild 200-inch-class bucks on that farm — including Smokey (206 6/8" in 2017), Trump (193" the same week), Mel (a high-ranking typical), and Doubting Thomas (203 5/8" in November 2025, described as his fourth 200-class buck) — and because clients have killed 200-inch bucks after his consulting visits. That combination of personal results plus client results is the resume he hangs his consulting fee on.

He wrote *Hunting Trophy Whitetails in the Real World* (2005) and *Real World Whitetail Icons* (2012), contributed to *North American Whitetail* for 25-plus years, became first editor of *Whitetail Life* in 2023, and built Real World Wildlife Products (food-plot seed, nutrition, bedding mixes). The methodology below is the operating system behind all of that — property first, pressure first, wind first.

2. The Core Mindset

Higgins treats a mature buck as an animal whose first desire is never to encounter a human. Food, scrapes, and the rut matter. Security matters more. If the buck beds on your ground, he has said your odds of killing him are on the order of ten times better than if he beds one farm over. The first job is therefore not “find a good tree.” It is get the buck to bed on you — and keep him there.

What that mindset produces in practice

- **Conservative almost to a fault.** He hunts fewer hours now than at any point in 49 years of bowhunting.
- **Walk away from a gorgeous stand** if the access is dirty. Discipline beats a pretty tree.
- **Stay out of the sanctuary** all year except one mid-March shed hunt and legitimate recoveries.
- **Pass target bucks** when the wind, the timing, or the ethics are wrong. Video and history are part of the hunt.
- **Use cameras to map annual patterns**, not to chase last night’s 4:12 p.m. photo on a food plot.
- **Weather beats the calendar.** Temperature — and more recently barometric pressure — can override the rut and the moon.
- **Real world over YouTube.** He distrusts gimmicks, drone-as-hunting-tool culture, and content that hides the full story.
- **Willing to change his mind in public.** He preached November 7–8 as magic dates for years, then said in late 2025 that cameras and sits were pointing more toward mid-month depending on weather.

THE SENTENCE THAT RUNS THE WHOLE SYSTEM

A mature buck’s number-one desire is never to encounter humans. Design the farm so he never has to — then hunt the edge of that safe ground only when wind and weather give you a real chance.

3. Property Design Philosophy

Higgins does not hunt “sign” as the starting point. He builds a layout, then hunts the layout. Most people, he argues, know what good *habitat* looks like. Far fewer know what a good *hunting property* looks like. Habitat grows deer. Layout plus discipline kills them.

The stack, in order of importance

Priority	Piece	Why it sits here
1	True sanctuary	Zero human intrusion so the shooter beds on you, not the neighbor.
2	Hidden access	A handful of high-percentage stands you can reach without being seen, heard, or smelled.
3	Wind-correct edge stands	Hunt the perimeter of bedding, never the bedroom itself.
4	Food on your side of the fence	Hold deer home 365 days a year so they do not leak to the neighbor at dark.

Priority	Piece	Why it sits here
5	Small architecture	Sprayed trails, dropped fence, hinge cuts, rope scrapes, creek pinches that put a buck inside 20 yards.

Food plots are important and he sells seed for a living — but they are not the first piece. He wants diversity so quality food exists year-round: soybeans, corn, greens, legumes, mast and fruit trees. Plots are placed so they work with access and wind, not merely so deer eat. He concentrates movement instead of smearing food across every acre.

Late season he wants bedding and food **separated** so the afternoon walk from cover to calories is forced and predictable. Brutal cold plus snow plus a destination food source is, in his current view, one of the most killable setups of the year — a 180-degree change from his first book, where he downplayed late season.

4. Sanctuary Doctrine

This is the load-bearing wall. Everything else fails if this fails.

What a Higgins sanctuary is — and is not

- **No stands** inside it.
- **No cameras** inside it.
- **No food plots** inside it.
- **No mowed paths** inside it.
- **No “just this once” hunts.** Hunt it once and it is no longer a sanctuary. It is an area of low intrusion — and the target buck often beds next door.

He hunts the **downwind edge** of the sanctuary, not the interior. Young bucks learn the interior is safe and start using it in daylight. That is how you grow age structure and keep a shooter home at the same time. If you run into the heart of the sanctuary, bump the buck, and he beds on the neighbor, you have just destroyed most of your odds for the season.

He has told a consulting story of a client who followed the plan; new owners later hunted the sanctuary, killed a few bucks, and thought they had something special. In Higgins' view they reverted the property to what it was before the visit. A sanctuary is only a sanctuary while it stays free of people.

Shed hunting and recoveries

On his own ground he typically shed-hunts the sanctuary once, around mid-March, and otherwise stays out. Recoveries are the other legitimate exception. Coyote hunting, camera checks, and “just walking through” do not count as exceptions.

Neighbor pressure and diversion fencing

Where a bad neighbor hunts the edge of his sanctuary, he has used a short section of tall diversion fence — not as a high-fence shooting pen, but to stop other hunters from killing deer that live in his sanctuary and then tracking into it. He has been public about one eight-foot section used that way on a small neighboring tract. He has also said he has never denied anyone the chance to track a deer they shot onto him.

CONSULTING LINE HE REPEATS

If you want to kill big deer consistently, you have to hunt them where they bed. Food plots are an important piece of the puzzle. Getting the buck you want to kill bedded on your property is the first piece.

5. Routes, Paths, and Access

Higgins' stand philosophy starts with the walk, not the tree. Access is everything. A great tree with dirty access is a bad stand. He will tell a client the ugly tree in the right access-and-wind pocket is the one to hang.

He is careful with the words. He did not say easy access. He said **good** access. Good access can mean a longer, wetter, more miserable walk. That is the point. Easy is how you educate every deer between the truck and the stand.

Rules he actually hunts by

- The same wind that makes the stand huntable must also make the walk invisible.
- Deer must see no evil, hear no evil, smell no evil on the way in *and* on the way out. Spooking one deer walking out can burn the site for the rest of the season.
- Use terrain: creek beds, ditches, pasture interiors, the backside of a ridge, behind a miscanthus wall.
- Do not park where deer can see the truck or ATV and learn “hunter is here.” He abandoned field ATV parking after deer started reacting to it and switched to hiding an e-bike in a depression or weeds, parking the truck farther away.
- Screen the access itself. Giant miscanthus (often 10–15 feet, a solid visual wall) plus switchgrass is his favorite curtain. He has climbed into blinds with deer already in the plot because the screen hid him.
- Early season foliage helps hide a walk. Late season, after leaf drop, the same route may be unusable.
- It takes discipline to walk away from a great-looking stand because the access is only “pretty good.” That discipline is what separates consistent killers from one-hit wonders.

Paths he builds for the deer

He also builds paths for the deer, not just for himself. The goal is a 12- to 20-yard quartering-away shot, not a 40-yard field-edge hope.

- **Sprayed trails.** In weedy patches near stands he uses a pump sprayer (glyphosate plus whatever residual he has) in early spring when weeds are about a foot tall, killing a narrow travel lane that dumps past the stand.
- **Fence work.** Drop a sagging high-tensile wire or pop a T-post clip to create the crossing of least resistance at the tree.
- **Laydowns.** Drop trees parallel to old fence so it looks like a row of fallen timber but still funnels deer around the end.
- **Blocked brush + gap.** Block both sides of a travel edge, leave a gap, and put a rope scrape in the gap on the downwind bedding edge.
- **Creek-crossing pinches.** Manufacture or improve a crossing so daylight movement has one obvious place to put feet.

FROM HIS 2020 ENTRY-AND-EXIT ARTICLE

The only way a hunter will experience consistent success is when the bucks he or she is targeting see no evil, hear no evil and smell no evil. That means having the discipline to avoid marginal entrance and exit routes to and from the stand.

6. Playing the Wind the Way the Buck Plays It

He does not just sit “downwind of the trail.” He asks a harder question: how is the buck using this wind?

A mature buck walking from bed (point A) to food (point B) wants a nose advantage. A walk straight into the wind is common. Higgins' kill window is often a **quartering nose wind**: the buck still feels safe, but the hunter is offset so scent streams away from the trail rather than across it. He has described kills where the buck was doing everything right — quartering into the breeze, turning before he hit the scent cone — and still walked into the shot because the stand sat on the correct side of a bending trail.

Wind rules

- Giving up the wind ruins even a great tree. He will stay home.
- Hunt bedding-edge stands on days with enough breeze to hide foot noise. “Nothing will cover your sound better than wind.”
- Scent should dump into open pasture or field, not into cover.
- He is not a “scent-control suit will save a bad wind” hunter. Layout and wind direction do the work.
- Choose the stand for the day's wind. He keeps a small set of sites, each built for a specific direction (east, southeast, northwest, and so on).
- Older bucks stop using a once-deadly stand as they learn the pattern. Even perfect access gets stale if you sit it too often. Some of his best blinds he has hunted only about a dozen times over many years.

A classic setup he describes: a 360 blind on the edge of sanctuary cover, fruit trees at marked 20-yard distances, and an open field behind the hunter so scent blows into nothing the deer use. That is the Doubting Thomas style of stand — architecture plus wind, not a random oak along a scrape line.

7. Weather, Temperature, Fronts, and Barometer

Temperature is number one. Not the rut. Not the moon. He has said this so often it is essentially his brand. A temperature change on his cameras has taken daily photo counts from a few hundred to more than 1,500 — including daylight.

How he uses weather

Signal	What he does with it
Hard temperature drop after a warm spell	Hunt the drop and the first cool, stable days — not three days later when the herd has already adjusted.
Rising barometer after a front	Has lit up movement even when temperature stayed flat. He has paid more attention to this in recent seasons.

Signal	What he does with it
Falling pressure + incoming weather	Can pull deer onto food early, ahead of the front. He rejects studies that say fronts do not matter.
Hot October / hot peak-rut day	Stay out. Heat suppresses daylight movement. A “magic” calendar day in the 80s can look dead.
Single-digit late season + snow	Afternoon sits on destination food. One of the best times, in his current view, to kill a mature buck on purpose.
High wind that dies the last hour	Activity can explode when the wind lays down before dark. Stay until legal light.

He is blunt about research that conflicts with his cameras and windshield time. Weather, in his view, can suppress a peak-rut day or create a late-season explosion. That is why he will not build a season plan on the calendar alone.

8. Hunting a Specific Buck — Same Time, Same Place

This is the part most hunters skip. Higgins does not primarily hunt “a mature buck.” He hunts **this** buck, with years of history.

Same time, same place (2003 article)

He wrote this in *North American Whitetail* in 2003. Mature bucks reuse the same pockets in the same calendar window year after year. Cameras exist to map that annual circuit, not to chase “he was here at 4:12 yesterday so sit there today.” Day-to-day food-plot patterns lie. Multi-year November windows do not. He has had stands ready two years before he ever loosed an arrow at a specific deer, because the draw or funnel only produced that buck between roughly November 6 and November 20.

Homecoming bucks (2015 article)

Some deer have a summer range and a different fall/winter range. At the start or the tail of the rut they often make a trip back toward where they summered — looking for the first hot doe, or returning after the chaos. That window is huntable if you have history.

Camera doctrine

- **Bachelor-group spots** — summer inventory of what lives on you.
- **Strategic monitoring** — known funnels and sanctuary edges.
- **Exploratory cameras** — weird places that complete the map, including spots you may never hunt.
- He has tracked a buck across 4.5 miles and multiple years: two camera points, a line in OnX, then more cameras along the likely travel between summer range and fall range. One dated photo from a place he will never sit is still useful.
- He often waits until around **July 1** to hang the main inventory cameras so the first picture of a buck is with a finished rack, and so he is not educating deer all summer.
- If a buck clocks a camera, he may never get him again. One picture is all you may get — make it count.

Personality and cover preference

Every old buck has quirks. Some will not walk a mowed path or an open strip. They want brush on their shoulders. Smokey taught him that as a three-year-old: Higgins was mowing paths through switchgrass to funnel deer to stands, and that buck simply would not use them. Another buck, Old Hickory, lived in timber and rubbed hard hickory — and stayed in cover. Lesson: a lot of mature bucks do not like to be in the open. Hunt the thick edge they actually use.

He will watch a buck for years, pass him, video him, and only shoot when the stand, wind, and moment are right. Doubting Thomas is the current example: years of history, passed multiple times, then killed from a sanctuary-edge 360 blind with pear and apple trees at 20 yards and scent blowing into an open field.

9. Stand Architecture and Shot Distance

Shots he talks about are almost always under 20 yards. He is not hunting 40-yard field edges and hoping. He is putting the buck in his lap by architecture.

How a Higgins stand gets built

- Start with access. If you cannot reach the tree undetected on the wind you will hunt, stop.
- Place the tree on the downwind edge of bedding or on a manufactured funnel, not in the sanctuary.
- Dump scent into open ground (pasture, harvested field) behind or beside the hunter.
- Give the buck a reason to step into the shooting lane: rope scrape, fruit trees, sprayed trail, fence gap, creek pinch.
- Mark ranges with objects already in the setup (pear trees at 20 yards, for example).
- Use 360 blinds for late season and some rut edges — climb the back side behind miscanthus, heater in winter, windows that look onto the plot and the sanctuary edge.
- Do not over-hunt it. A stand you sit a dozen times in a decade stays alive. A stand you sit every north wind in October dies.

When he hangs stands — Memorial Day hang videos are a recurring theme — he is thinking November first-week easterly winds as much as October. The tree is a multi-year asset. The rope scrape gets scent in late September. The camera confirms daylight use before he burns a sit.

10. The Seasonal Calendar

Window	How he runs it
Off-season / spring	Habitat work before green-up, then get out. Spray travel corridors, plant screens, fix access. Do not live in the woods. Hang main inventory cameras around July 1.
Early season	Only if access is perfect and heat and wind allow. Otherwise inventory and wait. Heat makes most sits a losing trade.
October	Patience. Drought and harvest can pin deer to water and leftover grain. Find rubs and corridors, pick two stands, wait for the first real cold snap. He broke himself of grinding October mornings after a bad first-light encounter years ago.

Window	How he runs it
Rut — historic view	Loved November 5–12, especially 7–8: bucks fired up before most does are locked down. Many Boone & Crockett bucks die then. Thanksgiving weekend as a second peak — pressure has blown out the “good” spots; hunt leftover pockets, mornings near doe bedding, evenings near food.
Rut — updated view (2025)	Weather can move the best days. In 2025 he said the 18th–19th out-hunted the 7th–8th on his cameras. If forced to pick a five-day block he leaned toward the 16th–21st. He will not die on the old calendar hill.
Rut stand note	Stands that are average the rest of the year can become great during the rut, and vice versa. Do not assume your October tree is your November tree.
Late season	Food + sanctuary + terrible weather. Soybeans and corn still drive it. Comfortable heated blinds extend sits. Do not pressure bedding. Wait for the worst weather rather than hunting every cold afternoon.

On Thanksgiving specifically: by mid-November most gun seasons have opened and pressure is high. The remaining “good” places are fewer. If you can find undisturbed cover with the rut still flickering, bucks are still killable in daylight. He would pick the last week of November over the week before — “day and night difference.”

11. Habitat Tools: Screens, Bedding, Plots, Funnels

Tool	How he uses it
Switchgrass	Bedding and “curtain” screens. Often in strips, not giant useless blocks. Stands well; cheaper and easier than miscanthus. A first visual and thermal wall so deer will bed just behind it.
Giant miscanthus	Best visual screen he knows — solid wall, 12–15 ft, deer go around the end (funnel). Mix with switchgrass: miscanthus for height and winter structure, switch for low cover. Deer like to bed with a miscanthus clump at their back. Roughly 300–500 rhizomes per acre on a 10×10 grid for a bed. Keep plot herbicides off it; 2,4-D is safe on established grass screens for broadleaf weeds.
Bedding-in-a-Bag	Warm-season native mix (switch, bluestem, Indiangrass selections he tested for winter standability). Straight switch if you are not in a CRP-constrained planting and want maximum height and stand.
Food plots	Destination plots tied to access. Soybeans especially late season. Hairy vetch for soil nitrogen and regenerative logic. Diversity over trendy blends. Plant what the neighborhood does not have.
Fruit trees	Apple, pear, persimmon as 20-yard markers and attractors at sanctuary-edge blinds. Years of research into disease-resistant, deer-specific varieties.
Rope scrapes	On downwind bedding edges, often scented in late September. Confirms daylight use. Deer will hit some with no scent at all.
Sprayed trails	Glyphosate path through weeds to put the shot at about 12 yards quartering away.
Creek / inside corner / old fence	Classic terrain funnels. He will manufacture the pinch if nature did not — dropped wire, laid trees, excavated crossing.
360 blinds	Late season and rut edges; climb in the back side behind screening. Heater extends sits when it is actually cold enough to matter.

Tool	How he uses it
Conifers + leeward ridges	Winter thermal bedding. Mature bucks, in his observation, bed in bomb-shelter cover, not on a pretty vantage point. Browse line at about chest height is a clue you are in real bedding.

On screens specifically: he likes both switchgrass and miscanthus, often stacked. Three rows of miscanthus on tight spacing, then drill switchgrass over the top so you get a dense 6–8 foot lower wall with bamboo-like stalks holding snow and ice. A thin switch-only strip along a road can become roadside bedding — which is why he prefers a taller, tighter miscanthus wall that takes less plot width and does not invite beds next to the truck.

He does habitat work early, then tries to stay away until it is time to hunt or hang cameras. Seeing the spring projects work in July is part of the satisfaction — and part of the scouting — without living in the sanctuary.

12. Herd Management and Culling

On his own small farm (often described around 120 acres plus adjoining ag) he has culled inferior 3- and 4-year-old bucks for about 20 years. He does **not** claim this works everywhere. On most properties, he says, the genetic effect is negligible. On a tightly managed, relatively isolated farm he believes it has mattered — and he will argue it from results (multiple 200s off that ground). He discussed the program with Dr. Bronson Strickland of the MSU Deer Lab years ago and still takes the heat.

Related management views

- Age structure and sex ratio beat gadgets.
- Neighbor relations protect the herd more than a regulation booklet.
- Self-regulate harvest. Do not outsource discipline to the state.
- EHD years: back off. Patience and reduced harvest pressure.
- Killing a cull does not, in his experience, automatically run the target buck off the property — another question he gets constantly.
- He has been gloomy about 2026 mature-buck numbers in his multi-state camera network: more pressure plus better technology killing bucks before they reach potential. That is part of why he hunts even more selectively.
- He has warned that if state agencies do not manage for quality, more Midwestern landowners will put up fences the way Texas did — a trend he does not particularly like, but expects.

13. Discipline — When He Stays Home

“Sometimes the best hunting decision is staying home” is not a slogan. It is how he keeps stands alive. He has said he hunts fewer hours now than at any point in his career. Time in a tree is not the success factor most hunters think it is.

He stays home when

- The wind will not serve both the walk and the sit.
- October (or rut) heat makes daylight movement a bad bet.
- He would have to touch the sanctuary or a dirty access to reach the tree.
- The only available stand has already been sat too much for that buck.

- A tip on someone else's target buck fails his legal-versus-ethical line. He has walked away from 200-inch opportunities that were not his to hunt.
- The forecast says the real movement is two days away. Burning the stand on the dummy day is how you miss the real day.

He also draws a hard line between legal and ethical — bait where legal, drones, hunting another man's target buck from a texted pin drop. The methodology is not “kill at all costs.” It is “kill the right buck, on purpose, without wrecking the farm.”

14. The Six-Step Operating System

Strip away the podcasts, the seed company, and the 200-inch photos, and this is the machine.

Step	Action	Failure mode if you skip it
1	Make the buck live on you — a true zero-intrusion sanctuary.	He beds next door. Your odds collapse.
2	Build one clean walk to a wind-specific tree on the sanctuary edge.	You educate the farm on the way in. The sit is over before it starts.
3	Do not hunt that tree until temperature, front, wind, and history agree.	You burn a finite stand on a dummy day.
4	Know the buck as an individual: annual calendar, personality, summer vs. fall range.	You hunt last night's photo instead of this year's window.
5	Put him at 15–20 yards with habitat architecture, not hope.	You need a 40-yard chip shot at a deer that never wanted to be in the open.
6	If any piece is wrong, don't go.	One sloppy sit can move a target buck off the property for the season.

15. Applying This Thinking on Other Ground

Higgins hunts and consults far beyond his home farm — permission farms, other states, small acreages next to large sanctuaries. The principles travel. The exact recipe does not.

- **Location beats raw acreage.** A well-laid-out 80 acres with a real sanctuary and clean access will out-hunt a sloppy 400.
- **You cannot copy his 120 acres onto a 30-acre strip** and expect the same culling or genetics story. He says so himself.
- **River bottoms make him cautious** — flooding, unpredictable travel, and hard access are recurring caveats.
- **Public land and permission ground** still use the same logic: hunt the fringe of security cover, play the wind the buck plays, wait on weather, do not burn the only clean walk you have.
- **Woodsmanship still matters.** He talks about trapping making a better deer hunter, teaching the next generation traditional skills, and not letting technology replace reading sign, wind, and cover.

- **Create something the neighbors do not have** — a sanctuary they will not match, a late-season food source, a screen that hides a walk they cannot hide.

For a property like a 300-acre Anson County, North Carolina farm with named stands, soybean fields, creek bottoms, and fall food plots, the Higgins translation is straightforward: protect at least one block as a true no-go sanctuary, treat every stand as a wind-specific asset with a hidden walk, use temperature and fronts as the go/no-go, and hunt individual bucks by multi-year pattern rather than by last night's camera card.

16. Sources and How to Go Deeper

This study is compiled from Higgins' publicly available work through September 2026. It is not authorized by Higgins Outdoors, Real World Wildlife Products, or Chasing Giants, and it is not a transcript of his paid courses.

Primary public sources

- Higgins Outdoors — higginsoutdoors.com (bio, consulting, courses).
- *Hunting Trophy Whitetails in the Real World* (2005) and *Real World Whitetail Icons* (2012).
- Articles in *North American Whitetail* and *Deer & Deer Hunting*, including “Same Time, Same Place” (2003), “Homecoming Bucks” (2015), “Hunting Entry and Exit Strategies” (2020), and “How to Create an Invisible Fence” (2022).
- *Chasing Giants* podcast with Terry Peer (weekly; especially episodes on temperature vs. rut, access, sanctuaries, Doubting Thomas, and the 2025 rut-calendar revision).
- Chasing Giants TV stand-hang, late-season blind, October patience, and habitat walkthrough videos.
- Long-form interviews: MeatEater / Wired to Hunt, HUNTR, WHTL, Deer Talk Now, Hunters Advantage.
- Real World Wildlife Products planting guides (switchgrass, giant miscanthus, Bedding-in-a-Bag).

If you want the methodology from the man himself, the shortest honest path is still his books (when you can find them), the podcast archive, and — if the farm justifies it — a consulting visit or the Whitetail Master Academy material. This PDF is a map of how he thinks. It is not the woods.

End of field study

Prepared September 9, 2026 · For personal use on the Anson County property and HuntBrief planning.