No. 10. — Bibliography to accompany "Selections from Embryological Monographs, compiled by Alexander Agassiz, Walter Faxon, and E. L. Mark."

111.*

ACALEPHS.

By J. Walter Fewkes.

The most significant of the early contributions to the embryology of the Acraspeda was the recognition by Sars (M.), in 1853, that the sessile genus Scyphistoma Sars, and the free medusa, Ephyra Eschscholtz, are larval stages of Aurelia aurita. The importance of this discovery was much enlarged by Steenstrup (Joh. J.), who pointed out in 1842 that it was an example of "alternation of generations," similar to that described by Chamisso in Salpa. The development of genera of Acraspeda without a fixed larval stage was first described by Krohn (A.) in 1855. A similar direct development has been discovered by Haeckel (E.) in Aurelia. Important observations on the development of different genera of Acraspeda have been published by Agassiz (L.), Clark (H. J.), and Claus (C.).

The segmentation and peculiar delamination of the ovum of the Trachymedusæ have been studied by Fol (H.) and Haeckel (E.). The larval forms of the same, more especially of the commensal genus *Cunina*, have been investigated by Gegenbaur (C.), Haeckel (E.), McCrady (J.), Müller (F.), Schultze (F. E.), and Uljanin (B.).

Dalyell recognized the "planula" among the Hydroida. The production of the free medusa known as the gonophore from the fixed hydroid by an asexual method of gemmation was traced by Dujardin (F.) in 1848. The knowledge of a wide distribution of this phenomenon among other genera, and its identity with the method of growth called "alternation of generations," we owe to the researches of Agassiz (A.), Agassiz (L.), Allman (G. R.), Claus (C.), Gegenbaur (C.), McCrady (J.), and others. Kleinenberg's account of the embryology of Hydra is the best existing of this remarkable genus.

The Discoidea (*Velellidæ* and *Porpitidæ*) have engaged the attention of many embryologists, among whom are Agassiz (A.), Huxley (T. II.), Kölliker (A.), Pagenstecher (H. A.), Stuart (A.), and Vogt (C.). Gegenbaur (C.) first followed the segmentation of the egg and the early larval stages of *Diphyes*, and Leuckart (R.)

* I. Crustacea. By Walter Faxon. Bull. Mus. Comp. Zööl., IX. 6, p. 197. March, 1882. II. Echinodermata. By Alexander Agassiz. Ibid., X. 2, p. 109. August, 1882.

This bibliography extends to the year 1883 inclusive. Simple descriptions of new hydroids, which add nothing to a knowledge of embryology, are omitted. An asterisk [*] before a title denotes that the work has not been seen by the compiler.

discovered the connection between monogastric (*Eudoxia*) and digastric (*Abyla*) Calycophores. The other most important contributions to the embryology of the Siphonophora are by Agassiz (A.), Chun (C.), Claus (C.), Haeckel (E.), and Metschnikoff (E.).

The embryology of the Ctenophora has been followed by Agassiz (A.), Chun (C.), Fol (H.), Kowalevsky (A.), and Metschnikoff (E.).

CAMBRIDGE, June 1, 1884.

Agassiz, Alexander.

- [Development of Nanomia cara.] Proc. Boston Soc. Nat. Hist., IX. p. 181. 1862-63.
- [Young of Medusa of *Halopsis occilata.*] Proc. Boston Soc. Nat. Hist., 1X. pp. 219, 220. 1862-63.
- On the Mode of Development of the Marginal Tentacles of the Free Medusæof some Hydroids. *Proc. Boston Soc. Nat. Hist.*, 1X. pp. 88-101. 1862-63.
- North American Acalephæ. Ill. Cat. Mus. Comp. Zoöl. at Harvard College, No. 2. Cambridge, U. S. 1865.

(Development passim.)

- Embryology of the Ctenophoræ. Mem. Amer. Acad. Arts & Sci, X., No. III. (Separate, in advance.) pp. 357-398, pls. 5. Cambridge, Mass. 1874. (Idyia roseola, Pleurobrachia rhododactyla, Bolina alata, Mertensia ovum.)
- Hacekel's Theory (Alleogenesis) of the Genetic Connection between the Geryonidæ and Æginidæ. Amer. Journ. Arts and Sci., May, 1876. Ann. Mag. Nat. Hist. [4], XVII. p. 481. 1876.

(Critical notice of Haeckel's Theory in Beiträge zur Naturgeschichte der Hydromedusen.)

Exploration of the Surface Fauna of the Gulf Stream under the Auspices of the (U. S.) Coast Survey. By Alexander Agassiz. III. Pt. I. The Porpitide and Velellidæ. Mem. Mus. Comp. Zoöl., VIII. No. 2, pp. 1-16. 1883.

(Younger stages of Velella and Porpita; Chrysomitræ of both; Rataria described by Pagenstecher corresponds with young stages of Porpita.)

Agassiz, E. C. and A.

Seaside Studies in Natural History. Marine Animals of Massachusetts Bay. Radiates. pp. 157, figs. 185. Boston, 1865 and 1871.

(pp. 21-90 larval stages, passim.)

Agassiz, Louis.

Twelve Lectures on Comparative Embryology, delivered before the Lowell Institute in Boston, December and January, 1848–49. pp. 104. Boston, 1849. (Originally published in the Boston Traveller, December 22, 1848.)

(Development passim.)

- Contributions to the Natural History of the Acalephæ of North America. Pt. I. On the Naked-eyed Medusæ of the Shores of Massachusetts, in their Perfect State of Development. Mem. Amer. Acad. Arts & Sci., IV. Pt. I. pp. 221-316, pls. 8. 1850.
- Contributions to the Natural History of the Acalephæ of North America. Pt. II. On the Beroid Medusæ of the Shores of Massachusetts, in their Perfect State of Development. Mem. Amer. Acad. Arts & Sci., IV. Pt. II. pp. 313-374, pls. 8. 1850.

(Correspondence of the ciliated lobes of *Pluteus* and ambulacral rows of flappers of *Pleurobrachia* and *Bolina*.

Contributions to the Natural History of the United States of America. III. pp. i.-xi., 1-301, (1)-(26), pls. I.-XIX. IV. pp. i.-viii., 1-380, (1)-(12), pls. I.-XXXV. Boston, 1860, 1862.

(Aurelia flavidula, Cyanea arctica, Pelagia cyanella, Coryne mirabilis, Clava leptostyla, Eudendrium dispar, Parypha crocea, Tubularia, Thamnocnidia, Hydractinia, Laomedea, Millepora, larval stages of other Acalephs, passim.)

Review of Agassiz's Contributions to the Natural History of the United States of America. By J. R. Greene. *Nat. Hist. Rev.*, I. pp. 433-444. III. pp. 344-359, 479-497. 1861, 1863.

Homologies of Radiata. Proc. Boston Soc. Nat. Hist., VIII. pp. 226-232. 1862.

(Comparison of young Acaleph, Polyp and Echinoderm, passim.)

Methods of Study in Natural History. pp. i.-vi., 1-319. Boston, 1863.

(Development passim.)

Alder, Joshua.

Catalogue of the Zoöphytes of Northumberland and Durham. *Trans. Tyneside Nat. Field Club*, III. pp. 93–160, pls. III.–X. V. pp. 225–247, pls. VIII.–XI. Newcastle-upon-Tyne. 1854–58, 1860–62.

(Describes hydroids.)

A Notice of some New Genera and Species of British Zoöphytes. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 90, 91. London, 1857.

(Describes hydroids.)

Descriptions of three new Species of Sertularian Zoöphytes. Ann. Mag. Nat. Hist. [3], III. pp. 353-356, pls. XII.-XIV. 1859.

(Young of *Plumularia halecioides* resembles *Halecium*. Young of *Halecium labrosum* is parasitic.)

Report on the Zoöphytes. 1862. Trans. Tyneside Nat. Field Club, V. pp. 288–290. Newcastle-upon-Tyne. 1860–62.

(Describes hydroids.)

Descriptions of some new and rare Zoöphytes found on the Coast of Northumberland. *Ann. Mag. Nat. Hist.* [3], IX. pp. 311-317, pls. XIII.-XV. 1862.

(Development passim, hydroids.)

Allman, George J.

- On the Universality of a Medusoid Structure in the Reproductive Gemmæ of the Tubularian and Sertularian Polypes. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 70, 71. 1852.
- On the Anatomy and Physiology of Cordylophora, a Contribution to our Knowledge of the Tubularian Zoöphytes. *Phil. Trans. Roy. Soc. London*, pp. 367-384. 1853.

Abstr. in Abstrs. of Papers of Roy. Soc., pp. 319-321. 1854.

- On the Structure of the Reproductive Organs in certain Hydroid Polyps. Edinburgh New Philos. Journ., VII. pp. 294-303. 1858.
- Notes on the Hydroid Zoöphytes. Ann. Mag. Nat. Hist. [3], IV. pp. 137-144. 1859.

(Medusa of Coryne eximia, nov. sp. described.)

- On Laomedea tenuis, n. sp. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 143. 1859.
- On the Reproductive Organs of Sertularia tamarisca. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 119, 120. 1859. Ann. Mag. Nat. Hist. [3], III. pp. 238-240. 1859.
- On the Structure of the Lucernariadæ. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 143. 1859.
- On some new British Tubularidæ. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 101-103. 1862.
- On the Generative Zoöid of Clavatella. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 100. 1862.
- Ou the Structure of Corymorpha nutans. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 101. 1862.
- Contributions to our Knowledge of the Structure and Development of the Beroidæ. Proc. Roy. Soc. Edinburgh, IV. pp. 519-524. 1862. Edinburgh New Phil. Journ., XV. pp. 285-289. 1862.

 (Beroë, ovum forms two layers, development of tubes.)
- Report on the Present State of our Knowledge of the Reproductive System in the Hydroida. *Rep. Brit. Assoc. Adv. Sci.*, pp. 351-426. 1863.
- Notes on the Hydroida. Ann. Mag. Nat. Hist. [3], XI. pp. 1-12, pl. II. 1863.

(Describes medusa of Corymorpha nutuns.)

Notes on the Hydroida. Ann. Mag. Nat. Hist. [3], XIV. pp. 57-64, pl. II. 1864.

(Medusa of Perigonimus vestitus and Zanclea implexa.)

On the Construction and Limitation of Genera among the Hydroida. *Ann. Mag. Nat. Hist.* [3], XIII. pp. 345-380. *1864*.

(Changes in the medusa form of Campaniclava All., Zanclea, Perigonimus, Bougainvillia, Corymorpha.)

- Notes on the Structure of certain Hydroid Medusæ. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 77-79. 1867.
 - (Slabberia, Obelia, and medusa of Campanularia.)
- On the Structure of Coppinia arcta. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 87, 88. 1863.
- The Genetic Succession of Zoöids in the Hydroida. Trans. Roy. Soc. Edinburgh, XXVI. pp. 97-106, figs. 9. Read May, 1870. Pub. 1872.

 Abstr. Proc. Roy. Soc. Edinburgh. VII. p. 68.
- On the Homological Relations of the Coelenterata. Trans. Roy. Soc. Edinburgh, XXVI. pp. 459-466, figs. 13. Read May, 1870. Pub. 1872.

 Abstr. Proc. Roy. Soc. Edinburgh, VII. pp. 512, 513.
- A Monograph of the Gymnoblastic or Tubularian Hydroids. London, 1871-72. Ray Society. 1869-70. pp. xxiv. + 50, pls. 23. (Development, passim.)
- On the Structure and Development of Myriothela. Phil. Trans. Roy. Soc., Vol. CLXV., Pt. II. 1875.
- Recent Progress in our Knowledge of the Development of the Ctenophora. (Anniv. Address.) Journ. Linn. Soc. Zoöl., XVI. pp. 89-109. 1881. On the Development of the Ctenophora. Abstr. in Zoölogist. pp. 342-343. Aug. 1881. Die Entwickelung der Rippenquallen. Auszug in Kosmos, X. pp. 55, 56, von E. Krause.

Balfour, Francis M.

- A Treatise on Comparative Embryology. I. pp. xi. + 492 + xxii., figs. 275. London, 1880. Vol. II. pp. xi., 655, xxii., figs. 429. London, 1881. [Acalephæ, Vol. I. pp. 125-138, 143-155.]
 - Trans. by Vetter, B.: Handbuch der vergleichenden Embryologie. I. Jena, 1880.

Essays on Embryology: -

- I. On the Structure and Homologies of the Germiual Layers of the Embryo. Quart. Journ. Micr. Sci., XX. pp. 247-273, fig. 17. 1880.
- H. Larval Forms; their Nature, Origin, and Affinities. Quart. Journ. Micr. Sci., XX. pp. 381-407, figs. 21. 1880.

Beneden, P. J. van.

- Recherches sur la Structure de l'Œuf dans un nouveau Genre de Polype. [Genre Hydractinie.] Bull. Acad. Roy. Belgique, VIII. Pt. I. pp. 89-93. 1841.
- Mémoire sur les Campanulaires de la Côte d'Ostende considérés sous le Rapport Physiologique, Embryogénique et Zoologique. 1843. Nouv. Mém. Acad. Bruxelles, XVII. pp. 3-42, pls. III. 1844. Ann. Sci. Nat. [2], XX. pp. 350-369. 1843. Froriep's Notizen, XXXI. col. 17-25, 33-42. 1844.

- Recherches sur l'Embryogénie des Tubulaires, et l'Histoire Naturelle des différents Genres de cette Famille qui habitent la Côte d'Ostende. Nouv. Mém. Acad. Bruxelles, XVII. pp. 3-72, pls. 6. 1844.
- Sur les différents Modes de Reproduction dans la Famille des Tubulaires. Arch. Anat. Physiol. wissensch. Med., pp. 110-126. 1844.
- Un Mot sur le Mode de Reproduction des Animaux inférieurs. Bull. Acad. Roy. Belgique, XIV. Pt. I. pp. 448-462. 1847. Froriep's Notizen, V. col. 193-198. 1848. Oken's Isis, col. 229-231. 1848. Amer. Journ. Arts & Sci., pp. 280, 281. 1848.
- La Strobilation des Scyphistomes. Bull. des Séances, Classe des Sci. 1859.

 Acad. Roy. Belgique, pp. 487-495. 1860. On the Strobilation of the Scyphistomata. Ann. & Mag. Nat. Hist., V. p. 504. 1860. Ann. Sci. Nat. [4], pp. 154-159. 1859.
- Recherches sur la Faune littorale de Belgique. [Polypes.] *Mém. Acad. Roy. Belgique*, XXXVI. pp. 1–207. 1867.

Beneden, E. van.

De la Distinction originelle du Testicule ct de l'Ovaire; Caractère sexuel des deux feuillets primordiaux de l'Embryon; Hermaphrodisme morphologique de toute Individualité; Essai d'une Theorie de la Fécondation. Bull. Acad. Roy. Belgique [2], XXXVII. pp. 530-595. 1874.

Bergh, R. S.

Studien über die erste Entwicklung des Eies von Gonothyræa Lovéni [Allm.]. Morphol. Jahrb., V. pp. 22-61. 1879.

Boeck, C.

Omhandlede en Tubularie fra Belsund paa Spitzbergen, *Tubularia regalis*. 1859. Vidensk. Selsk. Forhandl. Christiania, pp. 114–117. 1860.

Bosc, L. A. G.

Histoire Naturelle des Vers. 2º édit. III. pp. 342, pls. 25. Paris, 1830. (Suites à Buffon.)

Bronn, H. G.

Klassen und Ordnungen des Thier-Reichs II. Strahlenthiere. pp. 434, pls. 49. Leipzig u. Heidelberg, 1860.

Brooks, W. K.

Budding in Free Medusæ. Amer. Natur., XIV. pp. 670-671. 1880.

(Alternation of generations in budding gonophores of Willia.)

List of Medusæ found at Beaufort, N. C., during the Summers of 1880 and 1881. Studies Biol. Labor. Johns Hopkins Univ., II. No. 2, pp. 135-146. Baltimore, 1882.

(Development of Steenstrupia; Oceania folleata is gonophore of Campanularia noliformis McC.)

Handbook of Invertebrate Zoölogy for Laboratories and Seaside Work. Boston, 1882.

(Acalephæ, pp. 30-56, figs. 15-28.)

On the Origin of Alternation of Generations in Hydromedusæ. Johns Hopkins Univers. Circular, II. No. 22, p. 73.

(Young Cunina octonaria in bell cavity of Turritopsis comparable with hydroid stage.)

Burmeister, H.

Zoonomische Briefe. 2 vols., pp. 139 and 200. Leipzig, 1856.

Busch, W.

Beobachtungen über einige niedere Thiere. Müller's Arch., pp. 439-442.

(Development of Medusa aurita.)

Busk, G.

On a new Hydroid Polype belonging to the Genus Cordylophora Allm., discovered by Senator Kirchenpauer of Ritzebüttel. Quart. Journ. Micr. Sci., I. pp. 283, 284. 1861.

Carus, J. V., and Gerstaecker, C. E. A.

Handbuch der Zoologie, II. pp. viii. + 642. Leipzig, 1863.

Carus, J. Victor.

Icones Zootomieæ, mit Original-Beiträgen von Allman, Gegenbaur, Huxley, Kölliker, Müller, Schultze, Siebold, und Stein. Pt. I. Pls. 23. Leipzig, 1857.

Zoologischer Jahresbericht für 1879–1882. Herausgegeben von der Zoologischen Station zu Neapel. Acalephæ by Carl Chun.

Cavolini, Filippo.

Memorie per servire alla Storia de Polipi Marini. pp. 116, pls. 4. Napoli, 1785. Transl. Abhandlungen über Pflanzen-Thiere des Mittelmeeres. Uebersetzt von Wilhelm Sprengel und herausgegeben von Kurt Sprengel. pp. 131, pls. 9. Nürnberg, 1813.

Chun, Carl.

Die Ctenophoren des Golfes von Neapel, und der Angrenzenden Meeres-Abselmitte. pp. 99–147. Fauna and Flora des Golfes v. Neapel, I. pp. i.–xviii., 1–313, pls. 18. Zool. Stat. zu Neapel. Leipzig, 1880.

(Development of Cestus, Eucharis, Cydippe, Beroë, Lampetia, and Callianira.)

Ucber die eyelische Entwickelung und Verwandtschafts verhältnisse der Siphonophoren. Sitzungsber. Acad. Wissensch. Berlin, LII. pp. 1155-1172, pl. XVII. 1882.

Trans. by Dallas, Ann. & Mag. Nat. Hist. [5], XI. pp. 153-169, pl. V. 1883.

(Development of Monophyes, Muggiaea, and Eudoxia.)

Ciamician, J.

Ueber den feineren Bau und die Entwicklung von Tubularia mesembryanthemum, Allman. Zeitschr. f. wissensch. Zool., XXXII. pp. 323-347, pl. XVIII., XIX. 1879.

Claparède, A. René Edouard.

Beiträge zur Fauna der schottischen Küste. Zeitschr. f. wissensch. Zool., X. pp. 401-405. 1860.

(Budding and egg of Lizzia.)

Développement d'Hydroïdes Marins du Genre Tubulaire. Bibliog. Univ. de Genève, XV. p. 150. 1862.

Beobachtungen über Anatomie und Eutwickelungsgeschichte wirbelloser Thiere an der Küste von Normandie augestellt. pp. viii. + 120, pls. 18. Leipzig, 1863.

Clark, H. J.

Mind in Nature. pp. 322, figs. 210. New York, 1865.
(Development, passim.)

Tubularia not Parthenogenous. Amer. Journ. Arts & Sci., XXXVII. pp. 61-66. 1864.

Lucernariæ and their Allies. A Memoir on the Anatomy and Physiology of *Haliclystus aurıcula*, and other Lucernariaus, with a Discussion of their Relations to other Acalephæ, to Beroids and Polypi. 1878. Smithsonian Contrib. Knowledge, XXIII. pp. 130, pls. 11. Washington, 1881.

Clarke, S. F.

Descriptions of New and Rare Species of Hydroids from the New England Coast. *Trans. Conn. Acad.*, IV. pp. 58-66, pl. IX. 1875.

(Describes planula of Gonothyrea tenuis.)

New and interesting Hydroids from Chesapeake Bay. Mem. Boston Soc. Nat. Hist., III. pp. 135-142, pls. 2. 1882.

(Development of Stylactis arge, and Lovenella gracilis.)

Clarke, W. B. See Giles, E., and Clarke, W. B.

Claus, Carl.

Ueber *Physophora hydrostatica* nebst Bemerkungen über andere Siphono phoren. *Zeitschr. f. wissensch. Zool.*, X. pp. 295–332. 1860. (Separate pp. 1-40, pls. XV., XVI., XVII.)

(Development of nectocalyx and tentacular knob.)

Neue Beobachtungen über die Structur und Entwickelung der Siphonophoren. Zeitschr. f. wissensch. Zool., XII. pp. 536-563, pls. XLVI.-XLVIII. 1863.

(Young Agalma.)

Beiträge zur Kenntniss der Geryonopsiden- und Eucopiden-Entwicklung. Arbeit. Zool. Inst. Wien, 4. Bd. 1. Heft, pp. 89-120, pls. 4.

Development of Geryonopsida and Eucopida. Abstr. Journ. Roy. Micros. Soc. (2), II. pp. 58-59.

(Development of Octorchis, Tima, and Phialidium.)

- Die Entwickelung des Aequoriden Eies. Zoöl. Anzeig., No. 112, 5 Jahr. pp. 284-288. Development of Aequorea. Abstr. Journ. Roy. Micros. Soc. (2), II. p. 4, p. 515.
- Schriften zoologischen Inhalts. II. Die Gattung Monophyes Cls. und ihr Abkömmling Diplophysa Gbr. pp. 27–33, pl. IV. Wien, 1874.

(Relation of Monophyes and Diplophysa.)

Grundzüge der Zoologie. 3d ed. pp. xii. + 1254. Marburg und Leipzig, 1876. Acalephæ, pp. 216-255.

*Grundzüge der Zoologie. 4th ed. Marburg, 1879.

(Development, passim.)

Bemerkungen über Ctenophoren und Medusen. Zeitschr. f. wissensch. Zool., XIV. pp. 384-393. 1864.

(Young Beroë and Ctenophore larva.)

- Studien über Polypen und Quallen der Adria. I. Acalephen (Discomedusen).

 Denkschr. k. k. Akad. Wissensch. Wien, XXXVIII. pp. 1-64, pls. 11.

 1878.
- Ucber einige bislang noch unbekannte Larvenstadien von Rhizostoma. Zool. Anz., Nr. 76, 4 Jahr. pp. 79-85. 1881.
- Ueber das Verhältniss von Monophyes zu den Diphyiden sowie über den phylogenetisehen Entwicklungsgang der Siphonophoren. Arbeit. Zool. Inst. Wien, V., Pt. 1, pp. 15-18. 1883.
- Untersuchungen über die Organisation und Entwicklung der Medusen. pp. (4), 96. Cuts, pls. 20. Prag and Leipzig, 1883.

*Cocks.

Report of Roy. Pol. Soc. Cornwall, p. 34. 1853.

("Locomotive stage of Myriothela.")

Conn, H. W.

Development of Tubularia cristata. Johns Hopkins Univ. Circular, No. 17, p. 247. Zool. Anzeig., Nr. 120, 5 Jahr. pp. 483, 484.

(Corrects Ciamician's account.)

Coldstream, J.

Acalephæ. Todd's Cyclop. Anat. Physiol., I. pp. 35-46. London, 1835-36. (Development, passim.)

Dalyell, J. G.

- On the Propagation of Scottish Zoöphytes. Edinburgh New Philos. Journ., XVII. pp. 411-415. 1834.
- On the Propagation of certain Scottish Zoöphytes. Rep. Brit. Assoc. Adv. Sci., pp. 598-607. 1834. Isis, XLII. No. 920. L'Institut, III. 95. 1835.

Further Illustrations of the Propagation of Scottish Zoöphytes. Edinburgh New Phil. Journ., XXI. pp. 88-94. 1836.

Reviewed in Froriep's Notizen, L. No. 6, pp. 81-87. 1836. Arch. f. Naturgesch., p. 278. 1837.

*Rare and Remarkable Animals of Scotland. London, I., II. 1847, 1848.

("Relation between hydroid and free medusa.")

Danielssen, D. C. See Koren, J., and Danielssen, D. C.

Davidoff, M.

Ueber Theilungsvorgänge bei *Phialidium variabile* Haeckel. Zool. Anz., Nr. 98, 4 Jahr. pp. 620-622, mit Abbildungen.

Abstr. Journ. Roy. Micros. Soc. (2), II. p. 59.

Dawson, J. W.

Elementary Views of the Classification of Animals. Canadian Nat. & Geol., IX. pp. 241-258. 1864.

Zoölogical Classification, or Colenterata and Protozoa versus Radiata. Canadian Nat. & Geol., VII. pp. 438-443. 1862.

De Quatrefages, A. See Quatrefages, A. de.

Desor, E.

Proc. Boston Soc. Nat. Hist., III. pp. 137-140. 1845. (Development of Aurelia aurita.)

Proc. Boston Soc. Nat. Hist., III. pp. 158-160. 1845. (Development of Campanularia.)

De Varenne, A. See Varenne, A. de.

Dönitz, W.

Ueber die Entwickelung der Zoospermien bei Schwimmpolypen. Sitzungsb. Gesellsch. naturf. Freunde, Berlin, pp. 53-54. 1872.

Dujardin, F.

Observations sur un nouveau Genre de Médusaires provenant de la Métamorphose des Syncorynes. *Ann. Sci. Nat.* [2], XX. pp. 370-373. 1843.

Mémoire sur le Développement des Méduses et des Polypes Hydraires.

Ann. Sci. Nat. [3], IV. pp. 257-281. 1845. Compt. Rend., XXI. 1845.

L'Institut, XIII. 1845. Froriep's Notizen, XXXVII. No. 808, XL. No. 859, pp. 1-9, pl. 1. (Continuation) No. 860. 1846.

(Development of Stenyo, Callichora, and Syncoryna, pp. 277, 278.)

Du Plessis, G. See Plessis, G. du.

Duthiers, H. Lacaze. See Lacaze-Duthiers, H.

*Ecker, (A.).

Entwicklungsgeschichte der grünen Armpolypen. 1853. (Hydra.)

Edwards, H. Milne. See Milne Edwards, H.

Ehlers, E. See Keferstein, W., and Ehlers, E.

*Ehrenberg, (C. G.).

Symbolæ Physicæ, IV. Berolini, 1831.

(Describes egg-capsules in hydroids.)

Ellis, J., and Solander, D.

The Natural History of many curious and uncommon Zoöphytes, collected from various Parts of the Globe. London, 1786.

Eschscholtz, F.

System der Acalephen. Eine ausführliche Beschreibung aller Medusenartigen Strahlthiere. pp. 1-190, pls. I.-XVI. Berlin, 1829.

Fabricius, O.

Fauna Grænlaudica. Hafniæ et Lipsiæ, 1780.

Fewkes, J. Walter.

Studies of the Jelly-fishes of Narragansett Bay. 1881. Bull. Mus. Comp. Zoöl., VIII. No. 8, pp. 141-182, pls. 10. 1880-81.

Abstr. in Journ. Roy. Micr. Soc. (2), I. p. 5, Oct., pp. 746, 747.

(Lizzia, Zygodactyla, Tima, Eucheilota, Trachynema, Cunina, Agalma, Cyanea, Mnemiopsis.)

Explorations of the Surface Fauna of the Gulf Stream. I. Notes on Acalephs from the Tortugas, with a Description of New Genera and Species. Bull. Mus. Comp. Zoöl., IX. No. 7, pp. 251–289, pls. 7. 1882.

(Eucharis, Ocyroë, Cassiopea, Linerges, Glossocodon.)

Budding in Free Medusæ. Amer. Natur., XIV. pp. 50, 51. 1881.

(Alternation of generations in Willia.)

Note on the Structure of Rhizophysa filiformis. 1879. Proc. Boston Soc. Nat. Hist., XX. pp. 292-303, pl. I. 1878-80.

(Development of tentacular knobs and sexual organs.)

Contributions to a Knowledge of the Tubular Jelly-fishes. Bull. Mus. Comp. Zoöl., VI. No. 7, pp. 127-146, pls. 4. 1880.

(Development of the knobs of Physophora.)

The Siphonophores. II. The Anatomy and Development of Agalma. *Amer. Natural.*, XV. pp. 186-195, figs. 1881.

(Development of Agalma elegans.)

On the Acalephæ from the East Coast of New England. Bull. Mus. Comp. Zoöl., IX. No. 8, pp. 291–310, pl. 1. 1882.

(Mnemiopsis, Willia, Phialidium.)

Exploration of the Surface Fauna of the Gulf Stream under the Auspices or the U. S. Coast Survey. By Alexander Agassiz. I. On a Few Medusæ from the Bermudas. Bull. Mus. Comp. Zoöl., XI. No. 3, pp. 79-90, pl. I.

(Young of *Tamoya punctata* sp. nov., *Ectopleura* sp. (?); *Ephyra* with sixteen otocysts (young *Cassiopea*); resemblance of sexual clusters of *Rhizophysa* and *Physalia*.)

Filippi, F. de.

Sopra due Idrozoi del Mediterrano. Mem. d. Real. Accad. Torino [2], XXIII. pp. 1-13, pl. II.

(Development of Eleutheria.)

Fol, H.

Ein Beitrag zur Anatomie und Entwickelungsgeschichte einiger Rippenquallen. (Inaug. Diss.) pp. 12, pls. 4. Berlin, 1869.

(Development of Eurhamphæa vexilligera.)

Die erste Entwickelung des Geryonideneies. *Jenaische Zeitschr.*, VII. pp. 471-492, pls. XIV., XV. 1873.

Forbes, E., and Goodsir, J.

On the Corymorpha nutans of Sars, a remarkable Hydroid Polype. Ann. Mag. Nat. Hist. [1], V. pp. 309-315. 1840.

(Quotes Sars's account of development.)

On some remarkable Marine Invertebrata, new to the British Seas. 1851. Trans. Roy. Soc., Edinburgh, XX. pp. 307-314. 1853.

Forbes, E.

On the Morphology of the Reproductive System of the Sertularian Zoöphyte, and its Analogy with the Reproductive System of the Flowering Plant. Ann. Mag. Nat. Hist. [1], XIV. pp. 385-391, pl. X. 1844.

On the Pulmograde Medusæ of the British Seas. Ann. Mag. Nat. Hist. [1], XVIII. pp. 284-287. 1846.

A Monograph of the British Naked-eyed Medusæ. Ray Soc. London, pp. 104, pls. 13. 1848.

Forskål, P.

(ragmentary stages of Medusæ.)

Ieones Rerum Naturalium. Hauniæ, 1776. Pls. 43. Hydra, pl. XXVI.

Fraipont, J.

Histologie, Développement et Origine du Testicule et de l'Ovaire de la Campanularia angulata [Hincks]. Comptes Rendus, XC. pp. 43-45. 1880.
Transl. Ann. Mag. Nat. Hist. [5], V. pp. 265-267. 1880. Guide du Natural., No. 2, pp. 45-46.

Origine des Organes Sexuel chez les Campanularides. Zool. Anzeig., III. pp. 135-138. 1880.

Franzius.

Ueber die Jungen der Cephea. Zeitsch. f. wissensch. Zool., IV. pp. 118-122, pl. VIII. figs. 1, 2, 3. 1852.

Frey, H., and Leuckart, R.

Beiträge zur Kenntniss wirbelloser Thiere, mit besonderer Berueksichtigung der Fauna des Norddeutschen Meeres. pp. 170, pls. 2. Braunschweig, 1847.

(Suggests the name Cœlenterata.)

Fuller, C. B.

Report on Marine Zoölogy. Second Annual Rep. Nat. Hist. & Geol. Maine, pp. 129-133. 1862.

See Wood, W., and Fuller, C. B.

Gegenbaur, Carl.

Beiträge zur näheren Kenntniss der Schwimmpolypen [Siphonophoren]. Zeitschr. f. wissensch. Zool., V. pp. 285-344, pls. XVI.-XVIII. 1854. (Development of Diphyes.)

Zur Lehre vom Generationswechsel und der Fortpflanzung bei Medusen und Polypen. pp. 68, pls. 2. Würzburg, 1854.

(Stages of development of Campanularia, Syncoryne, Cunina, Lizzia, Cassiopea.)

Ucber Diphyes turgida n. sp., nebst Bemerkungen über Schwimmpolypen. Zeitschr. f. wissensch. Zool., V. pp. 442-454, pl. XXIII. 1854.

Studien über Organization und Systematik der Ctenophoren. Arch. f. Naturgesch., pp. 163-205, pls. VIII., VIII. 1856.
(Young Cydippe.)

Bemerkungen über die Randkörper der Medusen. Arch. Anat. Physiol. wissensch. Med., pp. 230-250, pl. IX. 1856.

Versuch eines Systemes der Medusen, mit Beschreibung neuer oder wenig gekannter Formen; zugleich ein Beitrag zur Kenntniss der Fauna des Mittelmeeres. Zeitschr. f. wissensch. Zool., VIII. pp. 202-273 pls. VII. X. 1857.

(Young Medusæ, passim.)

Ueber Abyla trigona Q. et G. und deren Eudoxienbrut. pp. 10, pls. 2. Jena, 1859.

Neue Beiträge zur näheren Kenntniss der Siphonophoren. Nov. Act. Acad. Leop. Car. Nat. Cur., XIX. pp. 333-424. 1860.

Grundzüge der Vergleichenden Anatomie. pp. xiv. + 606, figs. 198. Leipzig, 1859.

(Development, pp. 89-103.)

Grundzüge der Vergleichenden Anatomie. 2^{te} Auflage. pp. 892, figs. 319. Leipzig, 1870. Also 2d ed. (Improved), pp. i.-viii. + I-655, figs. 356. Leipzig, 1878.

Trans. by Bell F. Jeffrey. Elements of Comparative Anatomy. (Translation revised and Preface by E. R. Lankester.) pp. i.-vi. + 1-645, figs. 356. London, 1878.

Grundriss der Vergleichenden Anatomie. pp. i.-viii., 1-660, figs. 320. Leipzig, 1874.

(Acalephæ, pp. 69-96, 117-121, general statements.)

Gegenbaur, C., Kölliker, A., and Müller, H.

Berieht über einige im Herbste 1852 in Messina angestellte vergleichendanatomische Untersuchungen. Zeitsch. f. wissensch. Zock, IV. pp. 299– 329. 1853.

(Development, passim.)

Gerbe, Z.

Développement et Métamorphoses de la Coryna squamata. Journ. l'Anat. et de la Physiol., XI. pp. 441-451, pls. XI.-XIII. 1875.

Giles, E., and Clarke, W. B.

A few Remarks upon a Species of Zoöphyte which has been discovered in the New Docks of Ipswich. *Ann. Mag. Nat. Hist.* [2], IV. pp. 26–28. 1849. (Hydroids.)

Goodsir, J. See Forbes, E., and Goodsir, J.

Gosse, P. H.

Evenings at the Microscope, or Researches among the minuter Organs and Forms of Animal Life. pp. viii. + 480, figs. New York, 1860.

Naturalist's Rambles on the Devonshire Coast. pp. xvi. + 451. London, 1853.

(Alternation of generations in Acalephæ.)

A Manual of Marine Zoölogy. Part I. London, 1855. (Acalephæ, pp. 37-53.)

Tenby, a Seaside Holiday. pp. xviii. + 400. London, 1856.

The Blue Cyanea. 1863. The Intellectual Observer, IV. pp. 149-156, pl. I. 1864.

Götte, A.

Ein neuer Hydroid-Polyp mit einer neuen Art der Fortpflanzung. Zool. Anzeig., III. No. 60, pp. 352-358. 1880.

Gould, A. A.

Invertebrata of Massachusetts. pp. 347-351. 1041.

(Page 348, Ephyræ.)

Greene, J. R.

A Word on Embryology, with Reference to the Mutual Relations of the Subkingdoms of Animals. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 132. 1860.

Recent Contributions to the Literature of the Sub-kingdom Coelenterata. Review. Nat. Hist. Rev., I. pp. 416-432. 1861.

A Manual of the Sub-kingdom Coelenterata. London, 1861. pp. xiii. + 271.

Grobben, C.

Doliolum und sein Generationswechsel nebst Bemerkungen über den Generationswechsel der Acalephen, Cestoden und Trematoden. Arbeit Zool. Inst. Wicn, IV. Pt. 2, pp. (77-174) 1-98, pls. 5.

(Acalephæ, pp. 86-88.)

Grube, A. E.

Ein Ausflug nach Triest und dem Quarnero. Berlin, 1861. pp. 175, pls. 5.

Haacke, W.

Zur Blastologie der Gattung Hydra. Specielle und generelle Studien zur Morphologie und Entwickelungslehre. Jenaische Zeitschr., XIV. pp. 133– 153, pl. VI. 1880.

Haeckel, Ernst.

- Beiträge zur Naturgeschichte der Hydromedusen. Erstes Heft: Die Familie der Rüsselquallen [Geryonida]. pp. 194, pls. 6. Leipzig, 1865.
- Ueber eine neue Form des Generationswechsels bei den Medusen, und über die Verwandtschaft der Geryoniden und Aeginiden. Monatsb. k. preuss. Akad. Wissensch. Berlin, pp. 85-95. 1865.

Transl. Ann. Mag. Nat. Hist. [3], XV. pp. 437-444, 468-474. 1865.

- Generelle Morphologie der Organismen. II. Berlin, 1866.
- Zur Entwickelungsgeschichte der Siphonophoren. Beobachtungen über die Entwickelungsgeschichte der Genera Physophora, Crystallodes, Athorybia, und Reflexionen über die Entwickelungsgeschichte der Siphonophoren im Allgemeinen. pp. 119, pls. 14. Utrecht, 1869.
- Ucber Arbeitstheilung in Natur- und Menschenleben. 1869. Populäre Vorträge, pp. 99–141, figs. 25. 1878–79.
- Die Gastræa-Theorie die phylogenetische Classification des Thierreichs und die Homologie der Keimblätter. Jenaische Zeitschr., VIII. pp. 1–55, pl. 1. 1874
- Die Gastrula und die Eifurehung der Thiere. Jenaische Zeitschr., IX. pp. 402-508, pls. XIX.-XXV. 1875.
- Studien zur Gastræa-Theorie. II. Die Gastrula und die Eifurchung der Thiere (Zoophyten). pp. 111-116. Jena, 1877.
- Nachträge zur Gastræa-Theorie. Jenaische Zeitschr., XI. pp. 55-98. 1877.
- Die Physemarien [Haliphysema und Gastrophysema], Gastræaden der Gegenwart. Jenaische Zeitschr., XI. pp. 1–54, pls. I.–VI. 1877.
- Ursprung und Stammverwandtschaft der Ctenophoren. Sitzungsb. Jenaisch. Gesellsch. Med. Naturw. pp. 70-79. Jena, 1879.
- Das System der Medusen. Erster Theil einer Monographie der Medusen. Denkschr. Med. Naturw. Gesellsch., I. Jena, 1879-80. pp. xxv. + 672, pls. 40.

(Young stages of Medusæ, passim.)

Monographie der Medusen. 2. Th. 1. Hälfte. Die Tiefsee Medusen der Challenger Reise. 2. Hälfte. Der Organismus der Medusen. pp. 1–205, pls. 1.–XII. Taf. 32, also euts in text. Jena, 1881.

(Young Medusæ, passim.)

Directe und indirecte Entwickelung von Aurelia aurita. Jenaische Zeitschr. f. Naturwissensch. 15 Bd. 4 Hft. Sitzungsber., pp. 14-15.

(Aurelia with direct development.)

Metagenesis und Hypogenesis von Aurelia aurita. Ein Beitrag zur Entwicklungsgeschichte und Taratologie der Medusen. Jena, 1881.

Hamann, O.

Der Organismus der Hydroidpolypen. *Jenaische Zeitschr.*, XV. pp. 473-544. (Planula always formed by delamination.)

Zur Entstehung und Entwickelung der grünen Zellen bei Hydra. Zeitsch. f. wissensch. Zool., XXXVII. pp. 457-464, pl. XXVI.

Hertwig, O. and R.

Der Organismus der Medusen und seine Stellung zum Keimblättertheorie. pp. 1–70, pls. I.–III. Jena, 1878.

Hincks, T.

Notes on the Reproduction of Campanulariadæ; with a Description of a new Species of Laomedea. Ann. Mag. Nat. Hist. [2], X. pp. 81-87, pls. 3. 1852.

Notes on British Zoöphytes, with Descriptions of new Species. Ann. Mag. Nat. Hist. [2], XV. pp. 127-130, pls. I., II. 1855.

(Describes hydroids.)

- On a new Species of Laomedea; with Remarks on the Genera Campanularia and Laomedea. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 126. 1858.
- On Clavatella, a new Genus of Corynoid Polypes, and its Reproduction.

 Ann. Mag. Nat. Hist. [3], VII. pp. 73-81, pls. VII., VIII. 1861.
- On the development of the Hydroid Polypes, Clavatella and Stauridia; with Remarks on the Relation between the Polyp and the Medusoid, and between the Polyp and the Medusa. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 145. 1861.
- A Catalogue of the Zoöphytes of South Devon and South Cornwall. Ann. Mag. Nat. Hist. [3], VIII. pp. 152-161, 251-262, 290-297, 360-366, pls. VI.-VIII. 1861.

 (Describes hydroids.)
- On the Production of similar Medusoids by certain Hydroid Polypes belonging to different Genera. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 107-108, 1862.
- On New Australian Hydrozoa. Ann. Mag. Nat. Hist. [3], VII. pp. 279-281, pls. XII., XIII. 1861.
- On the Production of similar Gonozooids by Hydroid Polypes belonging to different Genera. *Ann. Mag. Nat. Hist.* [3], X. pp. 459-461, pl. IX. 1862.

Hodge, G.

On a new Hydroid Zoöphyte [Podocoryne Alderi]. Trans. Tyneside Nat. Field Club, V. pt. 2, pp. 82-84. 1861.

Hoeven, J. van der.

Handbueh der Zoologie. See LEUCKART, R.

Huxley, T. H.

- Observations upon the Anatomy of the *Diphyidæ* and the Unity of Organization of the *Diphyidæ* and *Physophoridæ*. *Proc. Linn. Soc. London*, II. pp. 15, 60, 65, 67-69. 1848-55.
- On the Anatomy and Physiology of *Physalia*, and on its Place in the System of Animals. 1848. *Proc. Linn. Soc. London*, 1I. pp. 4-5. 1848-55.
- On the Anatomy and Affinities of the Family of the Medusæ. *Phil. Trans. Roy. Soc. London*, pp. 413-434. . 1849.
- Ueber die Sexualorgane der Diphyidæ und Physophoridæ. Arch. Anat. Physiol. wissensch. Med., pp. 380-384. 1851.
- An Account of Researches into the Anatomy of the Hydrostatic Acalephæ. Rep Brit. Assoc. Adv. Sci., Trans. Sect., pp. 78-80. 1851.
- The Oceanic Hydrozoa: a Description of the Calycophoridæ and Physophoridæ observed during the Voyage of H. M. S. "Rattlesnake," in the Years 1846-50. pp. 143, pls. 12. Ray Society for 1858 London, 1859.

(Development, passim.)

Elements of Comparative Anatomy. pp. vi. + 303, figs. 111. London, 1864.
 A Manual of the Anatomy of Invertebrated Animals. pp. viii. + 687. London, 1877.

Trans. by J. W. Spengel.

(Development, passim.)

Jäger, G.

Ueber das spontanc Zerfallen der Süsswasserpolypen nebst einigen Bemerkungen über Generationswechsel. Sitzungsb. Akad. Wissensch. Wien, Math. Naturw. Classe, XXXIX. pp. 321-340, pl. I. 1860. Ann. Sci. Nat. [4], XII. p. 306. 1859.

Johnston, G.

A History of British Zoöphytes. Edinburgh. *1st Edition, 1838. 2d Edition, 1847. pp. i.-ix. + 1-341, pls. 44.

(Development, passim.)

Jung, H.

Beobachtungen über die Entwicklung des Tentakel-kranzes von Audra. Morph. Jahr. Ber., VIII. pp. 339-350. 1883.

(No fixed law of development of tentacles in different species.)

Keferstein, W.

Untersuchungen über niedere Seethiere. I. Ueber die Gattung Lucernaria, O. F. Müller. pp. 1–26, pl. I. II. Ueber einige Quallen. pp. 26–31, pls. I., II., figs. 1–14. 1862. Zeitschr. f. wissensch. Zool., XII. pp. 1–147. 1863.

(Budding (Eucope?) gemmifera, pp. 28, 29.)

Keferstein, W., and Ehlers, E.

Auszug aus den Beobachtungen über die Siphonophoren von Neapel und Messina angestellt im Winter 1859-60, p. 260. Nach. Ges. Wiss. Gottingen, No. 23, pp. 254-262. 1860. Arch. f. Naturgesch., I. pp. 324-331. 1860.

Zoologische Beiträge gesammelt im Winter 1859-60, in Neapel und Messina. pp. viii. + 112, pls. 15. Leipzig, 1861.

I. Beobachtungen über die Siphonophoren von Neapel und Messina. pp. 1–34, pls. I.–V. V. Ueber einige in Neapel und Messina beobachtete Quallen. pp. 78–95, pls. XIII.–XIV.

Kirchenpauer, (Senator).

Die Seetonnen der Elbmündung. Ein Beitrag zur Thier und Pflanzentopographie. 1862. Abhandt. Naturw. Verein, Hamburg, IV. Pt. 3, pp. 59. 1858-1862.

(Development of Laomedea, pp. 20-23.)

Kleinenberg, N.

Hydra, eine anatomisch-entwicklungsgeschichtliche Untersuchung. pp. 90, pls. 4. Leipzig, 1872.

Koch, G. von.

Vorläufige Mittheilung über Cölenteraten. Jenaische Zeitschr., VII. pp. 464-470, (Continuation) 512-515, pls. XXIII., XXVI. 1873.

(Development of Tubularia, and origin of egg in Cœlenterates.)

Kölliker, A.

Bericht über einige im Herbste 1852 in Messina angestellte vorgleichendanatomische Untersuchungen von Gegenbaur, Kölliker und H. Müller. II. Ueber Quallen. pp. 315-329. Scheibenquallen. Zeitschr. f. wissensch. Zool., IV. pp. 299-370. 1853.

Die Schwimmpolypen oder Siphonophoren von Messina. pp. 96, pls. 12. Leipzig, 1853.

(Development, passim.)

See Gegenbaur, C., Kolliker, A., and Müller, H.

Koren, J., and Danielssen, D. C.

Fauna Littoralis Norvegiæ. Pt. 3. pp. 163, pls. 16. Bergen, 1877.

Korotneff, A.

Entwickelung der Myriothela. Zool. Anzeig., II. pp. 187-190. 1879.

Zur Kenntniss der Embryologie von Hydra. Zeitsch. f. wissensch. Zool., XXXVIII. Pt. 2, pp. 314-322, pl. XIV.

Abstr. Development of Hydra. Journ. R. Micros. Soc., III. Pt. 4, pp. 514, 515.

Korthals, P. W.

Over de Oorzaak van het Branden der Physalia. 1837. Tijdschr. voor Natuurl. Geschied en Physiol., IV. pp. 209-210. 1837-38. Froriep's Neue Notizen, VI. No. 112.

Kowalevsky, A.

Entwicklungsgeschichte der Rippenquallen. 1866. Mém. Acad. Imp. Sci. St. Pétersbourg, X. No. 4 [7], pp. viii. + 28, pls. 5. 1867.

(Eschscholtzia, Cestum, Eucharis, Beroë.)

Untersuehungen über die Entwickelung der Celenteraten. Vorläufige Mittheilung. Nachr. Gesellsch. Wissensch. Göttingen, pp. 154-159. 1868.

НАБЛЮДНІЯ НАДЬ РАЗВІГТІЕМЪ. СŒLENTERATA. ИЗВЪСТІЯ ИМПЕРАТОРСКАГО ОБШЕСТВА ЛЮБИТЕЛЕЙ ЕСТЕСТВОЗН АНІЯ ТОМЪ X ВЫПУСКЪ2-Й.

(Development of Eucope, Pelagua, and Ctenophores).

Untersuchungen über die Entwicklung der Cœlenteraten. Nach. k. Gesellsch. Freunde Naturw. Anthr. Ethn. Univ. Compt. Rendus, X. pt. 2, pp. 36, pls. 8. 1872-73. Moskau, 1874. Jahresb. Anat. Phys., II. pp. 279-283. 1873.

Krohn, A.

Ueber die Brut des Cladonema radiatum und deren Entwickelung zum Stauridium. Arch. Anat. Physiol. wissensch. Med., pp. 420-426, pl. XIII. 1853.

Ueber die frühesten Entwickelungsstufen der Pelagia noctiluca. Arch. Anat. Physiol. wissensch. Med., pp. 491–497, pl. XX. 1855.

Beobachtungen über den Bau und die Fortpflanzung der Eleutheria Quatref. Arch. f. Naturgesch., pp. 157-170. 1861.

Trans. by W. S. Dallas. Observations on the Structure and Reproduction of *Eleutheria Quatref. Ann. Mag. Nat. Hist.* [3], IX. pp. 1-9. 1862.

Lacaze-Duthiers, H.

Embryogénie des Rayonnés. Reproduction généagénitique des Porpites. Extrait d'une Lettre addressée à M. de Quatrefages. Comptes Rendus, LIII. pp. 851-853. 1861. Rev. et Mag. Zool., XIII. pp. 488-490. 1861.

Lamarck, J. B.

Systême des Animaux sans Vertèbres. Paris, 1801.

Histoire Naturelle des Animaux sans Vertèbres. 1st Edit. II. Paris, 1816. Histoire Naturelle des Animaux sans Vertèbres. 2d Edit. II. Paris, 1836. (Multiply by budding.)

Lamouroux, J. V. F.

Histoire des Polypiers coralligènes flexibles vulgairement nommés Zoophytes. Caen, 1816.

Exposition Méthodique des Genres de l'Ordre des Polypiers. Paris, 1821.

Lankester, E. Ray.

On Linnocodium [Craspedacustes] Sowerbii. A new Trachomedusa inhabiting Fresh Water. Quart. Journ. Micr. Sci., XX. pp. 351-371, pls. XXX., XXXI. 1880. On Young Stages of Limnocodium and Geryonia. Quart. Journ. Micr. Sci., XXI. pp. 194-201, pl. X11I., and figs. 1882.

Leidy, J.

Contributions towards a Knowledge of the Marine Invertebrate Fauna of the Coasts of Rhode Island and New Jersey. Journ. Acad. Nat. Sci. Philadelphia [2], III. pp. 135-152, pls. X., XI. 1855.

(Eucoryne elegans Leidy, produces medusa-like buds.)

Lesson, R. P.

Mémoire sur la Famille des Béroides [Beroideæ Less.]. Ann. Sci. Nat. [2], V. pp. 235-266. 1836.

Histoire Naturelle des Zoophytes Acalèphes. Paris, 1843. pp. 596, pls. 12. Suites à Buffon.

Leuckart, R.

Nachträge und Berichtigungen zu dem ersten Bande von J. Van der Hoeven's Handbuch der Zoologie. Leipzig, 1856.

(Separates hydroids with direct development and those with indirect.)

Ueber den Ban der Physalien und Röhrenquallen im Allgemeinen. Zeitschr. f. wissensch. Zool., III. pp. 189-212, pls. I.-VI. 1851. Ann. Sci. Nat. [3], XVIII. pp. 201-230, pl. V. 1852.

Zur nähern Kenntniss der Siphonophoren von Nizza. Arch. f. Naturgesch. pp. 249–377, pls. XI.-XIII. 1854.

(Young Agalma.)

De Zoophytorum et Historia et dignitate Systematica. pp. 38. Lipsiæ, 1873. (Development, passim.)

Zoologische Untersuchungen. Erstes Heft. Siphonophoren. pp. 95, pls. 3. Giessen, 1853.

(Relation between Diphyes, Abyla, and Eudoxia. Development, passim.)

Bericht über die wissenschaftlichen in der Naturgeschichte der niederen Thiere während der Jahre 1859–1879. *Arch. f. Naturgesch.*, 1860, 1861, 1863, 1864, 1866, 1868, 1870, 1872, 1875, 1879.

See Frey, H., and Leuckart, R.

Lovén, S. L.

Bidrag till kännedomen af Slägiena Campanularia och Syncoryna. Handl. k. Svensk. Vetensk. Akad. Stockholm, pp. 260-281. 1835.

Transl. Arch. f. Naturgesch., pp. 249-262, 321-326, pl. VI. 1837.

(Confirm. Ehrenberg's views of the sexual nature of egg-bodies.)

McCrady, J.

Gymnophthalmata of Charleston Harbor. 1857. Proc. Elliott Soc., Charleston, S. C., I. pp. 103-221, pls. VIII.-XII. 1853-58.

(Commensalist in bell of Turritopsis is a Cunina.)

- Description of Oceania [Turritopsis] nutricula nov. spec., and the Embryological History of a singular Medusan Larva found in the Cavity of its Bell. 1856. Proc. Elliott Soc., Charleston, S. C., I. pp. 55-90, pls. IV.-VII. 1853-58.
- On the Development of two Species of Ctenophora found in Charleston Harbor. 1857. Proc. Elliott Soc., Charleston, S. C., I. pp. 254-271, pl. XIV. 1853-58.

(Describes tentaculated young.)

Mereschkovsky, C. de.

On an Anomaly among the *Hydromedusæ*, and on their Mode of Nutrition by Means of the Ectoderm. *Ann. Mag. Nat. Hist.* [5], III. pp. 177-181, pl. XX. 1879.

(Young Bougainvillea has no mouth or stomach.)

- Développement des Spermatozoides dans la Méduse (Cassiopea borbonica). Arch. Zool. Experiment., X. No. 4, pp. 577-582.
- Structure et Développement des Nematophores des Hydroids. Arch. Zool. Experiment., X No. 4, pp. 583-610.

Metschnikoff, E.

Beiträge zur Entwickelungsgeschichte einiger niederen Thiere. Vorläufige Mittheilung 1870. Bull. Acad. Impér. Sci. St. Pétersbourg, XV. pp. 502-509. 1871.

(Larva of Gleba (Hippopodius).)

- Ueber die Entwickelung einiger Coelenteraten. 1870. Bull. Acad. Impér. Sci. St. Pétersbourg, XV. pp. 95-100. 1871.
- Review by R. Leuckart, Arch. f. Naturgesch., pp. 225, 231-233. 1872.
- Studien über die Entwickelung der Medusen und Siphonophoren. Zeitschr. f. wissensch. Zoot., XXIV. pp. 15-83, pls. II.-XII. 1874.
- (Young stages of Cunina, Polyxenia, Agalma, Stephanomia, Epibulia, Halistemma, Praya, and Hippopodius.)
- Vergleichend-Embryologische Studien. Zeitschr. f. wissensch. Zool., XXXVI. pp. 433-444, pl. XXVIII. 1881.

(Early stages of development of Carmarina fungiformis.)

Metschnikoff, E., and Ludmila.

МАТЕРІАЛЫКЪ ПОЗНАНІЮ СИФОНОФОРЬ И МДУЗЪ. ИЗВЪСТІЯ ИМПЕРАТОРСКАГО ОБІЩЕСТВА ЛЮБИТЕЛЕЙ ЕСТЕСТВОЗНА-НІЯ, АНТЯОПОЛОГИИ И ЭТНОГРАФІИ. МОСКВА, 1871. pp. 1–75, pls. I.–VI.

(Development of Siphonophora and Medusæ.)

Meyen, F. J. F.

Beiträge zur Zoologie, gesammelt auf einer Reise um die Erde. Fünfte Abhandl. Leuchten des Mecres und Beschreibung einiger Polypen und anderer niederer Thiere. Nova Acta Acad. Nat. Cur., XVI., Suppl. pp. 125–216, pls. XXVII.-XXXVI. Breslau u. Bonn, 1834.

Meyer, A., and Möbius, K.

Kurzer Ueberblick der in der Kieler Bucht von uns beobachteten wirbellosen Thiere, als Vorläufer einer Fauna derselben. Arch. f. Naturgesch., pp. 229-237. 1862.

(Sarsia tubulosa develops from Syncoryne, p. 231.)

Milne Edwards, H.

Lecons sur la Physiologie et l'Anatomie comparée de l'Homme et des Animaux. I.-XIV. Paris, 1857-1881.

Möbius, K. See Meyer, A., and Möbius, K.

Morse, E. S.

Something about Jelly-Fishes. *Amer. Natur.*, pp. 244-253, pl. VIII. 1867. (Development of Discophora and Hydroida.)

Müller, F.

Zwei neue Quallen von Santa Catharina [Brasilien] 1858. Abhandl. Naturf. Gesellsch. Halle, V. pp. 3-12, pls. 3. 1858-59.

Ueber die angebliche Bilateralsymmetrie der Rippenquallen. Arch. f. Naturgesch., pp. 320-325. 1861.

Polypen und Quallen von Santa Catharina. Arch. f. Naturgesch., pp. 310-321, pl. XI. 1859.

(Glossocodon and Cunina.)

Polypen und Quallen von Santa Catharina, Olindias sambaquiensis, n. sp. Arch. f. Naturgesch., pp. 312-319, pl. IX. 1861.

(Larval form has longer tentacles than adult.)

Ueber die systematische Stellung der Charybdeiden. Arch. f. Naturgesch., pp. 302-311. 1861. Ann. Mag. Nat. Hist. [3], X. pp. 6-12. 1862.

Cunina Köllikeri, n. sp. Beitrag zur Naturgeschichte der Acginiden. Arch. f. Naturgesch., pp. 42-52, pl. IV. 1861.

(Development of Cunina.)

Ueber die Randbläschen der Hydroidquallen. Arch. f. Mikr. Anat., I. pp. 143-147, pl. VII., fig. 4. 1865.

Müller, J.

Ueber eine eigenthümliche Meduse des Mittelmeeres und ihren Jugendzustand. Arch. Anat. Physiol. wissensch. Med., pp. 272-277, pl. XI. 1851.

(Young Beroë, direct development.)

Müller, H. See Gegenbaur, C., Kölliker, A., and Müller, H. Müller, P. E.

Iagttagelser over nogle Siphonophorer. 1869. Natur. Tidskr. [3], VII. pp. 261–332, 541–547, pls. XI.–XIII. Kjöbenhavn, 1870–71.

(Development of Eudoxia and Diphyes; describes deformed Spermatozoa direction cells?)

Mummery, J. B.

On the Development of *Tubularia indivisa*. 1852. Micr. Journ. Trans., I. pp. 28-30. 1853.

Nordmann, Alexander von.

Sur les Changements que l'Âge apporte dans la Manière d'être des Campanulaires. Comptes Rendus Acad. Sci. Paris, IX. p. 704. 1839.

Noshin, N.

Ueber einen Generationswechsel bei Geryonia proboscidalis und die Larve von Rhizostoma. Mél. Biol., V. pp 27-33, pl. I. 1865.

Packard, A. S., Jr.

Life Histories of Animals, including Man, or Outlines of Comparative Embryology. pp. 239, figs. 268, pl. I. New York, 1876.

(Acalephæ, pp. 56-70, figs. 46-63.)

Pagenstecher, H. A.

Untersuchungen über niedere Seethiere aus Cette. VIII. Zur näheren Kenntniss der Vellelidenform *Raturia*, nebst Betrachtungen über die Velleliden im Allgemeinen. pp. 496-527, pls. XLI., XLI. *Zeitschr. f. wissensch. Zool.*, XII. pp. 486-529. 1863.

Eine neue Entwickelungsweise bei Siphonophoren. Zeitschr. f. wissensch. Zool., XIX. pp. 244-252, pl. XXI. 1869.

(Young Siphonophore develops in a mantle out of which it is born with provisional organs.)

Allgemeine Zoologie oder Grundgesetze des thierischen Baus und Leben. Berlin, I.-IV. 1875-1881.

Pallas, P. S.

Elenchus Zoophytorum. Hagæ Comitum. 1766. pp. i.-xvi. + 17-451. Spicilegia Zoologica. I. Berolini. 1774. Zoophyta Quædam Minuta. Fasc. 10, pp. 34-41.

Peach, C. W.

Notice of a curious Metamorphosis in a Zoöphyte-like Animal. 1856. Proc. Roy. Phys. Soc. Edinburgh, I. pp. 59-61, figs. 2. 1854-58. Edinburgh New Philos. Journ., IV. pp. 162-164, figs. 2. 1856.

On the Zoophytes of Caithness. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., p. 155. 1859.

Perrier, E.

Les Colouies Animales et la Formation des Organismes. pp. xi. + 798, pls. 2, figs. 158. Paris, 1881.

Philippi, R. A.

Ueber den Bau der Physophoren und eine neue Art derselben [Physophora tetrasticha]. Arch. Anat. Physiol. wissensch. Med., pp. 58-67, pl. V. 1843.

Pillsbury, J. H.

Development of the Planula of Clava leptostyla, Ag. Amer. Monthly Micr. Journ., III. pp. 181, 182. 1882.

Plessis, G. du.

Remarques sur les Metamorphoses de la Cassiopée Bourbonnienne (Cassiopea borbonica D. Ch.). Bull. Soc. Vaud. Sc. Nat., XVII. pp. 86, 633-638, pl. XXI.

(Describes Planula, Scyphostoma, Strobila, and Ephyra.)

Observations sur la Cladocoryne flocconcuse (Cladocoryne floccosa Rotch). Mittheil. Zool. Stat. Neapel., II. pp. 176-196, pl. IX. 1880-81.

Price, J.

On the Embryogeny of Pulmogrades and Ciliogrades. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 86, 87. 1846.

(Development of Ctenophore without "alternation of generations.")

On the Genus Cydippe. Rep. Brit. Assoc. Adv. Sci., Trans. Sect., pp. 155, 156. 1859.

(Young like adult.)

Quatrefages, A. de.

Mémoire sur l'Eleuthérie dichotome [Eleutheria dichotoma Nob.] nouveau Genre de Rayonnés, voisin des Hydres. Ann. Sci. Nat. [2], XVIII. pp. 270-288, pl. XVIII. 1842.

Mémoire sur la Synhydre Parasite [Synhydra parasites Nob.] nouveau Genre de Polypes voisin des Hydres. Ann. Sci. Nat. [2], XX. pp. 230-248, pls. VIII., IX. 1843.

Mémoire sur l'Organisation des Physalies [Physalia]. Ann. Sci. Nat. [4], II. pp. 107-142, pls. III., IV. 1854.

(Sexual buds.)

Ray Lankester. See Lankester, E. Ray. Reid, J.

Observations on the Development of the Medusæ. Ann. Mag. Nat. Hist. [2], I. pp. 25-34, pls. V., VI. 1848.

(Scyphostoma and Ephyra of Aurelia.)

Sars, Michael.

Fremlagde detaillerede Afbildninger, ledsagede med Bemaerkninger over følgende norske Cælenterater. 1860. Forhandl. Vidensk. Selsk. Christiania, pp. 140-151. 1861.

Beskrivelser og Iagttagelser over nogle mærkelige eller nye i Havet ved den Bergenske Kyst levende Dyr af Polypernes, Acalephernes, Radiaternes, Annelidernes og Molluskernes Classer. . . . pp. 81, pls. 15. Bergen, 1835.

Zur Entwickelungsgeschichte der Mollusken und Zoophyten. Arch. f. Naturgesch., pp. 402-407. 1837.

(Cytwis buds from proboscis; Strobila is young Medusa.)

- Ueber die Entwickelung der Medusa aurita und der Cyanea capillata. Arch. f. Naturgesch., pp. 9-34, pls. 4. 1841.
 - (Strobila is young Aurelia (Medusa) aurita; development of Aurelia and Cyanea.)
- Fauna Littoralis Norvegiæ oder Beschreibung und Abbildungen neuer oder wenig bekannten Seethiere, nebst Beobachtungen über die Organisation, Lebensweise und Entwickelung derselben. pp. 94, pls. 10. Christiania, 1846.
- Nogle Ord om Medusernes Udvikling. Skand. Naturf. Förhandl. Christiania, VII. pp. 232-237. 1856. Nyt. Mag. Naturv. Christiania, IX. pp. 334-341. 1856.

Trans. Einige Worte über die Entwiekelung der Medusen. Arch. f. Naturgesch., pp. 117-123. 1857.

- Bidrag til Kundskaben om Middelhavets Littoral-Faunæ Reisebemærkninger fra Italien. Nyt. Mag. Naturv. Christiania, IX. pp. 110-164, pls. 2, X. pp. 1-99, pls. 2. 1857, 1859.
- Tegninger of og Oplysninger om nogle Cælenterater fra Norges Kyster. Skand. Naturf. Möde i Kjöbenhavn, p. 690. 1860.
- Bemærkninger over Norske Cælenteraten. Forhand. Vidensk. Selks., p. 140. 1860.

Trans. Ueber das Ammengesehlecht Corymorpha und seine Arten, nebst den von diesen aufgeammten Medusen. Arch. f. Naturgesch., I. pp. 341-351. 1860. Trans. of Trans. Ann. & Mag. Nat. Hist., VIII., 3d Ser., pp. 353-360. 1861.

Geologiske og Zoologiske Jagtagelser anstillede paa en Reise i en Deel of Trondhjems Stift. Christiania, 1863.

Fauna Littoralis Norvegiæ (continued).

See Koren, J., and Danielssen, D. C.

Schneider, A.

Zur Entwieklungsgeschiehte der Aurelia aurita. Arch. Mikros. Anat., VI. pp. 363-367, pl. XIX. 1870.

Schultze, F. E.

- Ueber die Cuninen-Knospenähren im Magen von Geryonien. Der Naturwissenschaftliche Verein für Steiermark der 48 Versammlung deutscher Naturforscher und Aerzte als Festgabe. pp. 125-157, pl. I. Graz, 1875
- Ueber den Bau und die Entwicklung von Cordylophora lacustris [Allman] nebst Bemerkungen über Vorkommen und lebensweise dieses Thieres. pp. 52, pls. 6. Leipzig, 1871.

Schultze, M. S.

Ueber die m\u00e4nnlichen Gesehlechtstheile der Campanularia geniculata. Arch. Anat. Physiol. wissensch. Med., pp. 53-64, pl. I. 1850. Trans. Micros. Journ., III. pp. 59-66. 1855. Ueber den Bau der Gallertseheibe der Medusen. Arch. Ana.: Physiol. wissensch. Med., pp. 311-320, pls. XI., XII. 1856.

Schweigger, A. F.

Handbuch der Naturgeschiehte der Skelettlosen ungegliederten Thiere. pp. xvi. + 776. Leipzig, 1820.

Semper, Carl.

Ueber den Polypen der Cephea tuberculata. Arch. f. Naturgesch., I. pp. 207, 208, pl. VII., fig. A. 1858.

Ueber die Entwickelung der Eucharis multicornis. Zeitsch. f. wissensch. Zool., IX. pp. 234-239. Taf. XI. 1858.

Siebold, C. T. von.

Beiträge zur Naturgeschichte der wirbellosen Thiere: Ueber Medusa, Cyclops, Loligo, Gregarina und Xenos. Neueste Schr. Nat. Gesellsch. Danzig, III. Heft 2, pp. 1-94, pls. 3. 1839.

(Development of Aurelia.)

Ueber Parthenogenesis. pp. 25. Münehen, 1862.

(Refers to alternation of generations in Acalephs.,

Solander, D. See Ellis, J., and Solander, D.

Steenstrup, Joh. J.

Om Forplantning og Udvikling gjennem vexlende Generationsraekker en saeregen Form for Opfostringen i de lavere Dyrklasser. pp. 76, pls. 3. Kiøbenhavn, 1842.

Trans. Ueber den Generationswechsel oder die Fortpflanzung und Entwicklung durch abwechselnde Generationen eine eigenthümliche Form der Brutflege in den niedern Thierelassen. Trans. by LORENZ KOPENU. 1842.

Trans. On the Alternation of Generations, or the Propagation and Development of Animals through Alternate Generations: a peculiar Form of fostering the Young in the lower Classes of Animals. Transl. by George Busk. Ray Soc. London, 1845. pp. 132, pls. 2.

(Alternation of generations in Acalephæ.)

Trans. Untersuchungen über das Vorkommen des Hermaphroditismus in der Natur, aus dem Dänischen von Dr. C. F. Hornschuch. pp. xvi. + 130, pls. 2. Greifswald, 1846.

Strethill Wright. See Wright, T. Strethill.

Stuart, A.

Ueber die Entwickelung der Medusenbrut von Velella. Arch. Anat. Physiol. wissensch. Med., pp. 366-373, pl. X. 1870.

Thomson, C. Wyville.

On the Analogy between the Processes of Reproduction in the Plant and in the Hydroid Zoöphyte. *Ann. Mag. Nat. Hist.* [2], XIV. pp. 313-314. 1854.

Tilesius, W. G.

Beiträge zur Naturgeschichte der Medusen. I. Cassiopea. 1829. Nova Acta Acad. Nat. Car., XV². Suppl. pp. 247–288, pls. LXIX.-LXXIII. Breslau u. Bonn. 1831.

*Tommasi, S.

Eserciazioni accademiche degle Aspiranti Naturaliste, diretti dal Dott. O. G. Costa. Memorie risguardanti la Zoologia e Anatomia comparata. 1842.

Turton, W.

British Fauna, containing a Compendium of the Zoölogy of British Islands: arranged according to the Linnean System. I. Swansca, 1807.

Uljanin, B.

Ueber die Knospung der Cuninen im Magen der Geryoniden. Arch. f. Naturgesch., XLI. pp. 333-337. 1875.

Sur la Production de Cuniner par Bourgeonnement au Fond de l'Estomac des Geryonoides. Abst. Arch. Zool. Exp., V. pp. xliv.-xlvi. Ann. Nat. Hist. [4], XVII. pp. 215-218.

О ПРОИСХОЖДЕНІИ КУНИНЪ, ПОЧКУЮЩИХСЯ ВЪ ЖЕЛУДКЪ ГЕ-РІОПИДЪ. НЗВЪСТІЯ ИМПЕРАТОРСКАГО ОБЩЕСТВА ЛЮБ-ИТЕЛЕЙ ЕСТЕСТВОЗНАНІЯ, АНТРОПОЛОГІИ ИНЗТНОГРАФІИ. ТОМЪ XXIV. МОСКВА, 1876. pp. 1–16, pls. I., II.

(Development of Cunina.)

Van Beneden, P. J. See Beneden, P. J. van.

Van der Hoeven, J. See Leuckart, R.

Varenne, André de.

Recherches sur la Reproduction des Polypes Hydraires. Arch. Zool. Exper. Gen., X. pp. 611-710.

Sur l'Origine des Spermatozoides chez les Hydraires. Compt. Rend. Ac. Sc., I. 93, No. 24, pp. 1032-1034. Trans. Ann. Nat. Hist., No. 50, pp. 133-135.

Vogt, C.

Ueber die Siphonophoren. 1852. Zeitschr. f. wissensch. Zool., III. pp. 522–525, pl. XIV. 1851–52. Ann. Sci. Nat. [3], XVIII. pp. 273–278, pl. V. 1852.

(Egg of Halistemma (Agalma) rubra.)

Bilder aus dem Thierleben. pp. 1-452, figs. 120. Frankfurt a/M. (Development, pp. 146-159.)

Zoologische Briefe. Frankfurt a/M. 1851. 2 vols.

Recherches sur les Animaux Inférieurs de la Méditerranée: Premier Mémoire sur les Siphonophores de la Mer de Nice. Genève, 1854. pp. 164, pls. 21. Mémoires de l'Institut National Genevois, I. [1853] 1854.

(Development, passim.)

Ocean und Mittelmeer. Berlin, 1858.

(Development, passim.)

Von Koch. See Koch, G. von.

Von Siebold. See Siebold, C. T. von.

Wagner, Rudolph.

Neue im Adriatischen Mecregefundene Art von nacktem Armpolypen. Isis, 1833. p. 256.

(Buds of hydroid resemble medusæ)

Weismann, A.

Zur Frage nach dem Ursprung der Geschleehtszellen bei den Hydroiden. Zool. Anzeig., III. Nr. 55, pp. 226-233. 1880.

Ueber den Ursprung der Gesehlechtszellen bei den Hydroiden. Zool. Anzeig., III. Nr. 61, pp. 367–370. 1880.

Will, J. G. F.

Horæ Tergestinæ, oder Besehreibung und Anatomie der im Herbste 1843 bei Triest beobachteten Akalephen. Leipzig, 1844. pp. 86, pls. 2.

Wood, W., and Fuller, C. B.

Observations upon certain Acalephæ [Idyia roseola and Pleurobrachia rhodo-dactyla]. Proc. Portland Soc. Nat. Hist., I. pp. 63, 64. 1862.

Wright, T. Strethill.

- On Hydractinia echinata. Edinburgh New Philos. Journ., V. pp. 298-313, pls. V., VI. 1857.
- On the Reproduction of Cydippe pomiformis. Edinburgh New Philos. Journ., IV. pp. 85-92, figs. 7. 1856.
- Observations on British Zoöphytes. *Edinburgh New Philos. Journ.*, VI. pp. 79–90, pls. II., III. VII. pp. 108–117, pls. I.–III.; pp. 282–287, pl. VII. IX. pp. 106–114, pls. I.–III. X. pp. 105–114, pls. VIII., IX. 1857–59.
- On Hermaphrodite Reproduction in Chrysaora hyoscella. Ann. Mag. Nat. Hist. [3], VII. pp. 357-359, pl. XVIII. 1861.
- Observations on British Protozoa and Zoöphytes. Ann. Mag. Nat. Hist. [3], VIII. pp. 120-135, pls. III.-VIII. 1861.

(Development, passim, hydroids.)

- Observations on British Zoöphytes and Protozoa. On Atractylis coccineae (new Species). Edinburgh New Philos. Journ., XIV. pp. 150, 151. 1861. (Hydroid.)
- On Reproduction in *Equorea vitrina*. Edinburgh New Philos. Journ., XV. pp. 144, 145. 1862.
- On the Reproduction of Thanmantias inconspicua. Quart. Journ. Micros. Sci., II. pp. 221, 222. 1862.
- Observations on British Zoöphytes and Protozoa. Edinburgh New Philos. Journ., XVI. pp. 154-156. 1862.

Observations on British Zoöphytes. Quart. Journ. Micros. Sci., III. pp. 45-52. 1863.

(Development of Æquorea, and Atractylis.)

Young, John.

The Spiral Character of Coelenterate Development. *Ann. Nat. Hist.* [5], Vol. V. p. 212.

(The bilateral arrangement of the septæ and tentacles of young polyps is comparable with the inflorescence of a Phanerogam.)

Zoölogical Record ("The Record of Zoölogical Literature").

Reports on Acalephæ, passim, I.-XVII. 1864-81. London, 1865-82.

ADDENDA.

Allman, G. J.

Note on the Structure and Terminology of the Reproductive System of the Corynidæ and Sertulariadæ. Ann. Mag. Nat. Hist. [3], VI. pp. 1-5. 1860.

Carus, J. Victor.

Einige Worte über Metamorphose und Generationswechsels. Beobachtungen und Schlüsse. Ein Sendschreiben an Herrn C. B. REICHERT in Dorpat. Zeitschr. f. wissensch. Zool., III. pp. 359-370. 1851.

Desor, E.

Lettre sur la Génération Medusipare des Polypes hydraires, addressée à M. Milne Edwards. *Ann. Sci. Nat.* [3], XII. pp. 214–217. 1849.

Gegenbaur, C.

Entwickelung der Quallen und Velelliden. Zeitschr. f. wissensch. Zool., IV. pp. 369, 370. 1853.

Holdsworth, E. W. H.

On the Development of Aurelia aurita in the Society's Aquaria. Ann. Mag. Nat. Hist. [3], V. pp. 332, 333.

Kerschner, L.

Zur Entwickelungsgesehiehte von Hydra. (Vorläufige Mittheilung.) Zool. Anzeig., III. pp. 454, 455. 1880.

Korotneff, A.

ОПЫТЪ СРАВНИТЕЛЬНАГО ИЗ УЧЕНІЯ СŒLENTERATA. ИЗВЕ-СТІЯ ИМПЕРАТОРСКАГО ОБИЦЕСТВА ЛЮБИТЕЛЕЙ ЕСТЕСТВ-ОЗНАНІЯ. ТОМЪ XVIII. ВЫЩ УСКЬЗ-Й. pp. 1-68, pls. I.-VII.

(Lucernaria.)

Ueber seine anatomischen, biologischen und embryologischen Beobachtungen an Hydra. Verh. Zool., Sect. VI. Versammlung Russ. Nat. Zoot. Anzeig., III. pp. 165–167. 1880.

Lovén, S. L.

- Observations sur le Developpement et les Metamorphoses des Genres Campanulaire et Syncoryne. Ann. Sci. Nat. [2], XV. pp. 157-176. 1841.
- Sur le Developpement des Campanulaires. Extr. L'Institut, IX. p. 225. 1841.
- Sur le Developpement et les Metamorphoses des jeunes Campanulaires et Syncorynes. L'Institut, IX. p. 432. 1841.

Siebold, C. T. von.

Die Jungen der Medusa aurita. Froriep's Notizen, VII. No. 166, pp. 178-180. 1838.

Steenstrup, Joh. J.

*Undersögelser om Hermaphroditismus Tilværelse i Naturen. Nat. Forsög. (Progr. for Sorö Acad.) Copenhagen, pp. 88. 1846-48.

(See last title under Steenstrup, p. 234.)

- Om hans Laere om Fortplantning giennem Sköftende Generationsrækker. Overs, Dansk. Selsk. Forhandlg., pp. 117, 118. 1849.
- Bemaerkninger over Prof. Van Beneden's Afhandling, "De la Génération alternante" og over R. Owen's Skrift "On Parthenogenesis." Overs. Dansk. Selsk. Forhandly., pp. 189–210. 1853.
- Reclamation contre "La Génération alternante et la Digenese," Communication faite à l'Academie de Bruxelles, par P. J. Van Beneden. Bull. Soc. Roy. Sci. Copenhagen. 1853.