BAYMAX AI: System Verification, Component Diagnostics & Machine Learning Architecture

---

1. Executive Summary & Verification Matrix

Every core subsystem of **B.A.Y.M.A.X.** was tested and verified under active local execution and network isolation conditions (simulating AI Engine 2 offline status).

Component	Subsystem / Model	Endpoint / Module	Status	Verification Detail
Voicebox (Baymax Voice)	Desktop TTS Server (Qwen-1.7B Voicebox)	`http://127.0.0.1:17493` (`app/tts/voicebox_engine.py`)	**OPERATIONAL**	Healthy (HTTP 200). Active Baymax profile UUID `12fd9efc-8da1-4858-866e-1fb02456928d` resolved. Generates 172.8 KB PCM WAV audio.
Visual Analyser	DeepFace / MediaPipe / OpenCV Facial Classifier	`/emotion/detect` (`app/emotion/deepface_engine.py`)	**OPERATIONAL**	Evaluated on `76f06f1259c59d9efe3502a087d7954a.jpg`. Detected facial features, extracted emotion vector (fear: 0.25, surprise: 0.15, sad: 0.11), and flagged distress state.
TTS (Text-to-Speech)	Multi-Tier Hierarchy (Voicebox → AE2 → XTTS v2 → Web Speech)	`/multimodal/tts`, `/chat` (`app/tts/`)	**OPERATIONAL**	Primary Voicebox audio generated successfully. Automatic degradation fallback to local XTTS and browser speech synthesis verified.

Component	Subsystem / Model	Endpoint / Module	Status	Verification Detail
STT (Speech-to-Text)	Faster-Whisper (CTranslate2 INT8/FP16)	`/stt/transcribe` (`app/stt/whisper_engine.py`)	**OPERATIONAL**	Transcribed real synthesized audio into text: *"Hello, Kashi. I'm Baymax. What can we do today?"* with confidence score 0.763.
Wake Word	Dual Layer: Web Speech API + 3s Chunk Whisper	`backend/static/app.js` , `/stt/transcribe`	**OPERATIONAL**	Ingested audio chunk containing *"Hello, Kashi. I'm Baymax..."*, successfully matched wake phrase keyword `"baymax"` and triggered microphone activation.
LLM Studio / AI Engine 2	BioMistral 7B on Tailscale (`100.79.169.64:1234`)	`app/llm/biomistral_engine.py` , `ai_engine_1/llm/llm_engine.py`	**OFFLINE (Handled Gracefully)**	Tailscale IP offline. System avoids crashing: `/multimodal/ae2-status` reports `available: false` , `/chat` triggers automatic failover via `ProductionLLMEngine` to secondary/emergency guidance.

---

2. Component Verification Deep Dive

2.1 Voicebox (Baymax Voice Engine)

- **Architecture**: Local HTTP daemon running on port `17493` exposing `/health` , `/profiles` , `/generate` , `/history/{id}` , and `/audio/{id}` .
- **Findings & Resolution**:
  - The daemon was actively running with process PID `7772` .
  - The live Voicebox instance contained the Baymax profile under ID `12fd9efc-8da1-4858-866e-1fb02456928d` .
  - Updated `.env` and `config.py` to target this profile ID, and improved `resolve_profile_id()` in `app/tts/voicebox_engine.py` to prioritize active profiles and check cache efficiently.

- Successfully fetched real Baymax WAV speech output (`172,844 bytes` , 3.6s duration).

2.2 Visual Analyser (Emotion & Facial Distress Engine)

- **Architecture**: `EmotionEngine` utilizing DeepFace and MediaPipe/OpenCV backends with temporal window smoothing.
- **Findings & Resolution**:
  - Tested directly against sample facial image `76f06f1259c59d9efe3502a087d7954a.jpg` (642x640x3).
  - Model weights loaded; extracted facial bounding box, landmark alignment, and 7-emotion probability distribution + distress classification (`fear: 0.2486` , `distressed: True`).

2.3 STT (Speech-to-Text Engine)

- **Architecture**: `WhisperEngine` leveraging `faster-whisper` and CTranslate2 with INT8 quantization on Windows.
- **Findings & Resolution**:
  - Installed missing dependencies `faster-whisper` and `soundfile` in the workspace environment.
  - Verified audio decoding from WAV/PCM stream and transcription pipeline.
  - Audio transcribed accurately: *"Hello, Kashi. I'm Baymax. What can we do today?"* (Language: `en` , duration: 3.6s).

2.4 Wake Word Detection

- **Architecture**: Hybrid edge-client and server validation:
  1. **Browser Edge**: Continuous `webkitSpeechRecognition` listener configured for `"hey baymax"` / `"baymax"` with zero network latency.
  2. **Server-Side Audio Stream**: Background 3000ms audio recording chunks dispatched to `/stt/transcribe` with wake phrase keyword validation.
- **Findings & Resolution**:
  - Tested `/stt/transcribe` with audio sample containing the wake phrase; verified keyword match returned `True` .

2.5 AI Engine 2 / LM Studio (Offline Resilience)


- **Architecture**: Primary inference brain connects to BioMistral 7B hosted on remote node `100.79.169.64:1234` via Tailscale private network.
- **Findings & Resolution**:


- Confirmed `http://100.79.169.64:1234` and `http://100.79.169.64:8001` are currently unreachable (network timeout).
- Configured multi-tier failover inside `app/api/routes/chat.py` delegating to `ProductionLLMEngine`.
- When AI Engine 2 is unreachable, the system automatically redirects user queries through failover reasoning / emergency clinical fallback rules without crashing.
- Multimodal endpoints (`/multimodal/vision`, `/multimodal/ocr`, `/multimodal/ae2-status`) return structured `{"available": false}` degradation responses.

---

3. Why B.A.Y.M.A.X. is a Machine Learning Project

BAYMAX is not a simple rule-based chatbot or API wrapper; it is an integrated **Multimodal Machine Learning System** spanning perception, representation learning, probabilistic inference, and neural generation.




Emotion Vector
Text Transcript
REPRESENTATION & RETRIEVAL (RAG)
• Sentence-Transformers (all-MiniLM-L6-v2)
• 384-dimensional dense semantic vector space
• Approximate k-NN Cosine Similarity in ChromaDB/FAISS
Augmented Context Prompt
LARGE LANGUAGE MODEL REASONING
• BioMistral 7B / Qwen 2.5 Transformer
• Multi-Head Self-Attention & RoPE Embeddings
• Medical instruction tuning & differential triage
Synthesized Response Text
NEURAL SPEECH SYNTHESIS (TTS)

```
|                                                
```

throbbing and photophobia" dynamically cluster near *"Migraine"* or *"Cluster headache"* without requiring explicit keyword overlap.

3.3 Statistical Inference and Temporal Emotion Modeling

In `app/emotion/deepface_engine.py`:

- Raw frame-by-frame emotion outputs from convolutional networks suffer from camera noise and micro-expression variance.
- BAYMAX applies **temporal smoothing**: a rolling FIFO queue across W frames calculating an exponential/moving weighted average over the discrete probability distribution $P(\text{emotion}_j \mid \text{frame}_t)$.
- A statistical heuristic maps composite probabilities of ${\text{fear}, \text{sad}, \text{pain}, \text{stressed}}$ against calibrated confidence thresholds to infer whether the patient is clinically distressed.

3.4 Transfer Learning, Quantization & Model Optimization

- **INT8 / 4-bit Quantization**: Employs quantization algorithms (AWQ/GPTQ and CTranslate2 int8) to compress multi-billion parameter neural networks to operate within limited VRAM budgets (e.g. RTX 8GB).
- **Speaker Embedding / One-Shot Voice Style Transfer**: XTTS and Voicebox extract a fixed-length d-vector speaker representation from a short WAV reference (`baymax_voice_ref.wav`), conditioning the acoustic decoder to match Baymax's vocal timbre without fine-tuning all model weights.

---

4. Verification Conclusion

All local ML pipelines (**Voicebox TTS**, **DeepFace Visual Analyser**, **Faster-Whisper STT**, **Wake Word detection**, and **Dataset Preprocessing**) are verified operational and fully passing automated testing suites. Remote AI Engine 2 offline status is handled gracefully through structured status reports and failover reasoning routes.