

Vergent LMS Customer Onboarding API Reference

ENDPOINTS OF INTEREST

- Get States - https://training.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetStates
- Get Option Types (identifiers for things like address types, phone types, etc) - https://training.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetOptionClassesAsync
- Get Option Items (identifiers for the option items - like Home Address in the Address Type) - https://classic.dev-local.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetOptionsByClassAsync
- Get pay frequencies - https://classic.devlocal.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetCompanyPayFreq
- Get stores - https://classic.devlocal.vergentlms.com/api/swagger/ui/index#!/CompanyInfo/CompanyInfo_GetStores
- Get loan models (products) - https://classic.devlocal.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetLoanModels
- Saving customer data - https://classic.devlocal.vergentlms.com/api/swagger/ui/index#!/V1/V1_PostCustomerData
- Getting customer data - https://classic.devlocal.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetCustomerData
- Searching for customers - https://training.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetCustomers
- Authentication - https://training.vergentlms.com/api/swagger/ui/index#!/Authenticate/Authenticate_Authentication

AUTHENTICATION

POST /api/authenticate

https://training.vergentlms.com/api/swagger/ui/index#!/Authenticate/Authenticate_Authentication

The token attribute in the response from this endpoint should be passed along to endpoints that require authentication as the "Token" request header.

Request Payload

```
{
  "Password": ""
  "LogonName": ""
}
```

Response Payload

```
{
  "Token": "11a3d9e9-506e-411e-bba9-cb9b6772f657",
  "Timeout": 86400.0,
}
```

```

    "User": {
      "UserId": 186,
      "SelectedStoreId": null,
      "CompanyId": 386,
      "LogonName": "LoanAppApiUser",
      "Fullname": "External API User",
      "Email": "noreply@vergentlms.com",
      "RoleId": 25,
      "RoleName": "Administrator"
    }
  }
}

```

SAVING CUSTOMER DATA

POST /api/V1/PostCustomerData

We'll need to gather some configuration data for saving customers. You could look these up for every save to be safe, but it is recommended to cache this data as it should change infrequently.

- Option Item Identifiers for phone types, address types, etc. These can be looked up using V1_GetOptionClassesAsync and V1_GetOptionsByClassAsync.
- Pay Frequencies can be retrieved from GetCompanyPayFreq but not the configuration itself, just names and identifiers. There will generally be configured frequencies like "Weekly", "Biweekly", etc.
- Store data comes from CompanyInfo_GetStores.
- State identifiers come from V1_GetStates.
- Maximum loan amounts can be controlled per loan class with these attributes:
 - MaxAdvAmount - cash advance
 - MaxTtlAmount - title loan
 - MaxLocAmount - line of credit
 - MaxIntAmount - installment

There are a couple of identifiers that are constants.

Customer Type

- 1 = Individual
- 2 = Business

NinType

- 1 = SSN
- 2 = SIN
- 3 = EIN
- 4 = ALT

Employee Type

- 0 = Regular Job
- 1 = Self Employed
- 2 = Social Security Benefits
- 3 = Retired / Pension

- 4 = Other
- 5 = Child Tax Credit
- 6 = Employment Insurance
- 7 = Disability
- 8 = Veteran Retirement
- 9 = Veteran Disability
- 10 = Alimony / Child Support

Example Request:

```
{
  "cust": {
    "CustomerType": 1,
    "FirstName": "Tester",
    "LastName": "McTesten",
    "MiddleName": "Test",
    "Suffix": "",
    "NinType": 1,
    "Ssn": "666523002",
    "BirthDate": "01/02/1980",
    "EmailAddr": "bsmith+250813002@vergentlms.com",
    "StoreId": {{ StoreId }}
    "DBA": ""
  },
  "custEmps": [
    {
      "PayAmount": 5800.0,
      "PrevPayDate": "2025-08-01T00:00:00",
      "PayFreqId": {{ Pay Frequency Id }},
      "NextPayDate": "2025-09-01T00:00:00",
      "Name": "Johns Landing",
      "IsDirectDeposit": true,
      "DateEmployed": "2025-06-01T00:00:00",
      "EmpType": {{ Employee Type }}
      "IsPrimary": true,
    }
  ],
  "custAddresses": [
    {
      "type_id": {{ Address Type Id }},
      "addr1": "2521 Traynor Av",
      "city": "Claymont",
      "state_id": {{ State Id }}
      "zip": "19703",
      "abbrev": "TX",
      "status": 1,
      "IsPrimary": true,
    }
  ],
  "custPhones": [
    {
      "type_id": {{ Phone Type Id }},
      "number": "0905230019",
      "is_primary": true,
      "IsPrimary": true,
    }
  ],
  "custBanks": [
    {
      "Name": "Bank of America",
      "RoutingNum": "121000358",
    }
  ]
}
```

```

    "AccountNum": "894231689445",
    "IsDirectDep": true,
    "TypeId": {{ Bank Type Id }}
    "IsPrimary": true,
  }
],
"custIds": [
  {
    "type_id": "613",
    "id_issued_on_date": "01/01/2025",
    "id_num": "123123",
    "id_zip": "12345",
    "id_state_id": "99",
    "id_expiration_date": "01/01/2029",
    "status": 1,
  }
],
}

```

LOOKING UP EXISTING CUSTOMERS

GET /api/v1/GetCustomers

https://training.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetCustomers

There are quite a few search parameters that will be expressed as query string parameters. Best place to get full list of those is from the swagger link above. These are likely the most interesting ones though:

- name
- phone
- idnum (drivers license, social, etc)
- email
- birthDate

You can also get a specific customer if you have its identifier using the following. It has the same shape of response as PostCustomerData does.

GET /api/V1/GetCustomerData/{id}

https://training.vergentlms.com/api/swagger/ui/index#!/V1/V1_GetCustomerData

SAVING DOCUMENTS

UPLOADING A DOCUMENT

POST /api/v1/customer/{customerId}/upload

https://training.vergentlms.com/api/swagger/ui/index#!/CustomerDocument/CustomerDocument_UploadDocument

This expects a multipart form post:

- A file part: file, with the file contents
- An application/json part that looks like this: { "Title": "Document.pdf" }

STORING A DOCUMENT BY URL

POST /api/v1/customer/{customerId}/store

https://training.vergentlms.com/api/swagger/ui/index#!/CustomerDocument/CustomerDocument_StoreDocument

This fetches the document to be stored from the specified URL and includes any UrlHeaders in the request:

```
{
  "Filename": "test.pdf",
  "Url": "http://host/document.pdf",
  "UrlHeaders": [
    {
      "Key": "Header",
      "Value": "Value"
    }
  ],
  "Title": "Test Document"
}
```

Response Data (for either upload method):

```
{
  "Id": 15450,
  "UserId": 8552,
  "Master": "Customer",
  "RecordId": 6806,
  "State": "Saved",
  "DownloadUrl": "http://training.vergentlms.com/api/api/V1/docs/15450/download",
  "UploadDate": "2025-08-28T17:28:11",
  "Year": "2025",
  "Month": "08",
  "Week": "34",
  "Filename": "80ab5c67-0897-4fe5-be7a-627a8aa30cbb.pdf",
  "Title": "Docs.pdf"
}
```

SAVE VEHICLE

Property Type:

- 1 = Personal Property
- 2 = Vehicle

Vehicle Type:

- P = Passenger Vehicle
- C = Commercial Vehicle
- M = Motorcycle
- R = RV

Example Request:

```
{
  "company_id": 388,
  "customer_id": 1234,
  "prop_type": "2",
  "vehicle_type": "P",
  "owner_name": "JOHN FLOCLASS SINGH",
}
```

```
"v_year": "2021",  
"v_make": "Honda",  
"v_model": "Accord",  
"v_color": "red",  
"v_vin": "1HGCV1F54MA117993",  
"v_titlenum": "nn76",  
"v_tagnum": "dd44",  
"v_tag_state_id": 59,  
"v_title_state_id": 59,  
"v_tag_county": "collin",  
"bb_series": "EX-L",  
"bb_style": "4D Sedan 1.5L at",  
"est_value_src": "BB",  
"et_value": "28125",  
"max_loan_at": "3500",  
"mileage": "77777",  
"active_status": 1,  
"has_lien": false  
}
```