






1



2



3

Southwest
Tech


What We Will “Touch On” and Revisit Later

- Deeper search and sort behavior
- Graph structures
- Recursion and tree traversal
- Matrix-heavy algorithms
- Data modeling and analytics structures
- Library-specific performance details



4

Southwest
Tech



Review Coding Lab

5

Southwest
Tech

Review: What Lab 02 Taught Us

Last week, we focused on:

- input size
- timing evidence
- repeated work
- growth pattern
- limitation notes

6

Today's Question

What structure makes this problem easier to solve?

7

Data Structures Shape Algorithms

How data is stored

How data is found

How data is updated

How data is removed

How the code reads

8

Same Data, Different Structures, Different Algorithm Behavior

The same four student records stored in three common structures.

1. List

Ordered collection (by position)

0	Maya
1	Jordan
2	Luis
3	Asha

Access Pattern: Scan in order

0 → 1 → 2 → 3

2. Dictionary

Key-value pairs (lookup by key)

101	→	Maya
102	→	Jordan
103	→	Luis
104	→	Asha

Access Pattern: Lookup by key

103 → Luis

3. Set

Unordered collection (unique items)

MayaJordanLuisAsha

Access Pattern: Check membership

Luis → ✓

Structure changes the path the algorithm takes.

Data “Shapes” Behavior

9

3

Southwest
Tech

Familiar Is Not Always Fit

A familiar structure may work.
But a better-fitting structure may make the solution:

- ▶ Clearer
- ▶ Shorter
- ▶ Easier to test
- ▶ Easier to update
- ▶ More efficient



10

Southwest
Tech

Textbook Review

Four Main Areas

The reading covers:

1. Built-in data types
2. Series and Dataframes
3. Matrices and matrix operations
4. Abstract data types



11

Southwest
Tech

Textbook Review

Built-In Types


Built-in structures include:

- ▶ List
- ▶ Tuple
- ▶ Dictionary
- ▶ Set

Each supports different operations.



12



Textbook Review Southwest Tech


Tabular Data

Series and DataFrames help represent labeled or tabular data.

Common operations include:

- ▶ Selecting columns
- ▶ Selecting rows
- ▶ Creating subsets
- ▶ Summarizing data

13



Textbook Review Southwest Tech


Matrices

Matrices organize values in rows and columns.

They appear in:

- ▶ Data science
- ▶ Graphics
- ▶ Machine learning
- ▶ Scientific computing
- ▶ Transformations

14



Textbook Review Southwest Tech


Abstract Data Types

Abstract data types describe behavior.


Examples:

- ▶ Vector
- ▶ Stack
- ▶ Queue
- ▶ Tree


15



16



17



18

Tuple

A tuple is an ordered, fixed collection.

Useful when:

- ▶ values belong together
- ▶ the group should not change
- ▶ position has meaning

19

Dictionary

A dictionary stores key-value pairs.

Useful when:

- ▶ each item has an identifier
- ▶ direct lookup matters
- ▶ updates are based on a key
- ▶ labels make code clearer

20

Dictionary Operation Fit

Dictionaries often fit:

- ▶ lookup by key
- ▶ update by key
- ▶ counting
- ▶ grouping records

Watch for:

- ▶ key choice
- ▶ missing keys
- ▶ order requirements

21



Southwest
Tech


Set

A set stores unique values.

Useful when:

- ▶ membership matters
- ▶ duplicates should collapse
- ▶ uniqueness is the point

22



Southwest
Tech

Set Operation Fit


Sets often fit:

- ▶ membership checks
- ▶ duplicate removal
- ▶ uniqueness tracking
- ▶ intersections and differences

Sets may not fit:

- ▶ preserving duplicates
- ▶ preserving original order
- ▶ storing attached values

23



Southwest
Tech

Built-In Structure Comparison

Ask what the problem needs:

- ▶ order?
- ▶ fixed grouping?
- ▶ key-based lookup?
- ▶ uniqueness?
- ▶ duplicates?
- ▶ updates?

24

Four Built-In Data Structures

1. List

Maya

Jordan

Luis

Asha

0

1

2

3

Ordered, changeable

2. Tuple

(Maya, Jordan, Luis, Asha)

Ordered, fixed

3. Dictionary

101 → Maya

102 → Jordan

103 → Luis

104 → Asha

Lookup by key

4. Set

Maya

Jordan

Luis

Asha

Unique membership

Built-In DS's

25

Complexity Tables Are Reference Tools

When you see Big-O operation tables:

- ▶ Do not panic
- ▶ Find the operation
- ▶ Compare likely costs
- ▶ Connect cost to your use case
- ▶ -Verify with evidence when needed

26

Using Operation Tables as Your Reference Map

Operation Reference

Operation	What It Does	Typical Use
lookup	Find a value by key or position.	Search for an item.
insert	Add a new item to the structure.	Add new data.
delete	Remove an item from the structure.	Remove old or unwanted data.
update	Change the value of an existing item.	Modify existing data.

?

Which structure fits this operation?

Match the operation to the best data structure for the job.

📌

Use the table to guide choices, not as a memory test.

Textbook Op Table

27

Southwest
Tech

Operation Names Matter

Avoid	Prefer
"Dictionaries are better"	"For lookup by student name, the dictionary is a better fit."

28

Southwest
Tech

Operation Fit and Complexity



29


Southwest
Tech

Access Pattern

Access pattern means -
How data is usually:

- ▶ Added (C)
- ▶ Found (R)
- ▶ Updated (U)
- ▶ Removed (D)
- ▶ Displayed (V)

(Think of CRUD-V)



30

Southwest Tech

Operation	Structure A	Structure B	Better Fit	Why?
Lookup	List scan	Dictionary Key	Dictionary	Direct Lookup
...				

Operation Comparison Table

This is the evidence format you will use in this week's lab

31

Southwest Tech

Choosing the Better Data Structure

Match the operation to the structure that works best.

Operation	Better Fit	Why
Find by ID	Dictionary	direct key lookup
Keep order	List	position matters
Remove duplicates	Set	unique membership

The reason matters more than the label.

Op Comparison Table

32

Southwest Tech

Complexity And Clarity

A good structure choice considers:

- ▶ Correctness
- ▶ Operation cost
- ▶ Code clarity
- ▶ Memory use
- ▶ Future change

33



AI-Assisted Structure Review



AI can help review a structure choice.

Ask AI to:

- ▶ identify the access pattern
- ▶ compare two structures
- ▶ explain tradeoffs
- ▶ suggest an alternative
- ▶ avoid rewriting unless asked

34



Useful AI Prompt Pattern



"I am solving this problem with [structure A] and [structure B].

Compare them for add, lookup, update, remove, and display.

Explain which structure fits the access pattern better.

Do not rewrite my code unless I ask."

35



Break

10 Minute "Human" bio-break

36



Series, DataFrames, Matrices



37



Series

A Series is like a labeled one-dimensional data structure.

Think:

- ▶ one column
- ▶ labels or index
- ▶ values



38




DataFrame

A DataFrame is table-like.

It supports:

- ▶ columns
- ▶ rows
- ▶ labels
- ▶ subsets
- ▶ summaries



39



DataFrame Subsets

Common DataFrame questions:

- ▶ Which column?
- ▶ Which row?
- ▶ Which subset?
- ▶ Which condition?

40



Matrices Without Panic

A matrix is a rectangular structure of values.

For now, recognize:

- ▶ rows
- ▶ columns
- ▶ positions
- ▶ operations across values

41



What Is a Matrix?

A matrix organizes data in rows and columns.

	Columns	1	2	3
Rows	1	5	8	1
2	3	6	9	
3	7	2	4	



Data table


Image or grid


 A matrix is a structured row-column layout.

“Easy” Matrix


42



43



44



45



Data Structures For AI And Analytics

Later AI and analytics work uses:

- ▶ tables
- ▶ vectors
- ▶ matrices
- ▶ graphs
- ▶ indexes

This week 3 gives you the recognition layer.

46



What To Deeply Learn vs Recognize




Deeply learn now:

- ▶ list
- ▶ dictionary
- ▶ set
- ▶ operation comparison

Recognize for now:

- ▶ Series/DataFrame
- ▶ matrix
- ▶ vector
- ▶ stack/queue/tree

47



Abstract Data Types

48

Abstract Data Type

An abstract data type is defined by behavior.

It asks:

- ▶ What operations are allowed?
- ▶ What access pattern is expected?
- ▶ What rules shape use?

49

Southwest
Tech

Abstract Data Types

Four Abstract Data Types: Different Access Pattern

1. Stack

Push Pop

last in, first out

2. Queue

Dequeue (front) Enqueue (back)

first in, first out

3. Tree

parent-child paths

4. Vector

direction or ordered values

50

Vectors:

A vector is an ordered collection of values.

It may represent:

- ▶ Coordinates
- ▶ Measurements
- ▶ Features
- ▶ Direction or magnitude



51

A photograph of several tall, neat stacks of white papers or documents, illustrating the concept of a stack.

Stack

A stack uses (LIFO) last-in, first-out behavior.

Think:

- ▶ undo history
- ▶ browser back stack
- ▶ nested tasks
- ▶ function call stack

Southwest Tech

52

A photograph of several colorful plastic human figures standing in a line, illustrating the concept of a queue.

Queue


A queue uses (FIFO) first-in, first-out behavior.

Think:

- ▶ help desk tickets
- ▶ print jobs
- ▶ checkout line
- ▶ task scheduling

Southwest Tech

53

A diagram of a tree structure with a root node at the top, branching into three child nodes, which further branch into more nodes, illustrating hierarchy.

Tree

A tree represents hierarchy.

Think:

- ▶ folders
- ▶ organization charts
- ▶ decision trees
- ▶ parent-child relationships

Southwest Tech

54

Abstract Types By Access Pattern

Need	Last item first? → Stack.
Need	First item first? → Queue.
Need	Hierarchy? → Tree.
Need	Ordered values? → Vector.

55

Week 3 Decision Frame

Choose a structure by asking:

- ▶ What data do I store?
- ▶ What operation happens most?
- ▶ What should be fast or clear?
- ▶ What tradeoff am I accepting?

56

Demo

57

Demo Scenario:

Problem:

Compare:
• list of names
• dictionary of attendance counts

Evidence:

1.?

Goal

Track attendance check-ins

58

Demo Core Operation

**Core operation:**

Record one more check-in
for Ava.

**Then inspect:**

How the list changes
How the dictionary
changes
How lookup works

59

Demo Evidence

Before/after
representation

Lookup result

Operation comparison

Better fit

Why the fit is better

60

Southwest
Tech

Attendance Tracking: Two Data Structure Versions

Same goal. Different structure. Different access path.

List Version

Before

- Maya
- Jordan
- Luis

After

- Maya
- Jordan
- Luis
- Asha

Add Asha to attendance

Dictionary Version

Before

101	→	Maya
102	→	Jordan
103	→	Luis

After

101	→	Maya
102	→	Jordan
103	→	Luis
104	→	Asha

Add key 104 with value Asha

Same data, different lookup and update path.
 Choose the structure that fits the operation you need.

Demo Evidence

61

Southwest
Tech

Demo Explanation

Good explanation:

- ▶ Names the operation
- ▶ Compares both structures
- ▶ Identifies the better fit
- ▶ Explains the tradeoff

62

Southwest
Tech

Demo Add-On: Console Color



After the plain demo works, add light console color.

The color helps highlight:

- ▶ section headings
- ▶ passed tests
- ▶ failed tests
- ▶ important boundary cases

63




From Demo to Lab

In Lab 03, choose a different scenario and compare two structures.

Your work must include:

- ▶ Two structures
- ▶ At least three operations
- ▶ Implementation or simulation
- ▶ Comparison table
- ▶ Recommendation

64



Walkthrough Support

The walkthrough artifact can help you:

- ▶ Consider data types
- ▶ Identify operations
- ▶ Better fit
- ▶ Missing data

If you use it, you must explain the pattern in your own words, what you changes, and your decisions:

65




README Evidence

Your README should show:

- ▶ Problem Statement
- ▶ Structures compared
- ▶ Operations tested
- ▶ Comparison table
- ▶ Recommendation
- ▶ AI-use note, if applicable

66



Southwest
Tech

AI Use In Lab 03

Manual first:

- ▶ Choose two structures
- ▶ Explain your first comparison
- ▶ Identify key operations

Then AI may help:

- ▶ Suggest alternatives
- ▶ Critique tradeoffs
- ▶ Clarify operation fit

67



Southwest
Tech

Wrap up

68



Southwest
Tech


What To Carry Forward

Data structures are choices.

Choose based on:

- ▶ operations
- ▶ access patterns
- ▶ clarity
- ▶ tradeoffs

69




Southwest
Tech

Lab 03 Success Check

- ▶ Uses two structures meaningfully
- ▶ Compares specific operations
- ▶ Explains tradeoffs
- ▶ Avoids habit-only choices
- ▶ Gives a clear recommendation

70



Southwest
Tech


Next Step

1

For Lab 03:

- Choose a scenario
- Choose two structures
- Compare at least three operations
- Build the comparison table
- Recommend the better fit

71



Southwest
Tech

How To Use The Textbook For Next Week's Reading

Next week focuses on search and sort behavior. As you read, focus on:

- ▶ Sorting as a way to arrange data
- ▶ Searching as a way to find a target
- ▶ Variable swapping as a small mechanical step
- ▶ Linear search, binary search, and interpolation search
- ▶ Why binary search requires sorted data
- ▶ Performance differences among search and sort strategies
- ▶ Practical lookup ideas such as primary and foreign keys

Treat Natural Language Processing (NLP) as context, not as a new coding target.



72

Southwest
Tech

Preparing for Next Week: Search and Sort

Before we choose an algorithm, check the setup.

1. Sorted List

Data is in order.

3	7	12	18	24	31
---	---	----	----	----	----

2. Search Target

What are we looking for?

Target = 18

3. Precondition Checklist

- ✓ sorted data
- ✓ clear target
- ✓ compare step
- ✓ trace evidence



Some algorithms only work when their assumptions are true.

Reading Preview

73

Southwest
Tech



Thank you!

Have Fun!

74

25