※SIBOOR 2.4 R2 [AUG]

Copy

1

2024/10/11
Due to the unstable supply of Sunon brand 5015 and 4010 fans, we will switch to SIBOOR's own brand products, which use environmentally friendly flame-retardant materials, imported bearings, and multi-component motherboards.

2024/6/28

- The Nema 17 motor in the Siboor Voron 2.4 AUG Kit has been switched to SIBOOR-42STH48-2504 Class H (185℃) for a higher temperature rating, and it is equipped with a compatible motor extension cable.
- Removed 24WG silicone cable 0.2 square (red 25M).

350 Model

Part Description	Note	Qty
M5×40 SHCS	10.9 Nickel plating	26
M5×30 BHCS	10.9 Nickel plating	26
M5×16 BHCS	10.9 Nickel plating	41
M5×10 BHCS	10.9 Nickel plating	41
M5 Post-install T-nut	/	79
M5 Hexnut	10.9 Nickel plating	19
M5 1mm Shim	10.9 Nickel plating	49
M4×6 BHCS	10.9 Nickel plating	9
M4 Knurled Nut (DIN 466-B)	/	5
M3×8 SHCS	10.9 Nickel plating	208
M3×6 FHCS	10.9 Nickel plating	10
M3×6 BHCS	10.9 Nickel plating	14
M3×40 SHCS	10.9 Nickel plating	35
M3×30 SHCS	10.9 Nickel plating	29
M3×20 SHCS	10.9 Nickel plating	26
M3×16 SHCS	10.9 Nickel plating	23
M3×12 SHCS	10.9 Nickel plating	50
M3×10 FHCS	10.9 Nickel plating	5
M3 Washer	10.9 Nickel plating	4
M3 Threaded Insert (M3×5×4)	/	125
M3 Post-install T-nut	/	110
M3 Hexnut	10.9 Nickel plating	9
M3 Hammer Head T-nuts	/	70
M2×10 Self-tapping Screw	10.9 Nickel plating	19
M2.5×12 BHCS	10.9 Nickel plating	5
M5×14 BHCS	10.9 Nickel plating	0
M3×50 SHCS	10.9 Nickel plating	4
M3×25 SHCS	10.9 Nickel plating	10
GT2 20T Pulley (5mm ID 6mm W)	SIBOOR	2
GT2 20T Toothed Idler (5mm ID 6mm W)	SIBOOR	2
GT2 20T Toothed Idler (5mm ID 9mm W)	SIBOOR	4
GT2 16T Pulley (5mm ID 6mm W)	SIBOOR	4

GT2 20T Pulley (5mm ID 9mm W)	SIBOOR	4
PC4 01 Pneumatic Connector	/	2
φ6×3 Neodymium Magnet	/	8
Ø5×60mm Shaft, D Cut	SIBOOR	4
Hex Wrench Set 7-piece TT007	/	1
Double-ended Screwdriver	/	1
Needle-nose Pliers	/	1
trimming knife	/	1
Pipe clamp knife	/	1
Cable Management Channel 25×25×38cm	/	4
200g PLA Filament（Test filament)		1
TMC2240 Driver	BigTreeTech	2
TMC2209 Driver	BigTreeTech	4
BTT PI	BigTreeTech	1
32GB TF Card	SanDisk	1
Solid State Relay CDG1-1DA 10A	Delixi	1
X Endstop Switch (150mm)	SIBOOR	1
Y Endstop Switch (1500mm)	SIBOOR	1
Nema17Motor SIBOOR-42STH48-2504 Class H(185℃)	SIBOOR	6
Motor extension cable（1000mm)	SIBOOR	2
Motor extension cable（1000mm)	SIBOOR	4
Nema14Motor SIBOOR-14STH20-1004A Class H(185℃)	SIBOOR	1
HDMI 5-inch Touchscreen	BigTreeTech	1
Power Supply LRS-200-24	Mean Well	1
Nevermore V6 Kit	/	1
Cartographer eddy levelling sensor	Cartographer×SIBOOR	1
Dragon HF Hotend （Blue)	Phaetus	1
Heating Rod 24V 65W	SIBOOR	1
PT1000 Thermistor	SIBOOR	1
Octopus Pro (STM446) board	BigTreeTech	1
BTT 2209 (RP2040) CAN Board	BigTreeTech	1
φ0.8mm Steel Wire（1000mm)	/	1
CAN adapter cable	/	1

6mm Nylon Cable Sleeve(1000mm)	/	1
Bend-resistant Cable Waterproof Connector PG7	/	1
4010 Fan 24V	Sunon/Siboor	1
5015 Blower 24V	Sunon/Siboor	1
6020 Fan 24V	/	3
Stealthburner RGB light	SIBOOR	1
Filtering Power Switch (with wire)	/	1
DIN Rail Mount Bracket for G3A SSR	/	1
C13 Power Cord	/	1
GT2 80T Pulley (5mm ID 6mm W)	SIBOOR	4
F695 Bearing	NSK	20
625 Bearing	NSK	12
GT2 Belt Loop (6mm W) - 188mm	Gates	4
GT2 Open Belt LL-2GT-9 (9mm wide) - 1010mm	Gates	1
GT2 Open Belt LL-2GT-6 (6mm wide) - 1800mm	Gates	1
Linear Rail MGN9H 350mm	SIBOOR	6
Linear Rail MGN12H 350mm	Hiwin	1
BMG Extruder Kit(CNC POM 50-tooth gear)	SIBOOR	1
OpenBuilds Billet Angle Corner Connector (2020)	/	4
Misumi NFSB5-2020-480-LCP-RCP	MISUMI	4
Misumi NFSB5-2020-420-TPW	MISUMI	10
Misumi NFSB5-2020-400	MISUMI	2
Misumi NFSB5-2020-380	MISUMI	1
Misumi NFSB5-2020-290	MISUMI	1
DIN 3 Rails (35mm W) - 415mm	/	2
PTFE Tube (4mm OD 3mm ID) - 1000mm	/	1
3M VHB Tape 5952	3M	1
Single Sided Foam Tape 1mm Thick (5m)	3M	1
Single Sided Foam Tape 3mm Thick (5m)	3M	1
PI Power Cable	/	1
Nylon Cable Ties	/	50
10×15 Generic Cable Chain (495mm)		1
24AWG silicone cable 0.2 square (red 25M)	/	1

commonly used JST spring and rubber case	/	1
Fork-shaped Power Terminal Wire	/	3
WAGO 221-415	WAGO	3
"Rubber Foot (1.5x.75"", 38×19mm)"	/	4
Coroplast Sheet - 433×453×4 mm	PC panel	1
Coroplast Sheet - 419×419×4 mm	PC panel	2
PC panel Clear - 433×453×3 mm	PC panel	2
PC panel Clear - 433×433×3 mm	PC panel	1
PC panel Clear - 216.5×453×3 mm	PC panel	2
PEI Board 300×300mm	SIBOOR	1
"MIC6 5/16"" Plate - 300×300mm"	SIBOOR	1
Imported Silicone Hotbed 250² (220V/110V 450W Hotbed)	SIBOOR	1

Previous

Next

Last updated 1 year ago

Was this helpful?