
Step By Step Set Up Twitter Auto Tweet Trend

- 1. Buat App Twitter -> https://developer.twitter.com/apps/
 - a. Sign Up/Create App
 - b. Klik Sign up Free Account

c.



Developer agreement & policy

Describe all of your use cases of Twitter's data and API:

We need this information for data protection. Learn more

Isi halaman ini asal aja gog asalkan 250 characters, isi halaman ini asal aja gog asalkan 250 characters, isi halaman ini asal aja gog asalkan 250 characters. Isi halaman ini asal aja gog asalkan 250 characters.

You understand that you may not resell anything you receive via the Twitter APIs

You understand your Developer account may be terminated if you violate the Developer Agreement or any of the incorporated Developer Terms


You accept the Terms & Conditions


By clicking on the box, and by otherwise accessing or using any Licensed Material, you indicate that you have read and agree to this Developer Agreement and the Twitter Developer Policy

Submit

e. Projects


Default project-1931364035087544320





g. User authentication settings


You can change these selections anytime.




Type of App (required)
The type of App enables OAuth 2.0 Authentication. ①

Native App ①
Public client ①


Web App, Automated App or Bot ①
Confidential client ①




- i. Klik "Save" dan Done
- j. Klik Menu Keys and Tokens
- K. Consumer Keys




- Setelah klik Regenarate dan Generate Simpan kode Api Key, Api Secret Key, Access Token dan Access Secret Token ke Notepad Terlebih dahulu.
- 2. Buat Akun Github Action -> https://github.com/features/actions
 - a. Buat reposity Klik "New"




b. Isi Nama Reposity, dan bebas pilih Private



- c. Klik "Create reposity"
- d. Klik "Uploading an existing file"
- e. Extract terlebih dahlu file .zip yang di download
- f. Upload dahulu File "autotweet.py, debug.py, tweets_media.txt"
- g. Setelah sukses upload kamu akan balik ke menu Code
- h. Lalu klik "Add files" dan klik "Create new file"
- i. Di "Name your file..." isi: .github/workflows/namasalgpp





- k. Nah kamu berhasil membuat directory .github/workflows/
- I. Selanjutnya di direktori ini klik "Add file" dan klik "Upload file"
- m. Upload file "autotweet.yml"

3. Setting Script

- a. Klik menu "settings" dan klik menu "secrete and variables" terus pilih "action"
- b. Klik "New Repository secret"

c.

Name *	
TWITTER_API_KEY	
Secret *	
PASTE API KEY KAMU DISINI	

d. Actions secrets / New secret



e. Actions secrets / New secret



f. Actions secrets / New secret



- g. Balik ke menu "Code"
- h. Setting tweet di "tweets_media.txt"
- i. Bagian "media:" di kosongkan saja isi bagian "text:" dan "url:" saja
- j. Lalu klik "Commit Changes"
- k. Edit file "autotweet.yml"


```
Code Blame 55 lines (46 loc) · 1.47 KB  Code 55% faster with GitHub Copilot


1    name: Auto Tweet with Clickable Media
2
3    on:
4    schedule:
5     - cron: '0 * * * * ' # Setiap jam
6    workflow_dispatch:
7
8    env:
```


m. Settingan default itu autotweet di setting hanya 1 jam sekali, ubah settingan itu sesuai kebutuhan anda.

4. Jalankan/Run Script

- a. Masuk ke menu "Actions"
- b. Click "Auto Tweet With Media"







BELI SCRIPT INI DI -> https://lynk.id/belajaradmobpemula/ng6nom907rgm