



CAS PLATFORM

Operator Portal User Guide

Conjunction Decision Support for LEO Operators

RELEASE

April 2026

MATURITY

TRL 5

AUDIENCE

LEO Satellite Operators

ENGINE

Decision Engine v0.7


Contents

What this guide covers

01	Login	Operator access & email verification	08	Directory	Operator & manufacturer registry
02	Overview	System status & priority events	09	Historical Events	Reference high-Pc analyses
03	My Satellites	Watchlist management	10	Space Weather	NOAA SWPC integration
04	Decisions	Per-satellite decision support	11	Live Catalog	3D globe — 28,410+ objects
05	Trends	72-hour Pc trend tracking	12	API Keys & Docs	Programmatic REST access
06	Conjunctions	Live CDM feed from Space-Track	13	Settings	Preferences & confidence guidance
07	Launches	Recent & upcoming launches	14	Documentation	SRS, API ref, validation report

Operator Access

Email verification, JWT auth, secure session handling



The screenshot shows the 'Operator Access' login page. At the top left is the 'CAS OPERATOR PORTAL' logo, and at the top right are links for 'HOME' and 'CATALOG'. The main heading is 'Operator Access', followed by a subtext: 'Login to manage your satellites, configure alerts, and access the CAS API. Free during beta period.' Below this are two buttons: 'LOGIN' and 'CREATE ACCOUNT'. The 'EMAIL' field contains 'operator@agency.com'. The 'PASSWORD' field has a placeholder 'Enter password'. There is a checked checkbox for 'Remember me'. A large blue button labeled 'ACCESS PORTAL' is below the form. At the bottom, there are links for 'No account? Create one for free' and 'Forgot your password?'.

WHAT IT SHOWS

Entry point for the operator portal. Login or create an account. Verification gates portal features behind a confirmed email.

HOW TO USE

Enter operator email and password
Toggle Remember me for persistent session
First-time users: Create Account, then click verification link
Forgotten password resets via email link

ENGINE BEHAVIOR

bcrypt-hashed credentials, JWT issued on success. Verification email signed with SPF/DKIM and RFC 8058 List-Unsubscribe headers for deliverability.

OPERATIONAL VALUE

Beta access is free for qualifying operators. Verification ensures alert emails reach an inbox the operator actively monitors.

Overview Dashboard

Status, satellites, priority event, recent CDM feed

CAS

OPERATOR PORTAL

HOME

CATALOG

mustafacaspatform.com

NAVIGATION

OPERATIONS

Overview

My Satellites

Decisions

Trends

INTELLIGENCE

Conjunctions

Launches

Directory

Historical Events

Space Weather

Live Catalog

ACCOUNT

API Keys

API Docs

Settings

Documentation

Admin

EU SST

Overview

System status and recent activity

ENGINE STATUS

ONLINE

CAS v0.7 - Decision Engine

MY SATELLITES

15

In your watchlist

RED ALERTS

177

Active high-risk events

YOUR TIER

ENTERPRISE

mustafacaspatform.com

SPACE WEATHER

ELEVATED

Kp 9.0 - F10.7 143 sFlu - X-ray X2.5

YOUR SATELLITES

CONNECTA IOT-13 (67400)

CONNECTA IOT-10 (67390)

CONNECTA IOT-11 (64567)

CONNECTA IOT-10 (64556)

CONNECTA IOT-12 (64553)

CONNECTA IOT-9 (64534)

CONNECTA IOT-7 (62715)

CONNECTA IOT-6 (62700)

CONNECTA IOT-5 (62703)

CONNECTA IOT-8 (62696)

CONNECTA IOT-4 (60524)

CONNECTA IOT-2 (60522)

CONNECTA IOT-3 (60476)

CONNECTA T1.2 (66012)

CONNECTA IOT-1 (60472)

HIGHEST PRIORITY EVENT

CONNECTA IOT-5

execute

RED - Urgent maneuver recommended. Post-7h-9 (~17h+ RED threshold). Cascade engine identified 1 secondary risk if no action; proposed retrograde maneuver eliminates it. Lead time: 9.2h. Fuel cost: ~25g for 150kg sat class.

Pd: 1.70h Miss: 140m Time: 9h 11m Alerts: 12 - 3 - 7

VIEW ALL DECISIONS -

Recent conjunctions

Latest events from Space-Track CDM feed

RISK	OBJECT 1	OBJECT 2	MISS (M)	PC	TCA
RED	CZ-BA DEB	FENGYUN 1C DEB	6	1 in 176	2026-04-24T14:07
RED	FENGYUN 1C DEB	CZ-BA DEB	2	1 in 134	2026-04-24T14:07

WHAT IT SHOWS

Single-screen situational awareness: engine status, watchlist size, RED alert count, account tier and current space weather, plus the highest-priority decision card.

HOW TO USE

- Scan the five status cards at the top of the page
- Open the highlighted priority event for full context
- Jump into the watchlist via the satellite chips
- Triage incoming CDMs from the Recent conjunctions table

ENGINE BEHAVIOR

Each card pulls from a dedicated service: Decision Engine v0.7 (priority event), watchlist scanner, Space-Track CDM feed, NOAA SWPC indices.

OPERATIONAL VALUE

Replaces the daily check-in across multiple feeds with one page. The priority card surfaces what needs human attention right now.


casplatform.com

CAS Platform – Operator Portal User Guide

2 / 14

Watchlist Management

Add satellites, view altitudes, trigger on-demand scans



The screenshot shows the 'My Satellites' section of the CAS Operator Portal. It features a sidebar with navigation links for Overview, My Satellites, Decisions, Trends, Conjunctions, Launches, Directory, Historical Events, Space Weather, Live Catalog, Account, API Keys, API Docs, Settings, Documentation, Admin, and EU SST. The main content area is titled 'Add your satellites and monitor conjunction risks in real time'. It includes a search bar for adding satellites to the watchlist, a 'SCAN NOW' button, and a 'REFRESH' button. Below these is a table titled 'Your watchlist' with columns for NORAD ID, NAME, ALTITUDE, LAST SCAN, and ACTION. The table lists 15 satellites, all of which are CONNECTA IOT satellites with varying NORAD IDs and altitudes. Each row has a 'REMOVE' button in the ACTION column.

NORAD ID	NAME	ALTITUDE	LAST SCAN	ACTION
67400	CONNECTA IOT-13	514.1 km	25.04.2020 08:48:23	REMOVE
67390	CONNECTA IOT-16	513.7 km	25.04.2020 08:48:23	REMOVE
64557	CONNECTA IOT-11	504.2 km	25.04.2020 08:48:24	REMOVE
64555	CONNECTA IOT-10	505.5 km	25.04.2020 08:48:25	REMOVE
64553	CONNECTA IOT-12	503.9 km	25.04.2020 08:48:26	REMOVE
64534	CONNECTA IOT-9	505.6 km	25.04.2020 08:48:27	REMOVE
62715	CONNECTA IOT-7	585.3 km	25.04.2020 08:48:27	REMOVE
62709	CONNECTA IOT-6	585.2 km	25.04.2020 08:48:28	REMOVE
62703	CONNECTA IOT-5	583.6 km	25.04.2020 08:48:29	REMOVE
62695	CONNECTA IOT-8	588.3 km	25.04.2020 08:48:30	REMOVE
60524	CONNECTA IOT-4	445.6 km	25.04.2020 08:48:31	REMOVE
60522	CONNECTA IOT-2	495.3 km	25.04.2020 08:48:31	REMOVE
60475	CONNECTA IOT-3	496.4 km	25.04.2020 08:48:32	REMOVE
58012	CONNECTA T1.2	424.8 km	25.04.2020 08:48:33	REMOVE

WHAT IT SHOWS

The operator's watchlist of monitored satellites with NORAD ID, name, altitude and last-scan timestamp. Hourly auto-scan plus on-demand Scan Now.

HOW TO USE

Search by name (e.g. CONNECTA) and add to watchlist
Scan Now to force an immediate conjunction screen
Refresh to update altitude and last-scan columns
Remove satellites no longer in scope

ENGINE BEHAVIOR


Hourly background scanner correlates each watchlist NORAD ID against incoming CDMs and the catalog. Per-tier maximum satellite limits enforced server-side.

OPERATIONAL VALUE

Operators monitor only what they own. Per-satellite trend, decision and alert pipelines key off this list — no irrelevant noise from the broader catalog.

Per-Satellite Decision Support

Risk-classified events with maneuver guidance and cascade analysis



WHAT IT SHOWS

The flagship view. Each card pairs a risk-classified conjunction with a recommended action: HIGH/MEDIUM/LOW band, Pc, miss distance, time to TCA, suggested ΔV , and cascade screening result.

HOW TO USE

- Review situation assessment text for each card
- Approve maneuver, continue monitoring, or define a custom burn
- Use Scan & Decide to refresh the full per-satellite sweep
- Funnel chart shows total alerts narrowed to critical

ENGINE BEHAVIOR


Decision Engine v0.7 + Cascade Analysis v2 screen the proposed maneuver against 28,410 catalog objects to confirm no secondary conflicts. Foster/Chan Pc validated against 8,879+ Space-Track CDMs.

OPERATIONAL VALUE

Translates raw probabilities into a clear operator action with quantified ΔV and fuel cost (~14–25 g for 150 kg sat class). Decision support — not autonomous control.

72-Hour Trend Analysis

Pc evolution per satellite – escalating, stable, de-escalating



WHAT IT SHOWS

Forward-looking risk view. For each watchlist satellite, Pc trajectory at +12h, +24h, +48h, +72h with classification (rising / stable / declining).

HOW TO USE

Read the four headline counters: analyzed, escalating, de-escalating, stable

Inspect each satellite card for current Pc and miss trend

Confidence flag indicates data sufficiency

ENGINE BEHAVIOR

Engine snapshots Pc per CDM update and projects forward with conjunction-window decay models. Insufficient data flagged when fewer than three observations available.

OPERATIONAL VALUE

Buys lead time. Operators see escalating events earlier in the conjunction window, often before formal recommendation thresholds are crossed.

Live Conjunction Feed

Full Space-Track CDM history with risk banding

CAS OPERATOR PORTAL

HOME

CATALOG

mustafacaspplatform.com

NAVIGATION

OPERATIONS

Overview

My Satellites

Decisions

Trends

INTELLIGENCE

Conjunctions

Launches

Directory

Historical Events

Space Weather

Live Catalog

ACCOUNT

API Keys

API Docs

Settings

Documentation

Admin

FIISST

Conjunction events

Full history of tracked conjunction events

EXPORT CSV

88 unique events (177 total records)

RISK	OBJECT 1	OBJECT 2	MISS (M)	PC	TCA	CDM ID
RED	CZ-6A DEB	FENGYUN 1C DEB	6	1 in 175	2020-04-24T14:07	1A48881381
RED	FENGYUN 1C DEB	CZ-6A DEB	2	1 in 134	2020-04-24T14:07	1A48478901
RED	CZ-6A DEB	FENGYUN 1C DEB	4	1 in 167	2020-04-24T14:07	1A48511807
RED	FENGYUN 1C DEB	CZ-6A DEB	4	1 in 167	2020-04-24T14:07	1A48031879
RED	FENGYUN 1C DEB	CZ-6A DEB	4	1 in 123	2020-04-24T14:07	1A48907308
RED	CZ-6A DEB	FENGYUN 1C DEB	4	1 in 123	2020-04-24T14:07	1A48986808
RED	FENGYUN 1C DEB	CZ-6A DEB	10	1 in 119	2020-04-24T14:07	1A48762126
RED	FENGYUN 1C DEB	CZ-6A DEB	3	1 in 110	2020-04-24T14:07	1A01002931
RED	FENGYUN 1C DEB	METEOR 1-16	78	1 in 134	2020-04-23T15:00	1A47858832
RED	FENGYUN 1C DEB	METEOR 1-16	37	2.38%	2020-04-23T15:00	1A48475362
RED	METEOR 1-16	FENGYUN 1C DEB	37	2.38%	2020-04-23T15:00	1A48486264
RED	FENGYUN 1C DEB	METEOR 1-16	63	1.14%	2020-04-23T15:00	1A48031879
RED	METEOR 1-16	FENGYUN 1C DEB	63	1.14%	2020-04-23T15:00	1A48980746
RED	METEOR 1-16	FENGYUN 1C DEB	73	1 in 141	2020-04-23T15:00	1A48147948
RED	DMSP 50-2 F13 DEB	OV1-20/OV1-21 AKM	39	1 in 194	2020-04-23T09:11	1A48873304
RED	DMSP 50-2 F13 DEB	OV1-20/OV1-21 AKM	27	1 in 160	2020-04-23T09:11	1A47306938
RED	OV1-20/OV1-21 AKM	DMSP 50-2 F13 DEB	27	1 in 160	2020-04-23T09:11	1A47209325

WHAT IT SHOWS

The complete tracked-event ledger. Each row carries risk band, both objects, miss distance, Pc, TCA and the originating CDM ID. CSV export for offline analysis.

HOW TO USE

- Review unique-events count vs total records
- Sort by Pc or miss distance to triage
- Click a row for full CDM-level context
- Export CSV to share with mission planners or auditors

ENGINE BEHAVIOR

Hourly Space-Track sync with UPSERT on cdm_id — events update in place rather than duplicating. Foster/Chan Pc computed at ingest; risk band assigned by configurable thresholds.

OPERATIONAL VALUE

Single source of truth for what was reported, when, and how it was scored. Auditable and exportable for regulatory or insurance-grade documentation.

casplatform.com

CAS Platform – Operator Portal User Guide

6 / 14

Launch Schedule

Upcoming and recent global launches

CAS

OPERATOR PORTAL

HOME

CATALOG

casplatform.com

NAVIGATION

OPERATIONS

OVERVIEW

MY SATELLITES

DECISIONS

TRENDS

INTELLIGENCE

CONJUNCTIONS

LAUNCHES

DIRECTORY

HISTORICAL EVENTS

SPACE WEATHER

LIVE CATALOG

ACCOUNT

API KEYS

API DOCS

SETTINGS

DOCUMENTATION

ADMIN

EU SST

Launch Schedule

Real-time launch data from TheSpaceDevs

UPCOMING

RECENT

Long March 8 | Unknown Payload

China Aerospace Science and Technology Corporation | Unknown Details TBC

↑ Taiyuan Satellite Launch Center, People's Republic of China

2025-04-08 02:00 UTC

T-4h 59m

Go

Bojue-2.1a | Progress MS-34 (ISS)

Roscosmos Federal Space Agency (Roscosmos) | Roscosmos Progress regularly visits to the International Space Station

↑ Baikonur Cosmodrome, Republic of Kazakhstan

2025-04-05 02:00 UTC

T-15h 5m

Go

Bojue-2 | Demo Flight

WUX Spaceport | Test Flight

→ Demonstration flight for Russia's new Bojue-2 launch vehicle, with a mass simulator on board. Details TBC

↑ Baikonur Cosmodrome, Republic of Kazakhstan

2025-04-08 02:00 UTC

T-1d 3h

Go

Falcon 9 Block 5 | Starlink Group 17-14

SpaceX | Communications

→ A batch of 20 satellites for the Starlink mega-constellation - SpaceX's project for space-based internet communication system.

↑ Vandenberg SFB, CA, USA

2025-04-05 04:00 UTC

T-1d 6h

Go

Falcon Heavy | Viadot-3 F3 (Viadot-3 Asia-Pacific)

SpaceX | Communications

→ The Viadot-3 is a series of three Ku-band satellites is expected to provide vastly superior capabilities in terms of service speed and flexibility for a satellite platform. Each Viadot-3 class satelli...

↑ Kennedy Space Center, FL, USA

2025-04-07 04:00 UTC

T-2d 7h

Go

Atlas V 551 | Amazon Leo (LA-06)

2025-04-08 02:00 UTC

T-2d 17h

Go

CAS

OPERATOR PORTAL

HOME

CATALOG

casplatform.com

NAVIGATION

OPERATIONS

OVERVIEW

MY SATELLITES

DECISIONS

TRENDS

INTELLIGENCE

CONJUNCTIONS

LAUNCHES

DIRECTORY

HISTORICAL EVENTS

SPACE WEATHER

LIVE CATALOG

ACCOUNT

API KEYS

API DOCS

SETTINGS

DOCUMENTATION

ADMIN

EU SST

Launch Schedule

Real-time launch data from TheSpaceDevs

UPCOMING

RECENT

Long March 2D | 4 x GetNet test satellites

China Aerospace Science and Technology Corporation | Communications

→ Officially described as "Satellite-Internet Technology Demonstration Satellite". Probably 4 test satellites for the Chinese state-owned IIS communication satellite constellation project.

↑ Wenchang Satellite Launch Center, People's Republic of China

2025-04-04 04:00 UTC

Launched

Success

Angara 1.2 | Kosmos (Unknown Payload)

Roscosmos State Forces | Government/Top Secret

→ Unknown satellite(s) for the Russian military

↑ Plesetsk Cosmodrome, Russian Federation

2025-04-05 04:00 UTC

Launched

Success

Falcon 9 Block 5 | Starlink Group 17-14

SpaceX | Communications

→ A batch of 20 satellites for the Starlink mega-constellation - SpaceX's project for space-based internet communication system.

↑ Vandenberg SFB, CA, USA

2025-04-05 04:00 UTC

Launched

Success

Electron | Kakushin Rising (JAXA Rideshare)

Rocket Lab | Technology

→ JAXA-manifested rideshare of eight separate spacecraft that includes educational, small sats, on-orbit monitoring satellite, a demonstration satellite for ultra-small multi-spectral camera, and a CubeSat.

↑ Rocket Lab Launch Complex 1, Mahia Peninsula, New Zealand

2025-04-05 04:00 UTC

Launched

Success

HASTE | Bubbles

Rocket Lab | Government/Top Secret

→ Sub-orbital launch under Rocket Lab's Hyperion Accelerator Suborbital Test Electron (HASTE) program, details TBC

↑ Wallops Flight Facility, Virginia, USA

2025-04-05 04:00 UTC

Launched

Success

WHAT IT SHOWS

Real-time launch schedule from TheSpaceDevs. Upcoming countdowns, recent results, payload classification and launch site.

HOW TO USE

- Switch between Upcoming and Recent tabs
- Tap Go to open launch detail
- Scan payload class for relevance to your orbits
- Track new constellation deployments early

ENGINE BEHAVIOR

Polled from TheSpaceDevs API. Status, T-minus and outcome update automatically; results feed the catalog ingest pipeline.

OPERATIONAL VALUE

Anticipates near-term population growth in your orbital regime. Helps planners allocate review attention before new objects appear in CDMs.



Space Industry Directory

Operators, agencies, manufacturers, SSA & launch providers

CAS OPERATOR PORTAL

Space Industry Directory
Satellite operators, agencies, manufacturers, and service providers

ALL OPERATORS AGENCIES MANUFACTURERS SSA LAUNCH

Search operators, agencies, constellations...

Total: 2351 entries · Operators: 2328 Agencies: 11 SSA: 9 Manufacturers: 4 Launch: 3

Operator	Location	Constellation	Satellites	Description
SpaceX	United States · Hawthorne, California	Starlink	1687	Designs, manufactures and launches rockets and spacecraft. Operates Starlink broadband constellation.
Eutelsat Group	France · Issy-les-Moulineaux, France	Eutelsat/OneWeb	713	European satellite telecommunications operator. Merged with OneWeb in 2023.
OneWeb	United Kingdom · London, UK	OneWeb	488	Global communications company building a LEO satellite constellation for broadband connectivity.
NASA	United States · Washington, DC		248	National Aeronautics and Space Administration.
SES S.A.	Luxembourg · Betzdorf, Luxembourg	OSO mPOWER	239	Global satellite operator providing video and data connectivity worldwide.
US Space Force	United States · Arlington, Virginia		220	United States Space Force – military space operations.
Shanghai Spacecom (GeeSpace)	China · Shanghai, China	Qianfan/G60	188	Chinese LEO broadband constellation operator (G60/Qianfan).
Roscosmos	Russia · Moscow, Russia		177	Russian Federal Space Agency.
European Space Agency	Europe · Paris, France		113	Intergovernmental organisation dedicated to space exploration and research.
ISRO				
JAXA				
CNSA				

WHAT IT SHOWS

Searchable registry of 2,351 entries across operators, agencies, manufacturers, SSA providers and launch organisations — with constellation, satellite count and contact info.

HOW TO USE

Filter by category tab (Operators, Agencies, Manufacturers, SSA, Launch)

Search by name or constellation

Use Contact links to reach counterparts directly

Open references, operators, agencies, conjunction counterparts

ENGINE BEHAVIOR


Curated registry with manual and feed-driven updates. Cross-linked to NORAD catalog so an operator's satellite count reflects active payloads.

OPERATIONAL VALUE

When a CDM names an unfamiliar counterpart, the directory closes the gap fast — operator, fleet size, contact channel — speeding coordinated maneuver decisions.

Reference High-Pc Events

Original CDM data, CAS decision and actual outcome



Historical Events
Reference analyses from past high-Pc conjunctions — original CDM data, CAS decision, and actual outcome.

Event	CDM	TCA	MISS DISTANCE	PC	CAS DECISION	ACTUAL OUTCOME
AUREOLE 3 X OBJECT C	CDM 1389058316 · NORAD 12848/64253	2026-03-18 04:05:18 UTC	399m	1.15e-2 (~115x RED threshold)	RED — Maneuver recommended	Operator executed prograde burn (-0.04 m/s ΔV); post-maneuver miss distance exceeded 2km.
GB 1 X COSMOS 1854	CDM 1428663703 · NORAD 14143/18115	2026-04-09 18:03:42 UTC	190m	1.11e-2 (>111x RED threshold)	RED — Monitor for cascade risk (no maneuver possible)	Both objects inactive (GB 1 launched 1976, COSMOS 1854 launched 1987). No maneuver possible. Event passed with minor miss; no fragmentation observed.
EGYPTSAT 1 X TIROS 1	CDM 1442426509 · NORAD 31117/29	2026-04-20 15:15:25 UTC	490m	6.39e-3 (~64x RED threshold)		

WHAT IT SHOWS

Six reference high-Pc conjunctions covering different regimes — covariance-driven, debris-debris, heritage assets, active constellations, emerging debris — each with the original CDM, CAS recommendation, and the actual operator outcome.

HOW TO USE

- Open a card to read the full case context
- Compare Pc, miss distance and CAS verdict
- Review notes for analyst commentary
- Use as training material for new mission planners

ENGINE BEHAVIOR

Static reference set drawn from real Space-Track CDMs. Pc values shown in scientific notation alongside threshold context (e.g. 1.15e-2, ~115x RED threshold). No synthetic data.

OPERATIONAL VALUE

Provides ground truth on how the engine reasons about edge cases — covariance squeeze, downstream cascade risk, debris-vs-debris. Builds operator confidence in the decision layer.

Space Weather Conditions

Geomagnetic Kp, F10.7 solar flux, X-ray peak – from NOAA SWPC

CAS

OPERATOR PORTAL

HOME

CATALOG

mustafa@casplatform.com

NAVIGATION

OPERATIONS

Overview

My Satellites

Decisions

Trends

INTELLIGENCE

Conjunctions

Launches

Directory

Historical Events

Space Weather

Live Catalog

ACCOUNT

API Keys

API Docs

Settings

Documentation

Admin

EU SST

Space Weather

Solar and geomagnetic conditions affecting LEO operations. Source: NOAA SWPC (public domain).

GEOMAGNETIC KP

0.00

QUIET

Estimated 3h: 0.00 · Label: QZ

SOLAR FLUX F10.7

143 sfu

ELEVATED

Drives upper-atmosphere density → LEO drag

X-RAY PEAK (3xH)

X2.5

STRONG (R3+)

Solar flare classification

7-DAY HISTORY (9 Snapshots)

04-25 00:04Z Kp 0.0 · F10.7 146 · X2.5	04-25 06:15Z Kp 1.0 · F10.7 143 · X2.5	04-25 01:15Z Kp 2.0 · F10.7 143 · X2.5	04-25 04:15Z Kp 3.0 · F10.7 143 · X2.5	04-25 01:15Z Kp 0.0 · F10.7 143 · X2.5
04-25 04:15Z Kp 1.0 · F10.7 143 · X2.5	04-25 06:15Z Kp 2.0 · F10.7 143 · X2.5	04-25 06:15Z Kp 0.0 · F10.7 143 · X2.5	04-25 07:15Z Kp 0.0 · F10.7 143 · X2.5	

RECENT NOAA ALERTS (16)

WARNING: Geomagnetic K-index of 4 expected

K04W · 2025-04-25 01:37:15.980 UTC

WATCH: Geomagnetic Storm Category G1 Predicted

A2DF · 2025-04-24 23:55:43.290 UTC

SUMMARY: X-ray Event exceeded M5

XM5S · 2025-04-24 18:35:25.930 UTC

ALERT: X-Ray Flux exceeded M5

XM5A · 2025-04-24 18:12:55.427 UTC

ALERT: Type IV Radio Emission

TIVA · 2025-04-24 10:42:00.107 UTC

ALERT: Type II Radio Emission

TIIA · 2025-04-24 09:28:18.760 UTC

WHAT IT SHOWS

Three primary indices for LEO operations: geomagnetic Kp (storm scale), F10.7 solar flux (drives upper-atmosphere density), X-ray peak (flare classification). 7-day history and recent NOAA alerts.

HOW TO USE

- Read the three headline cards for current state
- Inspect the snapshot grid for the last 7 days
- Scan recent NOAA alerts for warning context
- Factor Kp ≥ 5 into TLE accuracy assumptions before maneuvering

ENGINE BEHAVIOR

Hourly sync from NOAA SWPC public feeds. Indices stored alongside conjunction data so retrospective analysis can correlate Pc shifts with geomagnetic events.

OPERATIONAL VALUE

Geomagnetic storms inflate atmospheric drag, drift TLEs and shift conjunction geometry. This panel keeps that variable visible without leaving the portal.


casplatform.com

CAS Platform – Operator Portal User Guide

10 / 14

Live 3D Catalog

28,410+ tracked objects, multi-source ingestion



WHAT IT SHOWS

3D CesiumJS globe rendering the full tracked catalog — payloads, debris, rocket bodies, space stations — with real-time RED conjunctions, orbital congestion summary and major debris sources.

HOW TO USE

Filter by object type using the right-side legend
Click any object to inspect its conjunction risk
Inspect Major Debris Sources to size historical events
Use Orbital Congestion to gauge regime saturation

ENGINE BEHAVIOR

Multi-source ingestion: Celestrak (9 groups) plus Space-Track LEO debris and rocket bodies. 6-hour cache, dedup on NORAD ID, full TLE refresh into the engine.

OPERATIONAL VALUE

Public SSA pictures often show only large objects; the CAS catalog matches the conjunction-screening engine. What you see here is what the engine actually reasons over.

Programmatic Access

REST API – keys, endpoints and examples

API KEYS

CAS OPERATOR PORTAL

HOME CATALOG [casplatform.com](#)

NAVIGATION

OPERATIONS

My Details

Decisions

Trends

INTELLIGENCE

Conjunctions

Launches

Directory

Historical Events

Space Weather

Live Catalog

ACCOUNT

API Keys

API Docs

Settings

Documentation

Alerts

Full Screen

API keys

Manage your API authentication credentials

YOUR API KEY

Use this key for programmatic access to the CAS API.

cas_473169194228c4c93654a8998983473

COPY

REGENERATE KEY

USAGE EXAMPLES

Using API Key as query parameter
curl "https://www.casplatform.com/api/history?limit=10&api_key=cas_473169194228c4c93654a8998983473"

Using API Key in header
curl -H "Authorization: ApiKey cas_473169194228c4c93654a8998983473" \\\n"https://www.casplatform.com/api/history?limit=10"

Login to get JWT token
curl -X POST https://www.casplatform.com/api/auth/login \\\n-H "Content-Type: application/json" \\\n-d '{"email":"you@email.com","password":"yourpass"}'

Use JWT token
curl -H "Authorization: Bearer YOUR_TOKEN" \\\n"https://www.casplatform.com/api/auth/me"

API DOCS

CAS OPERATOR PORTAL

HOME CATALOG [casplatform.com](#)

NAVIGATION

OPERATIONS

My Details

Decisions

Trends

INTELLIGENCE

Conjunctions

Launches

Directory

Historical Events

Space Weather

Live Catalog

ACCOUNT

API Keys

API Docs

Settings

Documentation

Alerts

Full Screen

API documentation

Complete REST API reference for CAS Platform v0.9

BASE URL: <https://www.casplatform.com/api> | AUTH: [Bearer Token](#) or [ApiKey](#) header | FORMAT: JSON

GET /api/health

Engine health check

GET /api/status

API status dashboard

GET /api/metrics

Prometheus-compatible metrics

GET /api/history?limit=N

Disjunction event history

POST /api/analyze

Analyze TLE data for conjunctions

POST /api/spacetrack

Fetch CDM from Space-Track

POST /api/auth/register

Create new operator account

POST /api/auth/login

Login and get JWT token

GET /api/auth/me

Get current user info (requires auth)

WHAT IT SHOWS

Per-account API key plus a complete REST reference — 18 endpoints covering health, decisions, history, analyze, Space-Track and auth.

HOW TO USE

Copy your cas_xxx key — keep it secret
Authenticate via ApiKey header or Bearer JWT
Reference /api/health for status checks
Regenerate the key if it is compromised

ENGINE BEHAVIOR

Key auth maps directly to user identity and tier. JWT alternative for short-lived sessions. JSON responses everywhere; rate limits per tier.

OPERATIONAL VALUE

Drop CAS decisions into existing flight-dynamics pipelines, dashboards or alerting systems without leaving your stack.


casplatform.com

CAS Platform – Operator Portal User Guide

12 / 14

Notifications & Preferences

Email alerts, password, confidence guidance



WHAT IT SHOWS

Account-level controls: enable email alerts, set the minimum risk threshold for notifications, change password, and read confidence-level operational guidance.

HOW TO USE

Toggle email alerts on or off
Pick minimum severity (RED only by default)
Update password — minimum 6 characters
Read the LOW / MEDIUM / HIGH confidence playbook

ENGINE BEHAVIOR


Confidence guidance is procedural: it tells operators how to handle decisions while real covariance calibration ($\sigma=100$ m placeholder) is pending ODR approval.

OPERATIONAL VALUE

Filters alert volume to operationally meaningful events and gives an explicit playbook for acting on the engine's confidence band.

Technical Documentation

SRS, REST API reference, validation report



The screenshot shows the CAS Operator Portal interface. The left sidebar contains navigation links: Overview, My Satellites, Decisions, Trends, Conjunctions, Launches, Directory, Historical Events, Space Weather, Live Catalog, API Keys, API Docs, Settings, Documentation (selected), and Admin. The main content area is titled 'Documentation' and includes a sub-header 'Technical documents for CAS Platform – TRL 5 compliance'. It features three main sections: 'SOFTWARE REQUIREMENTS SPECIFICATION' (with buttons for ECSS ALIGNED, TRL 5, and DOCX, and a DOWNLOAD SRS button), 'REST API REFERENCE GUIDE' (with buttons for REST API, v2.0, and DOCX, and a DOWNLOAD API DOCS button), and 'VALIDATION REPORT' (with a DOWNLOAD FULL REPORT (DOCX) button). Below the validation report, there are four summary cards: P1 ACCURACY (99.9%), RISK WATCH (99.9%), CDM RECORDS (5,202), and UNINITIATED SIGMA (100m).

WHAT IT SHOWS

Three downloadable artefacts: Software Requirements Specification (ECSS-aligned), full REST API reference, and the SP-1 Validation Report with audit-grade backing.

HOW TO USE

Download SRS for procurement and integration teams
Download API docs for developer onboarding
Download the full Validation Report (DOCX) for technical review
Cite version stamps in your safety case

ENGINE BEHAVIOR

Validation: 5,202 CDM records analyzed against Space-Track reference; Foster/Chan Pc validated to high consistency; Cascade Analysis v2 verified across 28,410+ tracked objects with full audit log.

OPERATIONAL VALUE

Gives operators, regulators and insurers an evidence trail. The decision layer's behaviour is documented, version-controlled and reviewable — not a black box.

Get in touch

Independent decision support layer for EU LEO operators.



EMAIL

mustafa@casplatform.com

Direct line to the founder. Response within 24 hours.

WEB

casplatform.com

Pilot programme open for qualifying LEO operators.