FrameGuard Report

October 21, 2026 at 01:15 EDT | Profile: 4K UHD @ 30fps

6 Total | 2 Passed | 2 Failed | 2 Warnings

Summary

Filename	Codec	Resolution	Result	Summary
Interview_B-roll_proxy.mp4	h264	1920x1080	FAIL	Video resolution doesn't match the target, Frame rate doesn't match the target, Video quality (bitrate) is too low.
PROJ_CAM05_TAKE_20261018_C005.mp4	h264	3840x2160	FAIL	Video quality (bitrate) is too low.
PROJ_CAM03_TAKE_20261018_C003.mp4	h264	3840x2160	WARNING	Heads up: unexpected black frames detected, video freezes detected.
PROJ_CAM04_TAKE_20261018_C004.mp4	h264	3840x2160	WARNING	Heads up: long stretches of silence found.
PROJ_CAM01_TAKE_20261018_C001.mp4	h264	3840x2160	PASS	All checks passed.
PROJ_CAM02_TAKE_20261018_C002.mov	h264	3840x2160	PASS	All checks passed.

Scan Specification

Resolution	3840x2160 exactly
Frame rate	30.0 ± 0.5 fps
Min video bitrate	20 Mbps
Video codecs	h264, hevc, h265, av1, prores, prores_ks, prores_aw
Containers	.mp4, .mov, .mkv, .mxf
Audio codecs	aac, pcm_s16le, pcm_s24le, pcm_s32le, pcm_s24be, pcm_s32be, pcm_f32le, opus, flac
Audio	required, min 44100 Hz
Frame timing	constant required (>1% irregular = VFR)
Scan type	progressive required
Bit depth / transfer	not enforced / not enforced
Projection / stereo	not enforced / not enforced
Decode errors allowed	0
Black / freeze	≥0.5 s (pix 0.1) / ≥2.0 s (noise 0.003)
Silence	≤-50 dB for ≥2.0 s; dead at 95%
Loudness	advisory: -23.0 ± 2.0 LUFS, TP ≤ -1.0 dBTP

Tools: FrameGuard 0.9.0 | ffmpeg version 9.0.2-https://www.martin-riedl.de | ffprobe version 9.0.2-https://www.martin-riedl.de

Detailed Results

FAIL **Interview_B-roll_proxy.mp4**

1920x1080 | H264 | 24.00 fps | 00:00:32 | 32.1 MB

Video resolution doesn't match the target, Frame rate doesn't match the target, Video quality (bitrate) is too low.

Status	Check	Detail
PASS	**Container Format**	32.1 MB, container: .mp4
PASS	**Video Codec**	Codec: h264
FAIL	**Resolution**	1920x1080 is smaller than the 3840x2160 target. Conforming would upscale the image.
PASS	**Aspect Ratio**	1.778:1 matches the target 1.778:1
FAIL	**Frame Rate**	24.000 fps does not match the 30 ± 0.5 fps target.
PASS	**CFR Check**	Constant frame rate: 765 intervals of 41.67 ms (24.000 fps)
PASS	**Scan Type**	Progressive (declared progressive)
PASS	**Color / HDR**	8-bit, SDR (transfer not signalled), primaries unspecified (not enforced by this spec)
PASS	**XR Metadata**	No spherical metadata (flat), no stereo metadata (mono) (not enforced by this spec)
FAIL	**Bitrate**	8.2 Mbps is 59% below minimum 20 Mbps. Likely visible compression artifacts.
PASS	**Audio Stream**	1 audio track(s)
PASS	**Audio Codec**	Codec: aac
PASS	**Audio Channels**	2 channel(s), layout: stereo
PASS	**Audio Sample Rate**	48000 Hz (minimum 44100 Hz)
PASS	**A/V Duration**	Video: 32.00s, Audio: 32.00s (diff: 0.000s)
PASS	**Frame Count**	768 frames (expected ~768, diff: 0)
PASS	**File Integrity**	Software decode of 768/768 video frames, 32.00/32.00 s audio; 0 decoder error(s).
PASS	**Black Frames**	No black frame sequences detected.
PASS	**Freeze Frames**	No freeze events detected.
PASS	**Audio Silence**	No extended silence detected.
PASS	**Dead Channel**	All 2 channels carry signal.
PASS	**Audio Loudness**	I -21.8 LUFS (target -23 ± 2), true peak -20.8 dBTP (max -1)

FAIL PROJ_CAM05_TAKE_20261018_C005.mp4

3840x2160 | H264 | 30.00 fps | 00:00:32 | 35.9 MB

Video quality (bitrate) is too low.

Status	Check	Detail
PASS	Container Format	35.8 MB, container: .mp4
PASS	Video Codec	Codec: h264
PASS	Resolution	3840x2160 (matches 3840x2160 target)
PASS	Aspect Ratio	1.778:1 matches the target 1.778:1
PASS	Frame Rate	30.000 fps (target: 30 ± 0.5 fps)
PASS	CFR Check	Constant frame rate: 957 intervals of 33.33 ms (30.000 fps)
PASS	Scan Type	Progressive (declared progressive)
PASS	Color / HDR	8-bit, SDR (transfer not signalled), primaries unspecified (not enforced by this spec)
PASS	XR Metadata	No spherical metadata (flat), no stereo metadata (mono) (not enforced by this spec)
FAIL	Bitrate	9.2 Mbps is 54% below minimum 20 Mbps. Likely visible compression artifacts.
PASS	Audio Stream	1 audio track(s)
PASS	Audio Codec	Codec: aac
PASS	Audio Channels	2 channel(s), layout: stereo
PASS	Audio Sample Rate	48000 Hz (minimum 44100 Hz)
PASS	A/V Duration	Video: 32.00s, Audio: 32.00s (diff: 0.000s)
PASS	Frame Count	960 frames (expected ~960, diff: 0)
PASS	File Integrity	Software decode of 960/960 video frames, 32.00/32.00 s audio; 0 decoder error(s).
PASS	Black Frames	No black frame sequences detected.
PASS	Freeze Frames	No freeze events detected.
PASS	Audio Silence	No extended silence detected.
PASS	Dead Channel	All 2 channels carry signal.
PASS	Audio Loudness	I -21.8 LUFS (target -23 ± 2), true peak -20.8 dBTP (max -1)

WARNING PROJ_CAM03_TAKE_20261018_C003.mp4

3840x2160 | H264 | 30.00 fps | 00:00:32 | 107.4 MB

Heads up: unexpected black frames detected, video freezes detected.

Status	Check	Detail
PASS	Container Format	107.4 MB, container: .mp4
PASS	Video Codec	Codec: h264
PASS	Resolution	3840x2160 (matches 3840x2160 target)
PASS	Aspect Ratio	1.778:1 matches the target 1.778:1

PROJ_CAM03_TAKE_20261018_C003.mp4 (continued)

Status	Check	Detail
PASS	Frame Rate	30.000 fps (target: 30 ± 0.5 fps)
PASS	CFR Check	Constant frame rate: 957 intervals of 33.33 ms (30.000 fps)
PASS	Scan Type	Progressive (declared progressive)
PASS	Color / HDR	8-bit, SDR (transfer not signalled), primaries unspecified (not enforced by this spec)
PASS	XR Metadata	No spherical metadata (flat), no stereo metadata (mono) (not enforced by this spec)
PASS	Bitrate	27.9 Mbps (min: 20 Mbps)
PASS	Audio Stream	1 audio track(s)
PASS	Audio Codec	Codec: aac
PASS	Audio Channels	2 channel(s), layout: stereo
PASS	Audio Sample Rate	48000 Hz (minimum 44100 Hz)
PASS	A/V Duration	Video: 32.00s, Audio: 32.00s (diff: 0.000s)
PASS	Frame Count	960 frames (expected ~960, diff: 0)
PASS	File Integrity	Software decode of 960/960 video frames, 32.00/32.00 s audio; 0 decoder error(s).
WARN	Black Frames	1 black sequence(s), total 2.5s. At: 00:00:14.000 (2.5s)
WARN	Freeze Frames	1 freeze event(s), total 2.5s. At: 00:00:14.000 (2.5s)
PASS	Audio Silence	No extended silence detected.
PASS	Dead Channel	All 2 channels carry signal.
PASS	Audio Loudness	I -21.8 LUFS (target -23 ± 2), true peak -20.8 dBTP (max -1)

WARNING PROJ_CAM04_TAKE_20261018_C004.mp4

3840x2160 | H264 | 30.00 fps | 00:00:32 | 108.3 MB

Heads up: long stretches of silence found.

Status	Check	Detail
PASS	Container Format	108.3 MB, container: .mp4
PASS	Video Codec	Codec: h264
PASS	Resolution	3840x2160 (matches 3840x2160 target)
PASS	Aspect Ratio	1.778:1 matches the target 1.778:1
PASS	Frame Rate	30.000 fps (target: 30 ± 0.5 fps)
PASS	CFR Check	Constant frame rate: 957 intervals of 33.33 ms (30.000 fps)
PASS	Scan Type	Progressive (declared progressive)
PASS	Color / HDR	8-bit, SDR (transfer not signalled), primaries unspecified (not enforced by this spec)
PASS	XR Metadata	No spherical metadata (flat), no stereo metadata (mono) (not enforced by this spec)
PASS	Bitrate	28.2 Mbps (min: 20 Mbps)
PASS	Audio Stream	1 audio track(s)

PROJ_CAM04_TAKE_20261018_C004.mp4 (continued)

Status	Check	Detail
PASS	Audio Codec	Codec: aac
PASS	Audio Channels	2 channel(s), layout: stereo
PASS	Audio Sample Rate	48000 Hz (minimum 44100 Hz)
PASS	A/V Duration	Video: 32.00s, Audio: 32.00s (diff: 0.000s)
PASS	Frame Count	960 frames (expected ~960, diff: 0)
PASS	File Integrity	Software decode of 960/960 video frames, 32.00/32.00 s audio; 0 decoder error(s).
PASS	Black Frames	No black frame sequences detected.
PASS	Freeze Frames	No freeze events detected.
WARN	Audio Silence	1 silence region(s), total 3.5s. At: 00:00:10.005 (3.5s)
PASS	Dead Channel	All 2 channels carry signal.
PASS	Audio Loudness	I -21.8 LUFS (target -23 ± 2), true peak -20.1 dBTP (max -1)

PASS PROJ_CAM01_TAKE_20261018_C001.mp4

3840x2160 | H264 | 30.00 fps | 00:00:32 | 108.3 MB

Status	Check	Detail
PASS	Container Format	108.3 MB, container: .mp4
PASS	Video Codec	Codec: h264
PASS	Resolution	3840x2160 (matches 3840x2160 target)
PASS	Aspect Ratio	1.778:1 matches the target 1.778:1
PASS	Frame Rate	30.000 fps (target: 30 ± 0.5 fps)
PASS	CFR Check	Constant frame rate: 957 intervals of 33.33 ms (30.000 fps)
PASS	Scan Type	Progressive (declared progressive)
PASS	Color / HDR	8-bit, SDR (transfer not signalled), primaries unspecified (not enforced by this spec)
PASS	XR Metadata	No spherical metadata (flat), no stereo metadata (mono) (not enforced by this spec)
PASS	Bitrate	28.2 Mbps (min: 20 Mbps)
PASS	Audio Stream	1 audio track(s)
PASS	Audio Codec	Codec: aac
PASS	Audio Channels	2 channel(s), layout: stereo
PASS	Audio Sample Rate	48000 Hz (minimum 44100 Hz)
PASS	A/V Duration	Video: 32.00s, Audio: 32.00s (diff: 0.000s)
PASS	Frame Count	960 frames (expected ~960, diff: 0)
PASS	File Integrity	Software decode of 960/960 video frames, 32.00/32.00 s audio; 0 decoder error(s).
PASS	Black Frames	No black frame sequences detected.
PASS	Freeze Frames	No freeze events detected.

PROJ_CAM01_TAKE_20261018_C001.mp4 (continued)

Status	Check	Detail
PASS	Audio Silence	No extended silence detected.
PASS	Dead Channel	All 2 channels carry signal.
PASS	Audio Loudness	I -21.8 LUFS (target -23 ± 2), true peak -20.8 dBTP (max -1)

PASS PROJ_CAM02_TAKE_20261018_C002.mov

3840x2160 | H264 | 30.00 fps | 00:00:32 | 107.9 MB

Status	Check	Detail
PASS	Container Format	107.9 MB, container: .mov
PASS	Video Codec	Codec: h264
PASS	Resolution	3840x2160 (matches 3840x2160 target)
PASS	Aspect Ratio	1.778:1 matches the target 1.778:1
PASS	Frame Rate	30.000 fps (target: 30 ± 0.5 fps)
PASS	CFR Check	Constant frame rate: 957 intervals of 33.33 ms (30.000 fps)
PASS	Scan Type	Progressive (declared progressive)
PASS	Color / HDR	8-bit, SDR (transfer not signalled), primaries unspecified (not enforced by this spec)
PASS	XR Metadata	No spherical metadata (flat), no stereo metadata (mono) (not enforced by this spec)
PASS	Bitrate	28.1 Mbps (min: 20 Mbps)
PASS	Audio Stream	1 audio track(s)
PASS	Audio Codec	Codec: aac
PASS	Audio Channels	2 channel(s), layout: stereo
PASS	Audio Sample Rate	48000 Hz (minimum 44100 Hz)
PASS	A/V Duration	Video: 32.00s, Audio: 32.00s (diff: 0.000s)
PASS	Frame Count	960 frames (expected ~960, diff: 0)
PASS	File Integrity	Software decode of 960/960 video frames, 32.00/32.00 s audio; 0 decoder error(s).
PASS	Black Frames	No black frame sequences detected.
PASS	Freeze Frames	No freeze events detected.
PASS	Audio Silence	No extended silence detected.
PASS	Dead Channel	All 2 channels carry signal.
PASS	Audio Loudness	I -21.8 LUFS (target -23 ± 2), true peak -20.8 dBTP (max -1)