
Run Description


SMART vector Rocchio feedbackrun. Base Lnu.ltu weights, with doc indexing = 0.5 metadoc_Lnu_weighting + 0.7 JSON_Lnu_weighting if a JSON doc exists (= straight Lnu weighting if only metadata info).Run Rocchio algorithm. Use relevance info on Rounds 1+2 collections to expand and optimize query weights on that collection. Query term weights = 4 * original query weight + 6 * average weight in relevant docs - 8 * average weight in nonrel docs. Expansion to top 50 terms.


Summary Statistics		
Run ID	sab20.3.rocchio	
Topic type	feedback	
Contributed to judgment sets?	no	

Overall measures		
Number of topics	40	
Total number retrieved	39927	
Total relevant	4698	
Total relevant retrieved	3341	
MAP	0.3077	
Mean Bpref	0.5636	
Mean NDCG@10	0.6730	
Mean RBP(p=0.5)	0.7216 + 0.0649	


Document Level Averages		
	Precision	
At 5 docs	0.7850	
At 10 docs	0.7425	
At 15 docs	0.6817	
At 20 docs	0.6363	
At 30 docs	0.6050	
R-Precision		
Exact	0.3550	













Per-topic difference from median NDCG@10 for all Round 3 runs

Round 3 results — Run sab20.3.rocchio submitted from sabir



Per-topic difference from median P@5 for all Round 3 runs



Per-topic difference from median RBP(p=0.5) for all Round 3 runs